Award Number:

W81XWH-10-1-1044

TITLE:

Obesity/Overweight in Persons with Early and Chronic SCI: A Randomized Multi-Center Controlled Lifestyle Intervention

PRINCIPAL INVESTIGATOR:

Mark S. Nash, Ph.D.

CONTRACTING ORGANIZATION:

University of Miami School of Medicine

Miami, FL 33136

REPORT DATE:

OCTOBER, 2011

TYPE OF REPORT:

ANNUAL

PREPARED FOR: U.S. Army Medical Research and Materiel Command

Fort Detrick, Maryland 21702-5012

DISTRIBUTION / AVAILABILITY STATEMENT:

Approved for public release; distribution unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DO	CUMENTATIO	N PAGE		Form Approved OMB No. 0704-0188			
Public reporting burden for this collection of information is data needed, and completing and reviewing this collection this burden to Department of Defense, Washington Headd 4302. Respondents should be aware that notwithstanding valid OMB control number. PLEASE DO NOT RETURN	of information. Send comments regarduarters Services, Directorate for Inforgany other provision of law, no person	rding this burden estimate or an mation Operations and Reports a shall be subject to any penalty t	y other aspect of this col 0704-0188), 1215 Jeffe or failing to comply with	llection of information, including suggestions for reducing rson Davis Highway, Suite 1204, Arlington, VA 22202-a collection of information if it does not display a currently			
1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE			ATES COVERED (From - To)			
1 OCT – 2011 4. TITLE AND SUBTITLE:	ANNUAL			- SEP – 2010 thru 29 – SEP – 2011 CONTRACT NUMBER			
Obesity/Overweight in Person	e with Farly and Cl	ronio SCI. A		B1XWH-10-1-1044			
· e	•			GRANT NUMBER			
Randomized Multi-Center Co	introlleu Litestyle II	itervention					
			5c. l	PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)			5d.	PROJECT NUMBER			
Mark S. Nash, Ph.D.			50	TASK NUMBER			
				VORK UNIT NUMBER			
7. PERFORMING ORGANIZATION NAME University of Miami School of				ERFORMING ORGANIZATION REPORT UMBER			
Miami, FL 33136							
9. SPONSORING / MONITORING AGENC	Y NAME(S) AND ADDRESS	S(ES)	10.	SPONSOR/MONITOR'S ACRONYM(S)			
U.S. Army Medical Research and		` ,					
Fort Detrick, Maryland 21702-5			11. SPONSOR/MONITOR'S REPORT NUMBER(S)				
12. DISTRIBUTION / AVAILABILITY STAT	EMENT: Approved for	public release; dis	tribution unli	mited.			
13. SUPPLEMENTARY NOTES: N/A							
14. ABSTRACT							
an SCI. Health risks posed by following co-morbid condition syndrome, insulin resistance, yeause cardiovascular disease (pressure ulcers, and degenera hazards, improve life quality, Investigator uses a multi-cente patient education, exercise, dichronic SCI. Three spinal core VA Medical Center, and Shep NIH-sponsored 27-center RCI one year of structured lifestyle Metformin pharmacotherapy, approach has been found cost	nile overweight/obesity among p 66% higher rate of eme obesity (body nas with SCI are over fat accretion - espects, all of which are constant inflammati CVD), stroke, osteoutive joint disease. The and enhance physical er RCT examining a etary intervention, and centers located at the content of the content	ity in the general ersons with disable overweight/obest nass index [BMI] erweight/obese, exially of the abdoommonly reported on, atherogenic of arthritis, sleep aphe overarching of al function in performed professional state University of ta) will participate of the decreased incitre that the RCT will that the RCT with the terminal termin	population polities are evity among polities are evity among politic	is expanding at a pandemic en more alarming. Combined cople with disabilities than the is four times more prevalent. es for military cohorts without congly associated with the with SCI: cardiometabolic hypertension, diabetes, allsion, respiratory decline, his study is to reduce health I. In this project, the Principal intervention incorporating ersons with sub-acute and er School of Medicine, Miami is modeled after the DPP, an e-2 diabetes accompanying			
15. SUBJECT TERMS Spinal cord injury, SCI, paral	ysis, obesity, overw	eight, diabetes, li	festyle, diet,	exercise			
16. SECURITY CLASSIFICATION OF: U		17. LIMITATION	18. NUMBER	19a. NAME OF RESPONSIBLE PERSON			

OF ABSTRACT

UU

a. REPORT

 \mathbf{U}

b. ABSTRACT

U

c. THIS PAGE

 \mathbf{U}

OF PAGES

700

19b. TELEPHONE NUMBER

W81XWH-10-1-1044 PD/PI: NASH, M.S.

TABLE OF CONTENTS

-			
P	ล	σ	e

Section I – Introduction	.4
Section II – Body	.5
Section III – Key Research Accomplishments	.7
Section IV – Reportable Outcomes	.8
Section V – Conclusion	.8
Section VI – Appendices	9

Section I – Introduction

The overarching study objective is to reduce health hazards from an overweight/obese body habitus and co-morbid cardiometabolic disorders in people with SCI, and to improve their life quality. The study is a four-year multi-center randomized clinical trial (RCT) conducted at 2 SCI rehabilitation research centers and two Veterans Affairs Medical Centers. The study is modeled after the Diabetes Prevention Program (DPP), an NIH-sponsored 27-center RCT that reported a sustained 7% body weight reduction in pre-diabetic individuals accompanied by a 58% decrease in progression to type-2 diabetes. The lifestyle intervention approach incorporating diet, exercise, and behavioral adjustments was more effective than pharmacotherapy, benefited both genders and persons of all races, and has lasted 10 years after initiation.

The study plan will enroll 90 persons with SCI who are overweight/obese and have fasting atherogenic dyslipidemia and dysglycemia. Interventions will include 6 months of structured lifestyle intervention incorporating education, exercise, diet, and behavioral support. A second arm will test benefits of exercise alone while controlling for investigator contact. Multiple baselines tested before intervention will serve as a treatment control.

Exercise will include a six-month circuit resistance training program already established as effective in fitness attainment for persons with paraplegia and tetraplegia. Dietary intervention over the same period will balance caloric expenditure measured by indirect calorimetry and food intake, the latter coming from a Mediterranean style diet having effectiveness established in the DPP for durable weight loss and diabetes prevention. The investigators and personal 'lifestyle coaches' will then shape and follow client-specific exercise and diet programs to be conducted for 12 months in the home or community-based centers. Behavioral approaches will include a 16-week training curriculum presented in both small groups and with the lifestyle coaches. Other behavioral approaches will include customized trial information booklets, performance incentives, outcome challenges between centers, and use of the VA Telehealth system for performance tracking, compliance assessment, and motivational support.

Study specific aims and their accompanying hypotheses will test effects of intervention on: 1) reducing body weight and radiographically-derived body fat, 2) improving fitness as assessed by endurance, strength, and anaerobic power, 3) reducing risks of fasting dyslipidemia, post-prandial lipemia, and insulin resistance, and 4) enhancing perceived health-related quality of life. Data will be analyzed by Multivariate analysis with repeated measures. Ancillary testing will investigate effects of intervention on the whole body oxidation of fat at rest and following food intake, and examine the relationship between dietary intake and caloric expenditure at the beginning and the end of the 18 month study. The primary trial goal pays fidelity to the DPP by targeting sustained loss of 7% of body weight, a proven countermeasure for prevention of diabetes.

Section II - Body

The Gantt chart below (shadowed areas for emphasis) shows performance targets for the current reporting period.

				GY1				
#	Task/ Activity	Q 1	Q 2	Q 3	Q 4			
1	IRB Approval ¹ , Continuing Reports ² , and Final Reports ³	X 1			X 2			
2	Foundational and Follow-up DSMB Meetings		X		X			
3	Equipment Testing, Elaborating Study Protocol, Team Training	X	X					
4	Database Design and Operations Testing	X	X					
5	Development of TeleHealth Pathway	X	X					
6	Annual Team Meeting (Alternating Years in Miami/Atlanta)				X			
7	Coordinators Meeting: (Monthly throughout the study)	X	X	X	X			
8	Subject Recruitment	X	X	X	X			
9	Participant Training			X	X			
10	Data Collection		X	X	X			
11	Sponsor Reports	X	X	X	X			
12	Interim Data Analysis, Abstraction, and Presentations				X			

1) IRB approvals have been obtained from all study sites and the necessary documentation forward to the DSMB. Following the filing of the quarterly report in April 2011, the VAMC- Miami withdrew its previously granted approval based upon absence of a data sharing agreement between the VAMC and the University of Miami Miller School of Medicine. While had already received approval letters from the VAMC-Miami IRB, Research Committee, and ACOS-Research, a Regulatory Analyst refused to grant permission to move forward with the study. This matter was immediately brought to the attention of the Human Subject Research Office at the Miller School of Medicine, as well as the Clinical Research Initiation Services (CRIS) office, the Dean for Research, and University Counsel. Over the next three months key administration interacted between the two institutions and it was found that we were obtaining HIPAA form B clearance from qualified VA subjects. Our initial argument to this effect fell on deaf ears when

presented to the VAMC, although after intercedence from University Counsel the VA relented, indicated that it had erred in its opinion, and that we could indeed go forward. It was at this point (26 July 2011) that documents were forwarded to the HRPO office. We currently wait for HRPO approval before going forward.

- 2) The DSMB has been full constituted has been interacting with the study PI and clinical coordinator. Institutional approvals and trial documents have been forwarded to DSMB chairman Dr. Sunil Sabharwal at VA-Boston. DSMB endorsement to go forward with the trial has been issue pending HRPO approval (Appended).
- 3) All equipment has been ordered and is appropriately placed at the three test institutions. In-service training has been conducted by equipment manufacturers and grant staff.
 - The study protocol and all procedures have been fully explicated in a 150 page Clinical Trial manual, as well as a separate Nutritional Manual Supplement. The Participants' Study Manual to be used by study enrollees has also been completed. These documents were forwarded to the subcontracting sites. Dr Gregory Bigford, Clinical Trial Coordinator, has conducted in-service training for all centers to assure full understanding of, and compliance with the protocol.
- 4) The study database repository is now fully operational in the E-Velos system within the CRIS at the Miller School of Medicine. The database design was a collaborative effort among the study methodologist, PI, the Clinical Trial Coordinator and eVelos staff, so that entered data could most efficiently be analyzed and reported. To test the system we created a ghost account, entered a sample set from a peripheral site, and then completely recalled, downloaded, and analyzed the sample data. Instructions for use of the website are included in the Clinical Trial Manual for the subcontracting sites and was reviewed by Dr. Bigford at the in service training for both the Shepherd Center (Atlanta) and the VAMC Miami.
- 5) The clinical pathway for the Tele Health system was designed by Dr. Larry Brooks who serves as Director of the Behavioral Core of the study. Dr. Bigford and Dr. Nash have met with Lisa J. Roberts, Ph.D., Global Clinical and Innovations Manager for Viterion Tele Health Care (Bayer Health Care) and interacted with Cliff Holland, Business Manager for Viterion Tele Health Care in the South East region. Our meetings have led to the programming of the Viterion Tele Health module and the ability to modify the system if necessary. Log jams in the VA procurement system led to a two month delay in receipt of the devices, although the purchase order has now been issued, the devices are on-site, and the study sites in-serviced in procedures for their use. Instructions on system use have been incorporated in the Clinical Trial Manual.
- 6) Team meetings have been held according to schedule and in-service training completed.

- 7) See #6
- 8) Subject recruitment is currently on hold pending final approval from the HRPO. Despite this delay, we have started a wait-list at all sites for subjects who meet the study inclusion/exclusion criteria.

PD/PI: NASH, M.S.

To address possible delays in enrollment The Miami Project to Cure Paralysis has added a core staff position whose sole responsibility is recruitment of qualified subjects for approved research studies. This study is a priority for their recruitment.

- 9) Participant training is being held until HRPO approval is received.
- 10) No data collection has taken place thus far.
- 11) Sponsored reports have been filed in a timely fashion.
- 12) No data have been collected, and thus abstractions have not taken place. The PI has been active in presentation of keynote addresses and featured talks on the topic of obesity and cardiometabolic disease after spinal cord injury.

Section III – Key Research Accomplishments

Key Research Accomplishments: Bulleted list of key research accomplishments emanating from this research.

- Completion of the population-specific:
 - Clinical Trial Manual (Appended)
 - Nutritional Manual Supplement (Appended)
 - o Participant Lifestyle Manual / Lifestyle Balance Notebook (Appended)
 - Intake Form
 - o Inclusion/Exclusion Check off: DOD Trial Manual (pdf): pp 5-6
 - Telehealth Clinical Pathway for "Obesity/Overweight": <u>DOD Trial Manual (pdf):</u>
 <u>pp 159</u>
 - DPP Lifestyle Materials for Sessions 1-16 (Adapted for SCI): DOD Trial Manual (pdf): pp51-156
 - o Lifestyle Coach Materials: <u>Lifestyle Coaches Manual (pdf)</u>
 - o Optional Participant Handouts: Fact Counter (pdf) / Keeping Track (pdf)
 - o Complete Dietary Packets for 1200, 1500, 1800, and 200 kcal
- Development and testing of the study data repository and data analysis system
- Receipt of DSMB approval (Appended)
- Presentations (See Section IV)

Section IV – Reportable Outcomes

Presentations incorporating information from this award:

- Cardiometabolic Disease in the Aging Person with Spinal Cord Injury: An Evidence-Based Approach. Annual Assembly, American Academy of Physical Medicine & Rehabilitation. Orlando, FL, November 2011.
- Best Practices in Cardiometabolic Disease Management after SCI: Is Guideline-Driven Treatment Sufficient? Summit 2011 + EXPO: Delivering Excellence, Achieving State-of-the-Art Health Care. Paralyzed Veterans of America, Orlando, FL, September 2011.
- Best Practice Approaches for Diagnosis and Intervention on Cardiometabolic-Related Diseases after Spinal Cord Injury. Department of Rehabilitation Medicine, University of Rochester Medical Center, Rochester, NY, October 2010.
- Aging-Related Health after SCI: Optimistic Rhetoric or Realistic Target? [Keynote]. 34th Annual Rehabilitation Symposium, Spinal Cord Injury Program, Rehabilitation Institute of Chicago, Chicago, IL, June 2011.
- Preferred Exercise Countermeasures for Cardiometabolic and Related Disorders after SCI. 34th Annual Rehabilitation Symposium, Spinal Cord Injury Program, Rehabilitation Institute of Chicago, Chicago, IL, June 2011.
- Cardiometabolic Disease Risks after SCI: Surmounting Existing and Anticipated Challenges. State-of-the-Science Conference on SCI Research, Joint Annual Meeting of the American Spinal Injury Association and the International Spinal Cord Society, Washington D.C., June 2011.

Section V – Conclusion

Trial preparation as outlined in the scope of work has been completed. Equipment has been acquired, placed, and in-serviced. Procedures have been written and reviewed. Study delays have been imposed by post-approval mandates for changes on data security with the VAMC - Miami. These delays were proactively addressed and appropriate resources brought to bear in order to move the trial forward. Affirmative steps have been undertaken to address study accruals.

So what...?

The development of the study materials serves two important purposes. On face, the manuals will provide instructions to ensure that all centers are collecting and depositing data in an efficient and identical manner. Additionally, the manuals provide the underpinnings for lock-step translation of the study procedures to clinical benefit. We expect to have data in the next year that shows the program effective in addressing the overarching goals of the study, which will

provide first benefit for treatment of the vexing all-cause cardiometabolic risks widely experience by persons with chronic SCI.

<u>Section VI – Appendices (cumulative length = 691 pages not sequentially paginated)</u>

- A. DSMB Sign-off Letter
- B. DOD Trial Manual
- C. Lifestyle Balance Notebook
- D. Lifestyle Coaches Manual
- E. 1-RM calculator
- F. Complete Mediterranean-Style Diet Packets
 - 1. 1200kcal
 - 2. 1500 kcal
 - 3. 1800 kcal
 - 4. 2000 kcal
- G. Fat Counter
- H. Lifestyle Keeping Track

DEPARTMENT OF VETERANS AFFAIRS VA BOSTON HEALTHCARE SYSTEM 1400 VFW Parkway SCI (128) West Roxbury, MA 02132



In Reply Refer To:

October 18, 2011

Mark S. Nash, Ph.D., FACSM
Department of Neurological Surgery
The Miami Project to Cure Paralysis
University of Miami Miller School of Medicine
Lois Pope Life Center
1095 NW 14th Terrace, R-48
Miami, FL 33136

Re: SC090095 or W81XWH-10-1-1044, Obesity/Overweight in Persons with Early and Chronic SCI: A Randomized Multi-Center Controlled Lifestyle Intervention

Dear Dr. Nash:

As DSMB Chair for the above-captioned award I have reviewed forwarded documents including the following:

- 1. Grant proposal, including narrative and all attachments
- 2. IRB documents from the three study sites
- 3. Trial manual
- 4. Lifestyle Balance Notebook
- 5. Lifestyle Coaches manual
- 6. Quarterly Report
- 7. Annual Report (draft)

Based upon my review and in accordance with responsibilities outlined in your narrative I authorize you and your colleagues to proceed with the trial pending final approval from the Program Officer, Human Research Protection Office (HRPO), Office of Research Protections (ORP) U.S. Army Medical Research & Materiel Command (USAMRMC). Going forward the DSMB will receive all IRB reports, information concerning (serious) adverse events, sponsor reports, and any proposed changes in the study procedures.

I wish you best success in conducting this important multi-site controlled trial, and with assistance from Drs. Myers and Keyser the DSMB will maintain oversight of all relevant study activities.

Sincerely,

Sunil Sabharwal, M.D.

Chief, SCI Service (128), VA Boston HCS

Assistant Professor of Physical Medicine and Rehabilitation

Harvard Medical School

cc: Jonathon Myers, Ph.D.

Randall Keyser, Ph.D.

OBESITY/OVERWEIGHT IN PERSONS WITH EARLY AND CHRONIC SCI: A RANDOMIZED MULTI-CENTER CONTROLLED LIFESTYLE INTERVENTION.

PHASE IV MULTI-CENTER CLINICAL TRIAL CLINICAL TRIAL MANUAL

PRINCIPAL INVESTIGATOR:

Mark S. Nash, Ph.D., FACSM

Professor, Departments of Neurological Surgery and Rehabilitation Medicine
Principal Investigator, Applied Physiology Research Laboratory,
The Miami Project to Cure Paralysis
Director of Research, Rehabilitation Medicine
University of Miami Miller School of Medicine
Lois Pope Life Center, 1095 NW 14th Terrace, R48
Miami, FL 33136

Office: 305.243.3628 FAX: 305.243.3215 E-mail: msnash@miami.edu

TABLE OF CONTENTS

I.	GENE	RAL DESCRIPTION	4
	a.	Overview	
	b.	Subject Information – Inclusion and Exclusion Criteria	
	C.	Specific Aims and Hypotheses	
		Study Design and Timeline of Data Collection	
II.		EDURÉS AND INSTRUCTION FOR STUDY OUTCOME MEASUREMENTS	12
	a.	Body mass	
		DXA Body Composition	
	C.		
	d.	Caloric Intake - Expenditure	
		Fitness Attributes	
	f.	Global Cardiovascular Disease (CVD) Risk	
	g.	Postprandial Lipemia	
	ĥ.	Health Related Quality of Life (HRQoL)	
III.		RY INTERVENTION .	17
	a.	General Principles	
	b.	Caloric restriction and the Mediterranean-Style Diet	
	C.	Food Intake Log	
	d.	Important Information	
	e.	Specific training for Dietary training curriculum	
IV.	BEHA\	VIORAL INTERVENTION	51
	a.	General Principles	
	b.	Core Intervention Training Curriculum – Outline	
	C.	Core Intervention Training Sessions – Outline	
		Weight Mirror	
	e.	Extension Phase – TeleHealth Network and Toolbox Options	
	f.		
		Enrolling patients and clinician reporting basics using the Viterion website	
٧.	EXER(CISE INTERVENTION	165
		General Principles	
		CRT Exercise Maneuver Description	
		CRT Training Session Design	
		Modification to CRT for participants with tetraplegia	
VI.	OXYC	ON MOBILE INSTRUCTIONS AND PROTOCOL	168
	a.	The first of the second	
		Calibration	
		Patient data entry	
	d.	, , ,	
		Testing	
	f.	Retrieving subject test data	
	g.	Designing reports	
		Exporting data	
	i.	Using the flash card	
VII.	VELOS	S eRESEARCH	191

b	. Access	ing Velos	
	i.	Study information (S)	
	ii.	Study documents (D)	
	iii.	Study patient management (P)	
С	CRF fo	rms	
	i.	Screening	
	ii.	Anthropometric I	
	iii.	Anthropometric II	
	iv.	Blood testing	
	٧.	Fitness attributes	
	vi.	SF-36	
d	. Report	ng Data	
_		bbreviations/codes	
VIII. DAT	A SAFET	Y MANAGEMENT BOARD (DSMB)	213
IX. APPE	NDIX		215
а	. Subjec	t Information – Inclusion and Exclusion Criteria Checklist	
b	. Food Ir	take Log	
С	Behavi	oral Intervention Extension Phase Checklist	

a. General Principles

OVERVIEW

Obesity and endocrine-related diseases embodies a national health crisis and represents the sole chronic condition whose speed of growth and widespread dispersion resembles pandemics of communicable diseases. Data from the National Center for Health Statistics, Centers for Disease Control and Prevention (CDC) warns that 65.1% of Americans are currently overweight or obese, with a growth rate exceeding 10% in the past decade. Health risks posed by obesity are strongly associated with 15 co-morbid conditions including: cardiometabolic syndrome, hypertension, diabetes, coronary artery disease, congestive heart failure, stroke, osteoarthritis, sleep apnea, depression, cancer, respiratory failure, disorders of coagulation, and degenerative joint disease. More than 300, 000 Americans die annually from obesity and endocrine-related illness, whose demographics cross all lines of gender, geographic region, socioeconomic status, race, heritage, and education level.

While obesity and an overweight body habitus among the general population is distressing, the prevalence of overweight among persons with disability is even more discouraging, where it has been reported that there is a 66% greater rate of obesity among people with disabilities than the general population. A recent regional study reported that extreme obesity (BMI \geq 40) was four times more prevalent among persons with disability than those without. Additionally, statistical evidence on veterans with SCI reveal that 37% are overweight and another 31% obese.

Body weight gain through addition of fat is commonplace after SCI, and is likely caused by physical deconditioning, loss of metabolically active muscle mass, reduced whole body energy expenditure, restricted choices for exercise conditioning, and hypercaloric diet. Irrespective of cause, weight gain following SCI brings about diminished work capacity, musculoskeletal decline, pain, accelerated cardiovascular disease (CVD), worsening of neurological status, and progressive life dissatisfaction. It is also disturbingly co-morbid with dyslipidemia, glucose intolerance, and insulin resistance, has wide-ranging effects on health and function, and is far more difficult to manage and reverse than obesity occurring in persons without disability.

The current initiative addresses the societal concerns and disability priorities in a four-year randomized multi-center clinical trial examining 18 months of structured therapeutic lifestyle intervention (TLI) containing patient education, exercise, dietary intervention, and professional support in persons with chronic SCI. The study is modeled after widely reported successes of the Diabetes Prevention Program (DPP).

This clinical trial manual describes the overall study design and details regarding the key components of the study such that effective execution of study objectives, appropriate data collection and outcome measures can be obtained.

SUBJECT INFORMATION AND INCLUSION/EXCLUSION CRITERIA

Name:	-	
Code:		
D.O.B.		
Height:		
Weight:	-	

INCLUSION CRITERIA:			
Injury level	AIS A-C C5-L1	0	
Injury duration	> 1 year	п	
Age	18-65 years	п	
Gender	Male 80%	Female 20%	
Racial/Ethnic background	All		
Population	Military and civilian constit	uents	
BMI	≥ 20 kg/m²	п	
Fasting dyslipidemia	HDL-C ≥ 40 mg/dL OR TO		
Impaired fasting glucose	≥ 100 mg/dL	п	


EXCLUSION CRITERIA:	
Structured exercise conditioning within 6 months of study entry	
Defined diet involving caloric restriction or nutrient modification	
Weight loss/gain of 5% within 6 months of study entry	
Surgery within 6 months of study entry	
Pressure ulcer within 3 months of study entry	
Upper limb pain that limits exercise	
Recurrent acute infection/illness requiring hospitalization of IV antibiotics	
Pregnancy	
Previous MI or cardiac surgery	
6 month history of glucose-lowering and/or lipid-lowering drug therapy	
Type I OR Type II diabetes	
Daily intake of vitamin supplementation exceeding 100% RDA	

Contraindicated disorder/condition: Traumatic brain injury – residual cognitive/behavioral impairment Substance abuse/dependence Psychiatric condition					
Contraindicated drug therapy:					
 β-adrenergic antagonists Maintenance α-blockers Methyldopa Thiazide and loop diuretics Parasympatholytics Zinc Estrogen/hormone replacement therapy (excluding oral contraceptives) Insulin-sensitizing drugs Lipid-altering agents 					
Fasting blood glucose ≥ 126 mg/dL after a fa		0			
OR Symptoms of hyperglycemia and casual plasma glucose ≥ 200 mg/dL					
2-hour plasma glucose ≥ during an OGTT us	OR sing a glucose load of 75g	п			

DESCRIPTION OF SPECIFIC AIMS AND HYPOTHESES

Specific Aim 1	Reduce overweight/obesity and overweight/obesity-related health risks as assessed by the following primary study outcomes: Body Weight Abdominal fat (subcutaneous + intra-abdominal) Insulin resistance Caloric intake in excess of expenditure
Hypotheses 1a-1d	Persons with SCI who undergo 18 months of client-oriented education, exercise, diet, and support strategies of the DPP will experience to a significantly greater degree than participants randomized to exercise alone or a control: Hypothesis 1a: Reduction of body mass Hypothesis 1b: Reduction of i) abdominal fat and ii) increase in whole body lean mass Hypothesis 1c: Reduced insulin resistance Hypothesis 1d: A significant difference will exists between caloric expenditure and intake in persons with SCI
Specific Aim 2	Improve attributes of fitness:
Hypotheses 2a-c	Persons with SCI who undergo 18 months of client-oriented education, exercise, diet, and support strategies of the DPP will improve to a significantly greater degree than participants randomized to exercise alone or a control: Hypothesis 2a: Endurance Hypothesis 2b: Strength Hypothesis 2c: Anaerobic power
Specific Aim 3	Reduce obesity-related health risks as assessed by the following secondary study outcomes: Global fasting CVD risk Post-prandial lipemia Fasting and post-prandial whole body fat oxidation
Hypotheses 3a-c	Persons with SCI who undergo 18 months of client-oriented education, exercise, diet, and support strategies of the DPP will experience to a significantly greater degree than participants randomized to exercise alone or a control: Hypothesis 3a: Lowered TC:HDL ratio Hypothesis 3b: Decreased area under the TG response curve following a prandial challenge Hypothesis 3c: Increased levels of fasting and post-prandial whole body fat oxidation
Specific Aim 4	Improve self-perceived health and factors that modulate it
Hypotheses 4a-e	Persons with SCI who undergo 18 months of client-oriented education, exercise, diet, and support strategies of the DPP will experience to a significantly greater degree than participants randomized to exercise alone or a control: Hypothesis 4a: Improved scores on a validated, population-sensitive instrument of HRQoL Hypothesis 4b: Improved scores on validated instruments that measure self-efficacy Hypothesis 4c: Improved scores on validated instruments that measure perceived social support Hypothesis 4d: Improved scores on validated instruments that measure depression Hypothesis 4e: Improved scores on validated instruments that measure anxiety

OVERVIEW OF STUDY DESIGN AND TIMELINE OF DATA COLLECTION



Study outcome		Outcome sampling time points (by month)								
		0	1	2	3	4	5	6	12	18
Body mass	•	•	•	•		•		•	•	_
DXA – body composition		•						•		_
Insulin resistance	•	•						•	•	_
Caloric expenditure – intake	•	_						•	•	•
Fitness attributes VO2Peak TEE CH2O oxidation Fat oxidation ARM PowerPeak PowerMean	•	•						•	•	•
Global CVD risk TC:HDL LDL:HDL TG	•	•			•			•	•	•
Post-prandial lipemia ■ ∆ TG response curve ■ Fat oxidation	•	•						•		•
HRQoL	•	•			•			•	-	-

*These study outcome variables require blood sampling as outlined below:

Study outcome	Whole blood volume	Outcome sampling time points (b)					onth)
	per time point	-3	0	3	6	12	18
Insulin resistance	2 ml Grey , 4 ml EDTA = 6 ml x 7 time points	•	•	•	•	•	•
Global CVD risk	2 ml Grey, 4 ml EDTA = 6 ml	•	•	•	•	•	•
Post-prandial lipemia (Δ TG response curve)	2 ml Grey , 4 ml EDTA = 6 ml x 6 time points	•	•		•		•
	Total blood draw (ml)	84	84	48	84	48	84

SHIPMENT OF SPECIMENS.

General Instructions:
<u>Carriers:</u>
☐ We recommend shipping FedEx Priority Overnight service.
Other carriers are acceptable providing they offer overnight delivery service.
☐ If choosing an alternate carrier, verify policies regarding dry ice shipments (UPS does not accept
boxes for shipment with greater than 5 lbs of dry ice.
Shipping Time:
☐ Please ship samples on Monday, Tuesday, or Wednesday to avoid transit delays over a weekend.
☐ The biochemistry lab is closed on weekends.
Notify us:
☐ Prior to shipment, send notice of sample shipment via email to:
a.mendez@miami.edu
☐ Please include the following information:
Sample log (used to compare with actual sample received)
Shipment's tracking number
Shipping Address:
☐ Diabetes Research Institute Clinical Chemistry Lab
University of Miami Miller School of Medicine
Attention: Espy Perez
1450 NW 10 th Ave
Miami, FL 33136
305.243.5314

Packing Instructions:

These recommendations follow the US Center for Disease Control (CDC) guidelines for transport of biological specimens within the United States (Postal Law 18 USC, 1716) and should be strictly followed.

- ☐ Supplies Needed:
 - The shipping contained should consist of a corrugated cardboard box with an insulating Styrofoam box insert (1-2" wall thickness). These containers are available from scientific supply companies such as VWR.
 - Cryostorage storage boxes (cryovial size)
 - Large Ziploc freezer bags (gallon size)
 - Newspaper or other packing material
 - Paper towels or other absorbent material
 - Dry ice
- ☐ Packaging Serum/Plasma Samples:
 - Individual sample tube should have clearly indicated sample id numbers labeled directly on the tube.
 - Place cryovials (2 mL) into a 9 x 9 grid storage box (81 vials per box) into a 7" x 7" box.

- Box size should be modified as needed if sample aliquots are in larger tubes.
- Cryostorage bags should be secured with rubber bands and place inside a large Ziploc freezer bag.
- Place a minimum of 5 lbs (2.5 kg) dry ice on the bottom of the shipping container. Larger boxes will require additional dry ice. A good rule of thumb is at least ¼ of the available space should be filled with dry ice.
- Place several layers of newspaper over the dry ice. This acts as a barrier and cushion between the dry ice and samples.
- Place samples (boxed and bagged) on top of newspaper. Fill any remaining space with additional packing material (crumpled paper, packing peanuts, etc.) to prevent shifting. Please remember that as the dry ice sublimates your samples may begin to shift. It is a good idea to loosely pack the container to the top. (Don't crack the Styrofoam box!)
- Place the sample log inside a Ziploc bag and lay this inside the box before you close the Styrofoam lid.
- Seal the outer cardboard box with packing tape. Shippers (FedEx, DHL) require you to affix a black and white dry ice label to the outside of the box. For FedEx, check YES in the "Dangerous Goods" box and write in the weight of the dry ice enclosed.

PROCEDURES AND INSTRUCTIONS FOR STUDY OUTCOME MEASURES

- a. Body Mass Body mass, in Kg, will be measured on a calibrated scale that can accommodate the footprint of a wheelchair. Participants will be weighed both in and apart from their wheelchairs, with the outcome expressed as the average of two weightings.
- b. **DXA Body Composition** Lean body mass will be determined by DXA as described in adults with paraplegia. Subjects will be instructed to wear comfortable clothing without metal clips. They will be assisted in transfer to the DXA scanner bed and placed in the supine position. Body composition measurements will be made in the anterior-posterior position using a Lunar DPX-L scanner generating X-rays at 2 energy levels (40 and 70 kVp). A series of transverse scans will be made from the head to toe at 2 mm intervals. Data will be collected over an area of 200 x 60 cm and expressed as grams of fat, grams of lean tissue mass, and/or percent lean body mass. Quality assurance measures should be undertaken daily and the scanner should be calibrated weekly using a density-gradient phantom. NOTE: Protection for bony prominences may be provided through use of a padded mat. The mat should be scanned separately to assure that it does not register scanned densities.
- c. Insulin Resistance The assessment of whole-body insulin sensitivity will encompass both hepatic and peripheral tissues, which is derived by combining the insulin sensitivity index (ISI) during the oral glucose tolerance test (OGTT) with that obtained during the basal state, the latter of which primarily reflects hepatic insulin sensitivity. This composite 'whole-body ISI' during the OGTT [ISI (composite)] will be calculated as:

$$100^{2} / [(FPG x FPI) x (G_{MEAN} x I_{MEAN})]^{0.5}$$

where 100^2 represents a constant that generates values ranging from 1 to 12, FPG = fasting plasma glucose, FPI = fasting plasma insulin, and G_{MEAN} and I_{MEAN} reflect the 2-hour (75g) OGTT averages for glucose and insulin, respectively.

d. Caloric Intake – Expenditure – Caloric intake will be monitored by using a 4-day food log, which includes weekend food consumption. An orientation session, typically lasting 1.5 hours, is to be completed with each participant. Participants will be provided a food scale, measuring cup, pen, notebook, and intake form. Both written and oral guidelines for weighing, measuring, and recording foods are to be reviewed during the orientation session. Participants are to be instructed to complete and return a sample 2-day dietary record to be reviewed and immediately returned. Food and drink consumption are then recorded for 2 additional days, and completed logs are to be returned to study personnel. Dietary intake and composition is analyzed using the nutritional software package Food Processor II Windows v. 7.6 (ESHA Research, Salem, OR).

Caloric expenditure will be calculated by indirect calorimetry:

$$Kcal/min = 4.92 (V) / [20.93-FEO_2/100]$$

where the conversion factor of 4.92 kcals / liter of oxygen consumed is corrected for the fractional expired O_2 at rest and low intensity work. Food, ethanol, caffeine, and nicotine will be restricted for 8 hours before assessment, which is to be conducted at least 18 hours following moderate or

intense work. Measurement duration of 10 minutes with the first 5 minutes deleted and the remaining 5 minutes having a coefficient of variation <10% gives accurate readings of RMR.

e. **Fitness Attributes** – Cardiopulmonary endurance, upper extremity dynamic strength and anaerobic power data measurements will be assessed.

Metabolic testing and analysis to assess cardiopulmonary endurance will be carried out by using an open-circuit indirect calorimetry system on a *Jaeger OxyCon Mobile* device.

- VO_{2PEAK} will be determined by a maximal continuous graded exercise test on an arm crank ergometer.
- An initial workload of 10W will be increased by 10W every 3 minutes until volitional exhaustion is reached for participants with paraplegia.
- An initial workload of 5W will be increased by 5W every 3 minutes until volitional exhaustion is reached for participants with tetraplegia – ACSM guidelines for exercise termination.
- Expired gases will be continuously analyzed via open-circuit indirect calorimetry, where
 - i. The rate of O_2 consumption VO_2 (L/min)
 - ii. The rate of CO₂ consumption **VCO₂** (L/min)
 - iii. Respiratory Exchange Ratio **RER** will all be collected and utilized.
- Peak work will be defined as i) volitional exhaustion, ii) inability to maintain target workload, or iii) the point at which increasing workload fails to further increase VO₂.
- II. Total energy expenditure (TEE), whole body carbohydrate oxidation (CH₂O), and fat oxidation (FO) rates at rest and during exercise will be calculated from ventilator data collected using the following stoichiometric equations assuming negligible urinary nitrogen excretion rates:
- TEE (kcal/min) = 3.9VCO₂/RER + 1.11VCO₂
- CH_2O (g/min) = $4.55VCO_2 3.219VO_2$
- **FO** (g/min) = 1.67**VO**₂ 1.67**VCO**₂

where rates of CH₂O and FO oxidation will be converted to weight relative units (μmol/kg·min) using the molecular weights of glucose (180 g/mol) and a representative TG (860 g/mol). Fat oxidation will be converted to fatty acid oxidation by multiplying by 3 (# mol fatty acids/mol TG).

One-repetition maximum (1RM) testing will be carried out to assess upper extremity dynamic strength as follows:

- Subjects will be instructed to perform 8 repetitions of each maneuver with each repetition lasting six seconds (3 seconds concentric, 3 seconds eccentric).
- If 8 repetitions are completed in a controlled fashion, weight will be increased and the exercise repeated incremental increases will be 5 kg (paraplegia) and 2.5 kg (tetraplegia) until 8 repetitions **cannot** be completed.

1RM will be calculated using the Mayhew regression equation:

$$1RM = Wt/(0.533 + 0.419e^{-0.055*REPS})$$

where **1RM** is the calculated one repetition maximum strength, **Wt** is the resistance used in the last set where more than three repetitions but less than eight repetitions were completed, and **reps** equals the number of repetitions completed in the last set of testing.

1RM will be assessed in the following time schedule:

		Upper extremity dynamic strength (1RM)								
Exercise Maneuver	-3	0	1	2	3	4	5	6	12	18
Military press		-			•			•		
Horizontal rows		-			•			•		
Pec dec		-			•			•		
Preacher curls	-	-			•			•		
Latissimus pull-downs	•	•			•			•		
Seated dips ("Rickshaw")	-	-			•			<u> </u>		

Anaerobic power will be determined via a standardized 30 second Wingate power test using a table-mounted arm crank ergometer as follows:

- Warm up will consist of a 5-minute non-resisted propulsion using the arm crank ergometer.
- Participants will then propel the non-resisted ergometer as fast as possible.
 - i. When cadence plateaus, a predetermined constant resistance is applied.
 - ii. Participants continue propulsion for 30 seconds at maximal speed against the constant resistance.
 - iii. Flywheel rate will be assessed by an electronic sensor.
- The resistance for each participant is set at:
 - i. 1.5-3% of body mass for tetraplegia.
 - ii. 3.5% of body mass for paraplegia.
- Peak power the highest 5-second average mechanical power will be measured and utilized.
- Mean power the average power of the 30-second test will be measured and utilized.
- f. Global CVD Risk The primary assessment of global CVD risk will utilize the TC:HDL ratio, and secondary risk assessment will utilize the LDL:HDL ratio. Participants must abstain from caffeine

and alcohol consumption for 24 hours before testing, which will be conducted in the postabsorptive state following an overnight (10 hour) fast and 48 hours after the last exercise bout.

- 10 mL of whole blood will be drawn into citrate and Gel and Lysis Activator (serum) tubes between 8:00am-10:00am.
- Blood will be allowed to clot at room temperature for 30 minutes.
- Blood will be centrifuged at 1500 x g and the serum recovered.
- Platelet poor plasma will be prepared from citrate tubes by centrifuging at 3000 x g for 30 minutes
 - i. TG will be assayed
 - ii. HDL-C will be assayed after removal of apoB-containing lipoproteins by polyanion precipitation.
 - iii. LDL-C will be computed by the methods of Friedewald.

Global CVD risk will be measured as outlined in the time-course of data collection in section 1.

- g. **Postprandial Lipemia** The postprandial risk of lipemia will be determined using blood samples collected before and during the test meal administration.
 - PPL will be calculated using values for TG concentration at all sampled points and will be plotted using graphing software (Graphpad) with the area under curve (AUC) measured by the software using the summed trapezoid method.
 - Subjects will be prepared with a 21g Jelco Teflon catheter kept patent with sterile 0.9% saline.
 - Blood samples will be taken at -15 min and 0 min, followed by ingestion of the test meal.
 - Additional samples will be taken at 1, 2, 4, and 6 hours post-ingestion.

Postprandial Lipemia will be measured as outlined in the time-course of data collection in section 1.

- II. Rates of whole body fat oxidation will be determined at rest and following ingestion of a mixed-nutrient meal that is typical for persons with SCI.
- Subjects will rest comfortably in their wheelchair and will be fitted with a Hans-Rudolph Softmask.
- Expired gases will be collected and continuously analyzed for 30 minutes by open-circuit indirect calorimetry as described.
- Subjects will then ingest a PPL test meal.
- Following consumption, expired gases will again be analyzed during 15 minute periods evenly spaced over 180 minutes while subjects remain resting

- Subjects will be able to consume water ad libitum in between expired gas collection periods.
- Energy expenditure values will be derived from respiratory data averaged during the last
 10 minutes of each 15 minute expired gas collection period.
- TEE, CH₂O and fat oxidation will be calculated as described.
- h. **HRQoL** The medical Outcome Study Short Form (SF-36) will be used to test SCI participants on HRQoL, a multi-dimensional construct encompassing emotional, physical, and social domains that reflect an individual's subjective evaluation and reaction to a health condition.
 - SF-36 will test 8 coalesced dimensions of health that create a physical component score (PCS) and a mental component score (MCS).
 - Site licenses in English and Spanish will be obtained for the SF-36 (v2, QualityMetric, Inc.) and is to be administered by an experienced investigator in the primary language of the participant.
 - Tests will be scored using the online service, and expressed as the coalesced scores for PCS and MCS.

Other psychosocial variables hypothesized to affect treatment adherence and HRQoL in exercise/weight-loss intervention will be measured.

- Self-efficacy will be measured with the Moorong Self-Efficacy Scale which has been validated for use in persons with SCI.
- Perceived social support will be measured by the Interpersonal Support Evaluation List (ISEL).
- Depression will be measured with the Beck Depression Inventory-II which has been validated for use in persons with SCI.
- Anxiety will be measured with the Spielberger State-Trait Anxiety Scale which has been validated for use in persons with SCI.


DIETARY INTERVENTION: CALORIC RESTRICTION AND THE MEDITERRANEAN-STYLE DIET

General Principles:


- Caloric restriction for SCI subjects will be 75% of the RDA for persons without disability
- Sufficient to result in a weight loss of 1-2 lbs/week and ~7% of baseline body mass following 24-week intervention: Consistent with DPP protocol.
- Approximate target daily energy intakes prior to adjustment for physical activity are as follows:

Baseline weight (lbs)	Caloric intake (kcal/d)
120-170	1200
175-215	1500
220-245	1800
>250	2000

- Dietary intervention will follow the *Mediterranean-style diets*, which recent evidence suggests may be optimal for weight loss and disease risk.
- Macronutrient composition of the Mediterranean-style diet is as follows:



THE TRADITIONAL HEALTHY MEDITERRANEAN DIET PYRAMID



Mediterranean Diet Food Pyramid

Example of serving breakdown of the major food groups in each weight defined calorie restricted group are as follows:

Caloric intake			Food gro (serving/o			
(kcal/d)	Fruit	Vegetable	Whole grain	Protein	Dairy	Oil
1200	2	2	3	2	1	4
1500	2	2	5	3.5	2	5
1800	2	3	6	4.5	2	7
2000	4	3	7	4.5	3	7

• A serving of each of the major food groups is as follows:

Fruit	1 serving = ½ cup OR 1 medium
Vegetables	1 serving = 1 cup leafy OR ½ cup raw/cooked
Whole grains	1 serving = 1 slice bread OR ½ cup rice/pasta/cereal
Protein-rich	1 serving = 1 oz OR ½ cup
Dairy	1 serving = 1 cup or 1½ oz cheese
Oil	1 serving = 1 tsp

FOOD INTAKE LOG – THE MEDITERRANEAN-STYLE DIET

S	M	T	W	Th	F	Sat

<u>BREAKFAST</u>				
Food Group	Food Item	Amount/Serving		
Fruit				
Vegetable				
Dairy (low fat)				
Protein-rich food				
Whole grain				
Oil				

<u>LUNCH</u>				
Food Group	Food Item	Amount/Serving		
Fruit				
Vegetable				
Dairy (low fat)				
Protein-rich food				
Whole grain				
Oil				

<u>DINNER</u>				
Food Group	Food Item	Amount/Serving		
Fruit				
Vegetable				
Dairy (low fat)				
Protein-rich food				
Whole grain				
Oil				

<u>SNACK</u>				
Food Group	Food Item	Amount/Serving		
_Fruit				
Vegetable	<u> </u>			
Dairy (low fat)				
Protein-rich food				
Whole grain				
Oil				

IMPORTANT POINTS TO REMEMBER

•	Mediterran meats and b	ean-style diets emphasize the consumption of fish, seafood, and poultry over red						
•	All dairy products should be low-fat or fat-free							
	Ϊ	Low-fat or fat-free milk, cheese, yogurt						
•	Use healthy	alternatives when experiencing milk-related intolerance (stomach/digestion problems):						
		Lactose free low-fat or fat-free milk and cheese						
		Fortified soymilk, rice milk, or almond milk						
•	Only use ur	nsaturated oils or products with unsaturated oils						
		Olive oil – use for adding taste, salad dressings, sauces, and cooking						
		Canola oil – use for cooking or frying						
		Margarine: Smart Balance and Promise brands, for example						
•	Remember,	eggs are very high in protein! Watch your intake throughout the day when having						
	eggs for bre	eakfast.						
•		g eggs and shrimp, or other shellfish, on the same day to moderate cholesterol intake						
•	All juices sh	ould be 100% fruit juice with no <i>added</i> sugar						
		Orange juice should be fortified with calcium and other vitamins						
•		sugary beverages						
	_	Use diet beverages instead						
•	Choose wh	ole wheat or whole grain products instead of white						
		Brown rice						
		Whole wheat breads						
		Whole wheat pastas						
		Pancakes and/or waffles						
•		n-enriched wholegrain cereals that are low in sugar (oatmeal, cream of wheat, bran						
	,	eet your iron needs.						
•		be eaten during main meals (breakfast, lunch, dinner) as a dessert, for example, or						
_		tween meals as snacks						
•	Refer to you	ur diet recipes for our Mediterranean approved Caesar dressing!						

INTENSIVE DIETARY EDUCATION WILL BE A PART OF THE BEHAVIORAL AND LIFESTYLE TRAINING CURRICULUM AS DESCRIBED IN THE FOLLOWING SECTION

DIETARY DETAILS ARE AS FOLLOWS:

Specific Topics for Dietary Training Curriculum

Session 3	 Learn about healthy eating by discussing the importance of using regular meal patterns and eating slowly.
Healthy Eating	Introduce the My Plate from MyPlate.gov. Give tips on specific foods, healthy alternatives, and portions.
	Introduce all 5 food groups and show examples of foods within each group.
	Activity- Rate Your Plate:
	 Participant will pick 4 meals from the previous week. They will fill in the plate per meal for each serving of food they had and what food group it came from. Participant will answer questions on how their plate looked in comparison to My Plate Sample and if there were any healthier options they could've chosen.
	4. Learn how to read a basic food label.
	 a. Go over serving size, servings per container, calories from fat, ingredient list and percent of daily values. b. Discuss limiting fat, cholesterol added sugar and sodium.
	Activity: Give sample food label and have participants fill in correct answers from the label provided.
	5. To do next week they will:
	 Keep track of weight Fill out rate your plate forms everyday Answer questions before next session.
	 Learn about Unsaturated Fat= "The good guys"
Session 4	a. Monounsaturated fat
	b. Polyunsaturated fat
Get to know	
your Fats	Activity: Have participants write down 3 healthful fats they eat daily.
	Learn about Saturated Fat= "The bad guys" a. Saturated fat b. Trans fat

	,
	Activity: Have participants write down 3 harmful fats they eat daily then circle one to try to change for the following week.
	3. Learn how to read Fat on a food label
	 Teach what manufactures are required to list on the food label as to what manufactures are voluntarily allowed to list on food labels.
	Activity: Give 2 sample food labels. Have participants fill in correct answers about fat from the label provided.
	4. To do next week Keep track of the kinds of fat they eat everyday Write down everything they eat, drink and all daily activity Make a plan to change a habit and reach a goal Answer questions before next session.
Session 7 Tip the Calorie Balance	Learn about the two components of the calorie balance: a. Calories consumed (food, beverages consumed) b. Calories expended (metabolic process and physical activity)
	To reinforce the importance of maintaining a calorie balance in the weight loss process a. Balancing food calories with activity calories
	Learn how many calories it takes to lose/gain a pound
	Reinforce positive changes made so far a. Changes to be more active b. Changes to eat fewer calories
	Activity for next week: a. Plan physical activities for the upcoming week b. Monitor calories consumed c. Reinforce portion control using portion size guide
Session 10	Learn strategies for a successful dining experience outside the home
Four Keys to Eating Out	Plan Ahead a. Steps to take charge of your eating out experience
	Ask for what you want a. Strategies to be firm and assertive
	Take charge of what's around you
	Choose foods carefully a. Healthy eating pitfall and success clue words
	What's on the menu a. Healthy restaurant menu options b. Fast food options
	Activity – Describe a problem when you eat out: • Identify triggers and proactive solutions
	To do next week Continue to self-monitor weight, physical activity Critique action plan

Session 3: Healthy Eating

We'll begin today to keep track of your weight:		
At every session, mark it on the How Am I Doing.		
Your starting weight was pounds. Your weight today is pounds. Your goal weight is pounds.		
Write your weight down in one place. Keep a track book or your Journal.		
Some parts of healthy eating include:		
the way you eat.		
A regular pattern of meals is important. A regular pattern will keep you from getting too hungry and losing control.		
Eat slowly. If you eat slowly, you will:		
 a) Digest your food better. b) Be more aware of what you're eating. c) Be more aware of when you're full. 		
Try pausing between bites. Put down your utensils. Enjoy the taste of your food!		
Don't worry about cleaning your plate.		
Serve yourself smaller portions to begin with.		
what you eat overall.		

Let's start with the Food groups from My Plate.



Balancing Calories

- · Enjoy your food, but eat less.
- Avoid oversized portions.

Foods to Increase

- Make half your plate fruits and vegetables.
- Make at least half your grains whole grains.
- . Switch to fat-free or low-fat (1%) milk.
- · Drink water instead of sugary drinks.

Tips for Foods:

- Buy fresh fruits and vegetables in season. They cost less and are likely to be at their peak flavor.
- Buy packages of fruits or veggies for quick snacks.
- Include a green salad with your lunch and/or dinner every day.
- Try brown rice or whole-wheat pasta instead of white rice or pasta.
 - Check the ingredient list for the words "whole grain" or "whole wheat" to decide if they are made from a whole grain. (Some foods are made from a mixture of whole and refined grains).
- Buy the leanest meat cuts and lean ground meats such as boneless skinless chicken breasts and turkey cutlets.
 - Choose lean or low-fat luncheon meats for sandwiches instead of luncheon/deli meats with more fat, such as regular bologna or salami.
 - Trim away all of the visible fat from meats and poultry before cooking.
 - Drain off any fat that appears during cooking.

Vegetable Group

Vegetables may be raw or cooked; fresh, frozen, canned. Any vegetable or 100% vegetable juice counts as a member of the Vegetable Group. Lettuce, spinach, broccoli, carrots, peppers, green beans, cauliflower, celery, cucumbers, Plantains, mushrooms, zucchini, onions, potatoes, and corn. Some Juices like tomato juice or V-8.

Grain Group

Any food made from wheat, rice, oats, or other cereal grain is a grain product.

Whole grains: brown rice, oatmeal, popcorn, wheat tortillas, wild rice, whole wheat bread and breakfast cereals like whole wheat cereal flakes

Grains are divided into 2 subgroups: Whole grains Refined grains. Refined grains: white bread, corn & flour tortillas, couscous, crackers, grits, white noodles and pastas, pitas, pretzels and Breakfast cereals like corn flakes.

Fruit Group

Fruits may be fresh, canned, frozen, or dried, and may be whole, cut-up, or pureed.

Apples, apricots, bananas, berries, grapes, kiwi fruit, lemons, limes, mangoes, melons, oranges, peaches, pears, papaya, pineapple plums, prunes, and raisins.

Any fruit or 100% fruit juice counts as part of the Fruit Group.

100% Fruit juices like orange, apple, grape, and grapefruit.

Milk Group

All fluid milk products and many foods made from milk are considered part of this food group.

Most Dairy Group choices should be fatfree or low-fat. Foods made from milk that retain their calcium content are part of the group. Milk: fat-free (skim), low fat (1%), reduced fat (2%), whole milk, lactosereduced or lactose free milks Cheese: cheddar, mozzarella, Swiss, parmesan, ricotta, cottage, American

Yogurt: fat-free, low fat, reduced fat, whole milk yogurt Milk-based desserts: puddings, ice milk.

frozen yogurt, ice cream

Protein Group


All foods made from meat, poultry, seafood, beans and peas, eggs, processed soy products, nuts, and seeds are considered part of the Protein Foods Group. Beans and peas are also part of the protein group. Meats, game meats, lean luncheon or deli meats, organ meats, poultry, and eggs. beans and peas: soy beans, split peas, tofu (bean curd made from soybeans), veggie burgers, texturized vegetable protein (TVP), nuts and seeds, seafood


Remember: The amount of each group you need to eat depends on your age, sex, and how physically active you are!


Rate Your Plate (Y)

- 1. Pick four meals from last week's Keeping Track. Fill in the dates.
- Fill in each plate for every serving you ate from each food group. The plate beside shows you the minimum number of servings recommended.


Date: ___/___









Date: ___/___








What could you do to better to match My Plate?

Are there healthier options to any foods that you ate? If so, what are they?

Learning how to Read a Food Label

Become a smart shopper by reading food labels to find out more about the foods you eat. The Nutrition Facts panel found on most food labels will help you:



- Find out which foods are good sources of fiber, calcium, iron, and vitamin C
- Compare similar foods to find out which one is lower in fat and calories
- · Search for low-sodium and low sugar foods
- Look for foods that are low in saturated fat and trans fats

Serving Size & Servings per Container or Package

- Look here for both the serving size (the amount for one serving), and the number of servings in the package.
- Remember to check your portion size to the serving size listed on the label. If the label serving size is one cup, and you eat two cups, you are getting twice the calories, fat and other nutrients listed on the label.

Calories and Calories from Fat

Find out how many calories are in a single serving and the number of calories from fat. It's smart to cut back on calories and fat if you are watching your weight!

Let the Percent Daily Values Be Your Guide

Daily Values (DV) are average levels of nutrients for a person eating 2,000 calories a day. A food item with a 5% DV means 5% of the amount of fat that a person consuming 2,000 calories a day would eat.

- 5 percent or less is low try to aim low in total fat, saturated fat, cholesterol, and sodium
- 20 percent or more is high try to aim high in vitamins, minerals and fiber

Ingredients are listed in order so you get an idea of how much of each ingredient is in the food. When something is listed first, second, or third, you know that this food probably contains a lot of it.

Tips on Food Labels:

Limit Fat, Cholesterol and Sodium:

Eating less of these nutrients may help reduce your risk for heart disease, high blood pressure and cancer:

- Total fat includes saturated, polyunsaturated and monounsaturated fat. Limit to 100% DV or less per day.
- Saturated fat and trans fat are linked to an increased risk of heart disease.
- Sodium high levels can add up to high blood pressure. Try to stay below 1500 mg per day, and NO higher than 2300 mg per day!

Additional Nutrients

<u>Carbohydrates</u> — there are three types of carbohydrates: sugars, starches and fiber. Select whole-grain breads, cereals, rice and pasta plus fruits and vegetables.

<u>Sugars</u> — simple carbohydrates or sugars occur naturally in foods such as fruit juice (fructose), or come from refined sources such as table sugar (sucrose) or corn syrup.

Now that you know a little more about food labels, you can read up on what you're eating!



Ingredients: Dehydrated Potatoes, Modified Food Starch, Corn Oil, Sugar, Salt, Soy Lecithin, Leavening (Monocalcium Phosphate and Sodium Bicarbonate), and Dextrose.

No Preservatives.

Nutrition Facts
Serving Size 1 oz. (29g/Mbeut 10 erisps) Servings Per Container 10
Amount Per Serving
Calories 120 Calories from Fat 30
S. Saily Value*
Total Fat 30 5%
Saturated Fat On D%
Trans Fat 0g
Cholesterol Orag 0%
Sedium 200mg 8%
Total Carbohydrate 21g 7%
Dietary Fiber 2g 6%
Sugars 2g
Protein 2g
Vitamin A 6% - Vitamin C 6%
Caldum 4% - Iron 0%
Thiamin 4% - Niacin 6%
Vitamin Be 4% Phosphorus 6%
Zino 2%
*Percent Daily Volces are based on a 2,000 nativity dist. Your disks values may be higher or lower
depending on your calorie needs:
Calpries: 2,588 2,596
Total Pat Less than 65g 80g Sat Fat Less than 25g 25g
Cholesteral Less-than 200mg 300mg
Sodum Lessthan 2,400mg 2,400mg
Total Carbohydrate 300g 375g
Delay Flor 25g 30g
Caloriespergram:

Let's try this label:

What is a serving of this item? _____

How many servings are there? _____

How many calories are for one serving? ____

How many calories would you eat if you ate 3 servings? _____

Is this a lot for one food item? _____

(Yes! We will explain in a later session)

How much sodium would you get if you ate 3 servings of this item? _____

Is this a lot for one food item? _____

What ingredient does this product have the


most of?

To do next week:


I۷	will:
	Keep track of my weight and what I eat.
	Fill out the Rate Your Plate form every day.
	Answer these questions before our next session:
	Did you make any changes during the week to better match My Plate?
	If yes, what were they?

What problems did you have? How did you solve them?

For next week:







Session 4: Get to know your Fats

Fats, or lipids, are nutrients in food that the body uses to build nerve tissue (like the brain) and hormones. Fats and oils are important parts of a healthy diet, but the type of fat you choose can make a big difference for the health of your heart. By understanding how fats work in the body, knowing the difference between the good guys (unsaturated fat) and the bad guys (saturated fat), you can eliminate excess fat from your diet and eat better for your health.

Two Types of Healthy Fat: "The Good Guys"

Monounsaturated fat. This is a type of fat found in a variety of foods and oils. Studies show that
eating foods rich in monounsaturated fats (MUFAs) improves blood cholesterol levels, which can decrease
your risk of heart disease. Research also shows that MUFAs may benefit insulin levels and blood sugar
control, which can be especially helpful if you have type 2 diabetes.

Foods that are rich in Monounsaturated fat are: · avocado

- · canola oil · olives and olive oil · cashews and cashew butter · sesame seeds
- · almonds and almond butter · peanuts, peanut butter and peanut oil
- Polyunsaturated fat. This is a type of fat found mostly in plant-based foods and oils. Evidence
 shows that eating foods rich in polyunsaturated fats (PUFAs) improves blood cholesterol levels, which can
 decrease your risk of heart disease. PUFAs may also help decrease the risk of type 2 diabetes. One type of
 polyunsaturated fat, omega-3 fatty acids, may be especially beneficial to your heart. Omega-3s, found in
 some types of fatty fish, appear to decrease the risk of heart disease. They may also protect against irregular
 heartbeats and help lower blood pressure levels.

Name 3 kinds of healthful fats you eat? (Unsaturated)

1.	
2.	
3.	

Two Types of Harmful Fat: "The Bad Guys"

<u>Saturated fat.</u> This is a type of fat that comes mainly from animal sources of food. Saturated fat raises
total blood cholesterol levels and low-density lipoprotein (LDL) or "bad" cholesterol levels, which can
increase your risk of cardiovascular disease. Saturated fat may also increase your risk of type 2 diabetes.

Foods that are high in saturated fat are:

- · skin from chicken and turkey · lard · butter · chocolate
- · high fat dairy products such as cream, whole milk, cheese, regular ice cream and sour cream
- · high-fat processed meats like ground beef, bologna, hot dogs, sausage, bacon, and spareribs
- Trans fat. Most trans fats are made during food processing through heating up of unsaturated fats.
 Some occur naturally in foods, especially foods from animals. These trans fats are "chemically-altered fats" (companies use them to increase the shelf life of their products).
 - Research studies show that trans fat can increase "bad" cholesterol (LDL) and lower the healthy "good" cholesterol (HDL). This can increase your risk of heart disease.

Foods that are high in trans fat are:

- · processed foods like crackers, snacks, breads, chips, and baked goods
- · candy like caramels and chocolates · shortening like Crisco
- · some fast foods such a French fries and biscuits · dips



Most of the fat we eat (70% of it) is hidden in foods.

Let's uncover it! Here's a lunch menu:

Fried fish sandwich	5 teaspoons of fat
Large French fries	6 teaspoons of fat
Apple turnover, fried	4 teaspoons of fat
Milkshake, with ice cream	5 teaspoons of fat
Total:	20 teaspoons of fat (That's about 1 entire stick of butter or margarine!)

To help you stay on your weight goal, we'll help you eat healthy.

Make a plan to eat less harmful fat and follow it.

Write down 3 foods you eat that are high in Saturated or Trans fat. Circle one.

·	

Now, what is one way you can cut your saturated fat intake for next week? (There are examples below) Be sure it is something you can do!

1.

Instead of		Replace with
Bologna, beef or pork, 1 ounce	→ Lower the fat in meats.	Turkey breast, 1 ounce
American cheese, 1 ounce	→ Use low-fat substitutes.	American cheese, low-fat, 1 ounce
Potato chips, 1-ounce bag	→ Eat smaller amounts.	Potato chips, ½ of a 1-ounce bag
Fish, flounder, deep fried, 3 oz	→ Cook in healthy ways.	Fish, flounder, baked, 3 oz.
Mashed potatoes, ½ cup, whole milk and butter	→ Use low-fat flavorings and substitutes.	Mashed potatoes, ½ c, skim milk, and margarine
Green beans, w/bacon, ½ cup	→ Use low-fat flavorings.	Green beans, steamed, ½ cup
Ice cream, premium, ½ cup of ice cream [for a rare treat.]	→ Eat less often.	Frozen yogurt or sherbet ice cream
Regular margarine or butter	→ Eat light option.	Light-spread margarines, or diet margarine
Chicken Nuggets	→ Cook in healthy ways.	Chicken breast, broil, or grill, 3 oz

Now that you know how to read a food label... what does "Total Fat" mean?

Nutrition Facts		
Serving Size 4 cookies (30g)		
Servings Per Container 4		
Servings Per Container 4		
Amount Per Serving		
Calories 220 Calories from Fat 110		
% Daily Value*		
Total Fat 12g 18%		
Saturated Fat 6g 30%		
Trans Fat 0.5g		
Cholesterol 10mg 2%		
Sodium 70mg 4%		
Total Carbohydrates 25g 8%		
Dietary Fiber 1g 4%		
Sugars 20g		
Protein 3g		
Vitamin A 0% • Vitamin C 8%		
Calcium 2% • Iron 4%		
* Percent Daily Values are based on a 2,000		
calorie diet. Your daily values may be higher or lower depending on your calorie needs.		
orsower depending on your casone needs.		
Calories: 2,000 2,500		
Total Fat Less than 65g 80g		
Sat Fat Less than 20g 25g		
Cholesterol Less than 300mg 300mg		
Sodium Less than 2,400mg 2,400mg		
Total Carbohydrate 300g 375g		
Dietary Fiber 25g 30g		
Calories per gram		
Fat 9 · Carbohydrates 4 · Protein 4		

Total Fat on the food label represents the amount of fat in one serving of the product.

Remember Total Fat comes from four sources:

- Monounsaturated Fat > Good Guys
- Polyunsaturated Fat > Bad Guys
- Trans Fat

Note: Manufacturers are *required* to list saturated fat and trans fat as subcategories of total fat and can *voluntarily* list monounsaturated fat and polyunsaturated fat.

There are 12 grams of total fat in one serving of this product

6 grams = saturated fat & 0.5 grams = trans fat.

You can assume the remaining 5.5 grams of fat come from monounsaturated and/or polyunsaturated fat, even though it's not listed on the label.

Question: What if you eat a larger serving than is listed on the label?

Answer: You will be eating more fat (grams) than is listed on the label!!

Read this Food Label:

Nutrition Facts

Serving Size 1 oz. (28g/about 21 pieces) Servings Per Container 10

Amount Per Serving

Calories 150

Calories from Fat 80

	% Daily Value*
Total Fat 9 g	14%
Saturated Fat 2g	10%
Cholesterol 0mg	0%
Sodium 300mg	12%
Total Carbohydrate 16 g	5%
Dietary Fiber less than 1g	1%
Sugars less than 1 g	
T	

Protein 2g

0% Vitamin C 0% Vitamin A 0% Calcium Iron 2%

* Percent Daily Values are based on a 2,000 Calorie diet. Your daily values may be higher or lower depending on your calorie needs.

Nutrition Facts Serving Size 1 oup (228g) Servings Per Container 2

Amount Per Serving				_
Calories 250		Calories	from Fo	st 110
		%	Daily \	/alue*
Total Fat 12g				18%
Saturated Ra Trans Fat 1.				15%
Cholesterol 30:	mg			10%
Sodium 470mg				20%
Total Carbohyd	hate 31g	3		10%
Dietary Fibe	r Og			0%
Sugars 5g				
Protein 5g				
r rossir og				
Vitamin A				4%
Vitamin C				2%
Calcium				20%
Iron				4%
*Percent Daily Values are based on a 2,000 calcele diet. Your Daily Values may be higher or lower depending on your calcele exacts:				
Total Fat	Colories Less the			1,580
SM FM	Less the			Ng Sa
Cholesterol	Lass the	-		ing Olong
Sadium	Less tha			1,400mg
Total Carbohydrate	2000	300g		75c
Dietary Fiber		250		tig .

□ Look at the Serving size

□ Look at the Total Fat in grams:

How much is Saturated Fat _____g

How much isTrans Fat g

How much Polyunsaturated and Monounsaturated Fat _____g

Let's Try Another Label:

What is the Serving size? What is the Total Fat? How much Saturated Fat g How much Trans Fat g How much Poly and Monounsaturated Fat g If you had the whole container how much fat is that? Total fat in 2 servings Saturated fat in 2 servings Trans Fat in 2 servings

For Next Week:

Keep track of the fat you eat every day: "Good Guys vs Bad Guys"

1. Write down everything you eat and drink.

It's the most important part of changing your behavior.

Spelling is NOT important. What IS important is to:

- → Be honest (write down what you really eat).
- → Be accurate (measure portions, read labels).
- → Be complete (include everything).



Remember: Your lifestyle coach is here to help you!

Next week I will:

Keep track of my weight, what I eat, drink, and my daily activity.			
Be active for			
Make a plan to change your habit and follow it.			
→Write down in your journal or food diary the foods you circled during today's session.			
→ Write down what you will do this week to achieve your goal. Again, be sure it is something you can do.			
What I will need to do to reach this goal:			
Problems I might have and what I will do to solve them:			
•			

Last week we talked about four types of Fat.

Before the session today, answer these questions:

Did you follow your plan? ___Yes ___No ___ Almost What problems did you have following your plan? What could you do differently next week? What I will need to do to reach my goal of eating more healthy fat: Problems I might have doing this and what I will do to solve them:


Session 7: Tip the Calorie Balance

This session focuses on the TWO main elements in calorie balance:

- calories consumed or eaten
 - calories expended

Calorie balance over time is the key to weight management.

Calorie balance refers to the relationship between calories consumed from foods and beverages and calories expended in normal body functions (i.e., metabolic processes) and through **physical activity**. People cannot control the calories expended in metabolic processes, but they *can* control what they **eat** and **drink**, as well as how many calories they use up during **physical activity**.



Calories in food		Calories burned during activity	Z
2 Apples	160	30-45 minutes of 170°	
Slice of bread w/	160	upper body circuit	
1 Tbsp peamit butter		training	

*Patrick!...Jacobs, Edward T. Mahoney, Mark S. Nash; Barth A. Green. Circuit resistance training in persons with complete paraplegia. J of Robat Ras Dev. 2002; 39(1): 21-28.

Your weight is a result of the balance between food (calories in) and activity (calories out)

		Food Calories Activity Calories
1.	Your weight can stay the same.	<u>* * * * * * * * * * * * * * * * * * * </u>
2 .	You can gain weight.	***
3.	You can lose weight.	
4.	You can reach a new balance at a new weight	<u>* * * * * * * * * * * * * * * * * * * </u>



Remember:

- Foods eaten and being active work together.
- To lose weight, it's best to eat less and be more active.
 - By TIPPING the balance you can lose the weight you want!
 - Over time, you can reach a new balance at a new, lower weight.
 - You will keep the weight off by making changes part of your new lifestyle



- Page 1 pound of body fat stores equals about 3,500 calories.
- Slow, steady weight loss (1-2 pounds/week) is the best way to lose body fat.

To lose:	Tip the balance by this number of calories:		
1 pound/week	3,500 per week or 500 each day for 7 days		
1-1/2 pounds/week	5,250 per week or 750 each day for 7 days		
2 pounds/week	7,000 per week or 1,000 each day for 7 days		

For permanent weight loss, it's best to eat less AND be more active!

Changes you've made so far

1	To be more active (both to reach your goal and be active in general)
Ć	To eat fewer calories
	Have these changes tipped the balance?
	Your weight at the start of Lifestyle Balance: Weight now:

You have:

Stayed at the same weight, or gained weight

◆ To lose weight, try something else to tip the balance

Expected weight by this time:

♦ We'll work together to find what works better for you

Lost some weight, but not as much as expected

- Good. You've made some progress
- To lose more weight, try something else to tip the balance flather.

Lost as much weight as expected (or more)

- Great! You've tipped the balance
- Keep tipping the balance, and you'll keep losing weight

To do next week

-		

	W	

1.	Keep track	of my	weight,	eating,	and	activity.
----	------------	-------	---------	---------	-----	-----------

2.	Be active	for

- Try setting aside one block of time OR find 2-3 shorter time periods.
- Plan other activities you LIKE to do.

	What I will do	When	Minutes
Mon			
Tues			
Wed			
Thurs			
Fri			
Sat			
Sun			
Total minutes for the week:			

- 3. Make active lifestyle choices throughout the day
- To tip the balance further, I will:
 - Keep track of calories every day
 - Watch out for foods that are high in empty calories
 - Be sure to record everything
 - Watch portion sizes

Portion Size Guide



4 dice = 1 oz of cheese



4-oz individual applesauce = 1/4 aпр



1 small potato = 1 computer mouse = or 1 cup vegetables



Small apple = 1 cup of fruit



8 oz yogurt = 1 cup of milk



School milk carton of milk = 1 cup



½ medium bagel = 1 hockey puck = 2 Tosp peanut butter = 1 golf ball 1 oz grain





1 cup pasta = 1 baseball



Session 10: Four Keys to Healthy Eating Out

Plan Ahead

- Call ahead to ask about low-fat choices
- Pick where you eat out carefully.
- Go somewhere that offers low-fat choices.
- Eat less fat and fewer calories during other meals that day.
- Eat a little something before you go out or drink a large, low-calorie beverage
- Plan what to order without looking at the menu
- Don't drink alcohol before eating
- For parties or dinner parties: Bring something from home to share with others.

Ask for what you want. Be friendly and firm

- Ask for the foods you want
 - Ask for lower-fat foods
 - o Can foods be cooked in a different way?
- Don't be afraid to ask for foods that aren't on the menu.
- Ask for the amounts you want
 - Ask how much is usually served.
 - Order salad dressing, gravy, sauces, or spreads "on the side."
 - Ask for less cheese or no cheese.
 - Split a main dish or dessert with someone
 - Order a small size (appetizer, senior citizen's, children's)
 - Before the meal, have the server pack ½ of your order to take home.

Take charge of what's around you

- Ask for one piece of bread per person instead of a bread basket
- Use olive oil instead of butter for your bread

Choose foods carefully

Watch out for these high-saturated fat words on



- *Au gratin *Hollandaise

 *Breaded *Parmesan

 *Buttered or buttery *Pastry

 *Cheese sauce *Rich

 *Creamed, creamy, cream sauce

 *Fried, deep fried, pan fried *Scalloped

 *Gravy *Southern style
- Look out for these healthier alternatives



- Think about what you really need to eat
- Trim visible fat off meat
- Take skin off chicken
- Split main dishes with someone to control portion sizes
- Skip the mayonnaise. Use olive oil instead.
- In general:
 - Lunch meals should contain no more than 400 calories
 - Dinner meals should contain around 500 calories

What's on the menu?

- · You can make healthier choices no matter what kind of restaurant you go to
 - Be sure to ask the waiter how the food is prepared.
 - Note: Most restaurants serve a tossed salad—top with a dash of olive oil and lemon juice or vinegar.

GO! Healthy choices	CAUTION!
Pizza Plain cheese pizza (ask for half the cheese or low-fat cheese). Onions, green peppers, mushrooms, tomatoes Grilled chicken	Pizza Meat toppings (sausage/pepperoni, ground beef) Extra cheese
Burger Place (fast food) Grilled, broiled, or roasted chicken, without sauce or mayonnaise Broiled, extra lean burger.	Burger Place (fast food) Regular hamburger, cheeseburger. French fries. Fried fish or chicken. Mayonnaise-based sauces.
Mexican Heated (not fried) tortillas. Grilled chicken or beef fajitas Soft tacos (corn or flour tortillas). Salsa or Pico de Gallo	Mexican Enchiladas. Chili con queso Fried tortillas, tortilla chips Sour cream, guacamole Crispy or crunchy tacos
Chinese and Japanese Stir-fried chicken. Stir-fried vegetables. Steamed rice. Soup. Teriyaki.	Chinese and Japanese
Italian Spaghetti with meatless tomato sauce Minestrone soup	Italian Sansage Lasagna, manicotti, other pasta dishes with cheese or cream Fried or breaded dishes (like yeal or eggplant parmesan)

GO! Healthy choices	CAUTION!
Seafood Broiled, baked, or boiled seafood with lemon Plain baked potato	Seafood Fried fish Fried vegetables Franch fries
Steakhouses Shrimp cocktail Broiled chicken or fish Plain baked potato	Steakhouses Steak (except trimmed lean cuts). Fried fish or chicken Onion rings, other fried vegetables French fries

Fast Food Options

As you embark on your journey towards a healthier lifestyle it is important to be prepared for the occasional obstacle or bump on the road. Although eating fresh, home prepared meals is always best, below are some convenient options that can fit into your healthy plan for those days when you are *on-the-go*.

M		Boston Market	
Arbus Arby's			
Menu Item	Calories	Menu Item	Calories
Roast Turkey and Swiss Sandwich (1/2)	340	Qtr. White Rotisserie Chicken (1/2 order) with Steamed Veg and New Potatoes	360

RING		Domino's	
Menu Item	Calories	Menu Item	Calories
BK Veggie Burger (no cheese)	410	Hand tossed Chicken and Veggie (per	210
		slice, small)	
BK Big Fish Sandwich (1/2 order)	320	Hand tossed Popperoni Pizza (per	238
		slice, small)	
Spicy Chick'n Crisp Sandwich	300		

KFC		McDonal	ď 's
Menu Item	Calories	Menu Item	Calories
KFC Snacker with Crispy Strip	290	Filet O Fish	380
Grilled Chicken Breast (1/2 order) with		McChicken	360
Green Beans and Mashed Potatoes n' gravy			

Pollo Tropical CHICKEN ON THE GRILL		TACO	
Menu Item	Calories	Menu Item	Calories
Chicken TROPICHOP w/ rice and beans (½ order)	265	Fresco Crunch Taco	150
Chicken TROPICHOP w/rice and vegetables	165	Fresco Soft Taco - Beef	180
Pork TROPICHOP w/ rice and beans (1/2 order)	340	Fresco Bean Burrito	350
Pork TROPICHOP w/ rice and vegetables (½ order)	245	Fresco Burrito Supreme - Chicken	350
% Chicken, white meet (no skin), w/ rice and beans (% order)	350	Fresco Burrito Supreme - Steak	340

	Describe a problem you have when you eat out			
1.	Make a positive action plan using one of the 4 keys to eating out			
	I will:			
	When?			
	I will do this first:			
2.	I will handle roadblocks that may come up by:			

3.	I will do this to make my success more likely:			
4.	How can we help you?			

To do next week

- 1. Keep track of my
 - i. Weight
 - ii. Eating
 - iii. Physical activity
- 2. Try my action plan.
 - i. Did it work?
 - ii. If not, what went wrong?



BEHAVIORAL INTERVENTION- TIMELINE AND PROTOCOL

General Principles:

- 16-session protocol aimed at behavior modification through: <u>education</u>, <u>stress management</u>, problem solving skills training, and cognitive restructuring.
- Delivered by a Lifestyle Coach selected with consideration to gender, injury level, and military status.
- 16-session core curriculum training will be <u>scheduled within the 24-week core intervention time</u> frame.
- Individual sessions will be 30-60 minutes in duration.
- Following core curriculum training participants will be contacted monthly for the duration of the extension period.
 - Face-to-face contact with the life-style coach will occur bi-monthly.
 - Off month contact will be via the **TeleHealth** system.
- A Lifestyle Manual will be provided for each participant.

	CORE INTERVENTION TRAINING CURRICULUM.		
	Session	Торіс	
	1	Introduction to lifestyle intervention. Explain study goals.	
	2	Introduce self-monitoring of weight at home.	
	3	Teach 3 ways to eat less fat.	
Focus is on	4	Educate about healthy eating. Recommend alternate foods.	
diet and	5	Introduce physical activity modules.	
exercise	6	Tailor physical activity regimen to needs of the individual.	
goals and education	7	-Teach principles of energy balance between calories and exerciseTeach principles of health maintenance from exercise.	
	8	 -Introduce principles of stimulus control as a method to prevent unhealthy eating. -Introduce principles of stimulus control as a method to maintain exercise adherence. 	
	9	Present five-step model of problem solving.	
	10	Introduce basic skills for eating and exercising away from home. Introduce basic skills for exercising away from home.	
Focus is on psychosocial	11	Practice identifying negative thoughts and how to counter them.	
and behavioral	12	Introduce concept that slips are part of lifestyle change and provide tips for behavioral change maintenance.	
strategies	13	Introduce principles of aerobic fitness and coping with boredom.	
	14	Provide strategies for managing social cues, both stressful and supportive.	
	15	Summarize stress management principles presented over the course of the intervention.	
	16	Focus on enhancing motivation and maintaining behavioral change post-lifestyle intervention.	

Session 1A: Welcome to the Lifestyle Balance Program

Objectives:

In this session, the participant will:

- Meet the lifestyle coach and study team.
- Review the Standard Healthy Lifestyle Guidelines, if not presented at randomization.
- Be given the Lifestyle Balance notebook.
- Discuss the participant's initial reaction to being assigned to the Lifestyle Balance group.
- Receive an overview of the Lifestyle Balance Program.
- Learn the two Lifestyle Balance goals and why they are important.
- Discuss key aspects of the coach-participant relationship and sign a related agreement.
- Choose to focus either on the weight loss or the physical activity goal first.

To Do Before the Session:

Get materials ready:

- Keeping Track book (or two, if the next session is scheduled more than 7 days later).
- Pages for participant notebook.
- Video or photographs of local study team members, if not present in person.
- Measuring cups, spoons, and scale (for participants who focus on weight loss first).
- Map to the supervised activity sessions (for participants who focus on activity first).

Invite family member to attend (if, during the run-in period, it was determined that a family member's attendance would enhance adherence).

On the Lifestyle Balance Update page, pencil in tentative appointment dates (schedule sessions 1-8 for one week apart, 9-16 for either one or two weeks apart). Insert this page in to the inside front pocket of the participant's notebook. Also, keep a copy of the Lifestyle Balance Update page in your notes for each participant.

Fill in the activity session schedule on page 1 of Getting Started Being Active.

Introduce yourself and the other members of the local study team.

Greet the participant. Also welcome family member or other support person if present.

Hello. I'm delighted to meet you. My name is []. As you know, you've been assigned to the group in the SCI Weight Loss Program that will be making lifestyle changes to try to prevent diabetes. The lifestyle changes will be to lose weight through healthy eating and to be more physically active. We've called this group the

"Lifestyle Balance Program" because we'll be helping you reach a healthy balance between what you eat and how active you are.

I will be meeting with you often during the next several years, so we will get to know each other very well. I'm looking forward to working with you as a team to make our time together a success. There are many people on the study team; we're all resources for you.

Introduce the study team members, or use a video or photographs to introduce them if not present. Explain the role of each member of the team, and stress that during the upcoming years of the study, all of the members of the team will be available to support the participant.

Review the Standard Healthy Lifestyle Guidelines, if not presented at randomization.

At this point, I want to quickly go over some standard guidelines for a healthy lifestyle that all participants in the study receive. We give all participants this brochure [show the participant the Koop brochure], which is a good summary of the guidelines, and we talk with all participants about how to be more active [turn to pages 3-10; do not review them, however], eat a healthy diet [turn to pages 11-19], and reach and maintain a healthy weight [turn to pages 20-27]. Because you're in the lifestyle change group, we will go over these topics in great detail in the coming weeks, so I won't review them now. But this brochure is for you to take home as are source. Other members of your family might enjoy reading it, too.

We also talk with all participants about smoking and alcohol. Do you now smoke cigarettes?

Give the participant the Lifestyle Balance Notebook.

Here is the notebook we'll use throughout the study. It's yours to keep. At every session I'll give you some handouts to put into the notebook and we'll go over them together. Feel free to write notes or questions on the handouts, and take the notebook home. Just be sure to bring it with you to every session. Here is my name, address, and phone number for your records [give other team members' phone numbers, as appropriate].

It's very important that we stay in touch. Feel free to call me or stop in at the clinic whenever you have questions or need to talk. It's also important to call if you cannot come to a session.

Discuss the participant's initial reactions to being assigned to the Lifestyle Balance Program.

Some people who have been assigned to the Lifestyle Balance Program wanted to be in this group from the beginning; some hoped they would be assigned to another group in the study.

What do you think about being in the Lifestyle Balance Program?

Are there some things about this group that seem good to you, and some things you're not so excited about?

The participant may express disappointment about not being randomized to another arm of the study, fears of failing at the lifestyle intervention, memories of past failures at weight loss efforts, and so on. Recognize concerns, promote confidence that the participant can succeed, and give support.

If the participant is very negative, help him or her to identify *some* positive things about being assigned to this approach. Stress that the Lifestyle Balance Program is "state-of-the-art." It has been carefully designed based on many research studies about the best ways to help people change.

Complete the work sheet "Remember Your Purpose" with the participant.

Emphasize the positive aspects of the intervention, relating them whenever possible to issues of personal value to the participant, and encouraging the participant to provide specific details, in images or words (such as the names of people) that can be recalled later as a source of motivation. Examples:

- Has the real potential to prevent diabetes.
- No drugs, no drug side effects.
- Will reduce his or her risk of heart disease and stroke.
- Will help him or her look and feel better, have more energy.
- Make her or his family and friends proud.
- Set a good example for children, spouse, friends, and community.
- Will contribute to scientific research findings that will then improve health care practices for the community.

Explain that you may review this work sheet with the participant later in the program as a source of motivation.

Receive an overview of the Lifestyle Balance Program.

As I said earlier, the Lifestyle Balance goals will be to:

- 1. Lose weight through healthy eating, and
- 2. Be more physically active.

We strongly believe that making these lifestyle changes and keeping them up over time will prevent diabetes in people like you who are at risk of diabetes.

The Lifestyle Balance program has been carefully designed. It is based on many research studies of the best ways to help people change.

In this program we will help you:

 Learn the facts about healthy eating and being active. Our staff is experts in nutrition, exercise, and helping people develop healthy habits. We will give you the most up-to-date and accurate information.

But knowing the facts, or what to change, isn't enough. You also need to know **how to change.** So we will help you:

- Learn what makes it hard for you to eat healthy and be active.
 - And learn how to change these things so they work for you, not against you.

For example, you'll learn how to:

Find the time to be active.

[Review the rest of the items on the work sheet.]

We will also give you the **long-term support** you need to stick with the changes you make. We will be your "coaches."

Review the Lifestyle Balance Goals.

These are Lifestyle Balance goals:

- 1. Lose 7% of your weight through healthy eating. Your goal will be to weight xxx pounds or less.
- 2. **Do 2-1/2 hours of brisk, physical activity each week** (this would be like doing brisk exercise for 30 minutes on five days of the week).

We will help you to reach these goals one step at a time and keep them up over time.

We'll go over each of these goals in detail, and exactly what they mean for you, as we go along. You may also have your own specific goals you want to reach, but these are the goals for the study as a whole. I will do everything I can to help you reach the study goals, and so will the rest of the study team.

Refer to the Manual of Operations for how to respond to participants who have their own personal goals, for example, who want to lose less or more weight, who are already very active, or who wish to do less than 2-1/2 hours of activity. Briefly address their concerns, then move onto the study goals. For example:

- If the participant wants to lose less weight or be less active than the study goal: "We'll work toward this goal slowly, one step at a time. It's a safe and reasonable goal for you, and I'm very confident that you can do it."
- If the participant wants to lose more weight or be more active than the study goal: "Let's work toward this goal first. When you reach this goal, we'll talk about going further."

Discuss the rationale for the goals.

The Lifestyle Balance goals are **safe and can be reached**.

We will help you reach the goals by making:

- Gradual (made one step at a time),
- Healthy, and
- Reasonable changes in your eating and activity.

Nothing extreme. For example, you won't need to do very vigorous exercise, although you can if you want. "Being active" doesn't mean you need to be a marathon runner. We will just gradually increase your general activity and help you develop a more active lifestyle.

Reaching the Lifestyle Balance goals:

1. May prevent diabetes.

Research has shown that leaner and more active people are less likely to get diabetes. Also, moderate weight loss and physical activity have been shown to improve the body's use of insulin (the hormone that regulates the amount of sugar in your blood). This can reduce the chance of getting diabetes.

We believe that lifestyle changes can indeed prevent diabetes, if you make these changes and keep them up over time.

That's why you and I will work together to do everything we can to help you lose weight and be more active.

- 2. Reaching the Lifestyle Balance goals will also help you look and feel better and be more healthy in general. Research has shown that losing weight and being active can:
- Relieve tension, help you relax and sleep.
- Give you more energy, make it easier to get around (for example, if you're more active on a regular basis, your joints will be more flexible and you'll be less likely to injure your back).

Many of you may have health problems like high blood pressure or high blood cholesterol. Research has shown that losing weight and/or being active can:

- Lower blood pressure.
- Lower blood levels of LDL or "bad" cholesterol (the kind linked to the risk of having a heart attack or stroke).
- Raise blood levels of HDL or "good" cholesterol (the kind that reduces your risk of heart attack or stroke).

3. In addition, reaching the Lifestyle Balance goals will set a good example for your family, friends, and community.

Many of us live in a family or a culture that practices high-fat eating and inactivity. You will face a challenge as you work at doing things differently. But you will also set a good example of what it's like to live a more healthy lifestyle, which can be inspiring and encouraging to everyone around you.

I know that losing weight and being more active takes a lot of effort. **Changing behavior takes work.** It takes dedication and hanging in there and doing what needs to be done every step of the way.

We are here to help. I'll be meeting with you often, and I will do everything I can over the next four years to help you reach and stick with your Lifestyle Balance goals. I am confident that you can do it!

Discuss key aspects of the lifestyle coach-participant relationship.

It is very important that we work together throughout the study as a **team**. I will count on you to:

- Come to sessions and bring your Lifestyle Balance notebook.
 Call 24 hours ahead if you must miss a meeting. For example, call before Monday afternoon if you must miss a Tuesday afternoon appointment.
- Do your best to reach your eating and activity goals. That includes doing home activities to practice what you learn.
- Keep track of your eating and activity 7 days a week. I'll talk with you more about this in a few minutes. Be honest. Don't try to "please" me. I will count on you to write down what you are really eating, and how active you really are, not what you think I want to hear or what would make me happy.
- **Keep track of your weight at home.** We will also weigh you here at each session. By weighing yourself at home, you will be able to see the pattern of your weight from day to day and see how your changes in eating and activity affect your weight.
- Let me know if you have any problems. Ask questions when you don't understand something. I am here to help and I need to know when you're having any difficulties. There's no such thing as a "stupid" question--it's *smart* to speak up when you have a question.

Some participants, because of their cultural heritage or personal history, may consider it rude to ask questions or to bring up difficulties. This is true, for example, of many Hispanics. With these participants in particular, be sure to express your acceptance and appreciation when they voice their questions and concerns.

- Stay willing and open to change. Always "hang in there."
 - We will sometimes run into problems, and I will count on you to hang in there and give it your best until we solve the problems together. This is a "can do" study. You can count on me to:
- Go over your records of what you eat and your activity.
 Notice what you are doing well and what can be improved.

Noticing what you're doing **well** is one of my most important jobs. I will encourage you and build you up and appreciate your efforts.

Answer your questions.

It's important that you feel free to ask me any questions you have, and I will get the answers for you. Please remember that the staff are experts, and our job is to make our expertise available to you in any way we can.

Be honest.

We will both need to "say it like it is." I will count on you to be honest about how you are doing. And you can count on me to tell the truth about how I think you are doing and what I think needs to be done to solve any of the problems we run into.

- Stand by you during hard times, and
- Believe you can reach your eating and activity goals. We all need someone to believe in us when we are making changes for the better. I know you can do it, and when you get discouraged, I will be here to believe in you. Always "hang in there" for you, and support and help you continually.

Is there anything else you'd like me to do to help you? (Write any appropriate suggestions that the participant makes on the work sheet.)

Let's sign this as a way of remembering how we agree to work together.

Sign the agreement and have the participant sign it as well.

We want to be sure this program works for you. No two people are alike. So at different times during the study, you'll be able to choose *when* you want to focus on a certain topic, depending on what will be most helpful to you.

Overview the session topics.

This page shows you the topics for Sessions 1 through 16. As we've said before, you are welcome to invite a family member or friend to any or all of the sessions.

Session 1B: Getting Started Losing Weight

Objectives:

In this session, the participant who has chosen to focus on the weight loss goal first will:

- Learn the reason for self-monitoring foods eaten and the basic principles of self-monitoring.
- Be assigned self-monitoring of foods eaten and circling of high-fat foods; practice this.
- Receive weighing and measuring tools.

Review the reason for self-monitoring foods eaten and the basic principles of self monitoring.

You've decided to start with the weight loss goal. To help you lose weight, our goal is to help you to **eat healthy**. And healthy eating involves **eating less fat**.

This is because eating too much fat is fattening (makes us fat) and is related to heart disease and diabetes. (We'll go over this in more detail next week.)

The first step to eating less fat is to figure out how much fat you are eating now. To do this, I want you to write down everything you eat and drink every day. This is something we're going to do throughout the first 24 weeks of the study. It's the most important part of changing your behavior.

For right now, I just want you to write down what you ate, like you did during the run-in.

Keeping track of what you eat will help you and I see, in black and white:

- What foods you eat,
- How much you eat,
- When and where you eat, and
- How your eating habits change over time.

Your Keeping Track records will be the very basis for our working together. You and I will be the only ones to see them, so **spelling is NOT important.**

You can make up **abbreviations** or use your own shorthand if that makes it easier and faster for you to keep track, just so we both know what you mean.

Note: The use of abbreviations may also help those participants who have difficulty spelling feel less self-conscious.

What IS important is to:

- Be honest. That means to write down what you really eat, not just what you think will please yourself or me.
- Also, be accurate. It's best to write down what you eat as soon as possible after you eat it, because it's easy to forget. For example, count the number of slices of cheese you eat and write down the kind of cheese.
- And be complete. Include everything. The butter on the toast, the cream in the coffee, and the mayonnaise on the sandwich.

It may seem hard to write down all of your foods, especially at first. And it does take some time. But it's worth its weight in gold. Being aware of what you are eating is the first step toward changing your eating habits.

Assign self-monitoring of foods eaten and circling of high-fat foods.

To get you started I want you to do several things during the coming week. They're listed on this part of the work sheet called "To do next week." At every session you'll get a list of one or two things to do during the week. There are square boxes beside each item [indicate boxes] so you can put a check beside each one after you do it. That way you'll have a record of what you still need to do before the next session.

For this week, I want you to:

Write down everything you eat and drink every day.

Use this "Keeping Track" book. Give the participant a Keeping Track book and indicate where in the book to record food intake.

Write down the time you eat something, the amount, and the name of the food or drink and a description. **Skip the other columns for now** [indicate the grams of fat and calories columns]. Use one line for each food. And **skip activity for now**.

• Circle some of the foods or beverages you think are highest in fat. Over time you will learn exactly what foods are high in fat. For now, just guess what some of the foods are. The idea is get you thinking about fat and looking for some of the high-fat foods in your meals and snacks.

Note: You do not want the participant to return with a book more than half filled with circled foods, which would be discouraging. This should be a positive beginning experience.

- Finally, be sure to bring your completed Keeping Track books and your
 - Lifestyle Balance notebook back with you to every meeting.

Have the participant practice self-monitoring foods eaten and circling high-fat foods.

Let's take a minute to **practice Keeping Track on this page.** Think about a few of the foods you ate earlier today or yesterday. What was the first thing you ate? When did you eat it? Write the time here, the amount here, and the food here. Just skip the other columns.

Have the participant demonstrate. Be sure the participant understands what to do. Do you think that food is high in fat? Just guess. If so, circle it.

Continue with several additional foods. Point out, as you go along, examples of accuracy (e.g., give brand name and type of food); honesty (e.g., include nibbles or very large amounts); completeness (e.g.; include % fat of milk); and the use of abbreviations.

Just skip the section for physical activity.

Any questions?

Give the participant weighing and measuring tools.

If you want to, you can start to measure the amount of food you eat using these.

Get out the measuring tools.

Here are some **measuring cups and spoons** for you to start to use, just to get an idea of the amount of different foods you usually eat. We'll talk in more detail about measuring in the coming weeks.

For now, you might want to pour your breakfast cereal into the bowl you typically use, just as usual, and then measure the cereal before you eat it. Or put the amount of margarine you usually spread on toast onto the knife and measure it using the measuring spoons before you spread it. You can also use a glass measuring cup, if you have one at home, for liquids and a ruler for measuring things like pizza, pieces of pie, and cookies. This **scale** is for weighing meats and cheese (briefly demonstrate how to use it).

As I said, you don't need to measure amounts this week, unless you want to.

Any questions?

Discuss appointment schedule.

We will meet *every week* for the first 8 sessions. On this "Lifestyle Balance Update" page, which we'll keep in the front of your notebook, I've used a pencil to write down some possible appointments for this same time and this same day of the week. Is this a good time for us to keep meeting?

If not, make changes to the penciled-in dates and on your copy of the Lifestyle Balance Update.

For sessions 9 through 16, we'll meet [explain the frequency that your clinic has decided to hold these sessions, whether every week or every other week.] And then, after session16, we'll meet once every month or two months.

Session 2: Be a Fat Detective

Objectives

In this session participants will:

- Begin to graph weight and be assigned self-monitoring of weight.
- Learn the reason for and basic principles of self-monitoring fat grams.
- Receive the participant's fat gram goal.
- Practice finding foods in the Fat Counter and figuring out the number of fat grams in foods.
- Learn to calculate a running fat gram total for the day.
- Learn to use the Fat Bank (optional).
- If this is Session 4: Receive weighing and measuring tools. Also, develop an activity plan for the coming week (for most participants, a weekly total of 120 minutes).

To Do Before the Session

Review the participant's self-monitoring records from the run-in period, noting specific examples and general types of high-fat foods consumed.

Get the participant's "How Am I Doing?" graph for weight. The graph should show the participant's weight goal and expected rate of weight loss from randomization weight to the goal.

Using the participant's randomization weight, determine the participant's fat/calorie goals. Refer to the Manual of Operations.

Get materials ready:

- Measuring cups, spoons, ruler, and scale.
- Fat Counter.
- Keeping Track book.
- Pages for the participant notebook.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities.

Review the participant's Keeping Track for food intake. Notice many good things, and make only one suggestion for improvement.

Were you able to write down anything this week about your eating? What did you learn by Keeping Track? What difficulties did you have?

If the participant has not self-monitored, ask, "Tell me a little about that." Do your best to uncover some of the barriers that prevented the participant from Keeping Track without making him or her defensive. Problem solve with the participant to address the barriers.

Take a minute to page through the completed Keeping Track book, if available, from front to back. Comment briefly, as described below. (Also, keep the record until the next session or Xerox it. After the session, do a more careful review, make written comments, and return to the participant at the next session.)

Be positive and nonjudgmental. Emphasize what an important learning tool this will be throughout the study. Praise all efforts to keep track, no matter how small, and any level of accuracy or completeness. For example, praise any and all of the following efforts. The participant was able to [this list is for your reference, not to be reviewed with participants]:

- Record anything at all.
- Record something each day.
- Record throughout the day, each day.
- Note time of day.
- Describe kinds of foods (cuts of meat; parts of poultry; label information from packaged foods)
- Describe methods of food preparation: baked, broiled, steamed, stir-fried, fried, barbecued, etc.
- List additions to foods at the table: butter, margarine, cream, sugar etc.
- Give simple details about portion size: counts; cups; bowls; spoonfuls.
- Give actual weights and measures of portion size: package weight ounces, measuring spoons and cups, ruler measurements, food scale measurements.

Examples:

- "Great! I see here that you wrote down eating 13 cheese crackers with your soup."
- "It's really useful that you noted adding 2 teaspoons of butter to your beans."

Point out no more than one area for improvement, preferably starting with the most simple.

Example:

"I see you were able to record all weekdays. Fantastic! In the coming weeks it will be useful for you to try and record on weekends too so we can learn about how your eating and exercise might be different then."

Weigh the participant. Introduce the How Am I Doing? Graph for weight and self monitoring weight at home.

Today's session is called "Be a Fat Detective" because we'll talk about how to become more aware of the amount of fat you eat and how that can help you lose weight through healthy eating.

Today's session is called "Be a Fat Detective" because we'll be talking about how to become more aware of the amount of fat you eat and how that can help you lose weight through healthy eating.

But before we talk about fat, let's begin today to **keep track of your weight** and your progress toward your weight loss goal.

In the first session we said that one of the study goals was to lose 7% of your weight, which means that, since your **starting weight was xxx pounds**, your **goal is to weigh xxx pounds**. Let's see what you weigh today.

Weigh the participant. See instructions in the Manual of Operations.

To keep track of your weight, we'll do two things. First, at every session we'll mark your weight on this graph, called "How Am I Doing?"

Insert the "How Am I Doing?" graph for weight into the front of the participant's notebook.

Here is your "starting weight," what you weighed when you first joined the study, and here is your goal weight. This line shows what a steady and gradual weight loss might look like for you. Of course, most people's weight goes up and down from week to week, and yours will probably do that, too, sometimes above this line, sometimes below it. Many people lose weight faster at first and then the rate levels off. We won't pay as much attention to each weight but rather to the pattern over time. We want you to stay under this line as much as possible and reach your goal weight by Week 24, or six months from now. That will be in *[name the month and mark on the graph at 24 weeks]*. After that we will help you to stay under your goal weight for four years. Maintaining your weight loss will be very important which is why we will teach you not only how to lose weight, but also how to keep it off!

Let's mark your weight for today on the graph.

Have the participant mark it on the graph. Provide help as needed.

When you weigh yourself at at the center record your weight here...

Indicate the weight column on the back of the Keeping Track book, and circle the day(s)on which you want the participants to weigh themselves. See Manual of Operations for guidelines.

Introduce the rationale for and the basic principles of self-monitoring fat.

Now let's move on to the topic for today.

To help you lose weight, our goal will be to help you **eat healthy**. And **healthy eating involves eating less fat**, for several reasons.

First of all, eating too much fat is "fattening" (makes us fat). So by eating less fat, you can lose weight.

In fact, fat is the most fattening of all the things we eat. Fat contains more than twice the calories (9 calories per gram) than the same amount of carbohydrate (starch or sugar) or protein (4 calories per gram). So **even small amounts of high fat foods are high in calories.**

Review the example on the worksheet (a lot of calories in a small amount of peanuts versus fewer calories in a large amount of popcorn) and/or other examples that are relevant to the participant's eating pattern.

• Fat is also related to heart disease and diabetes. Research has shown that eating a lot of fat can increase your cholesterol level. Cholesterol is one measure of the amount of fat in your blood. The higher your cholesterol, the greater your chance of having a heart attack. There is also some evidence that eating a lot of fat may increase your chances of getting diabetes.

For participants who want more information:

The recent Surgeon General, C. Everett Koop, MD, had this to say about the importance of eating healthy: "If you are among the two out of three Americans who do not smoke or drink excessively, your choice of diet can influence your long-term prospects more than any other action you may take." In other words, healthy eating is one of the most important steps you can take to improve your health.

And in his recent report to the nation, the Surgeon General named eating less fat as our country's number one dietary priority, more important than sodium, sugar, or additives. In fact, all of these important national organizations recommend eating less fat: the National Heart, Lung, and Blood Institute, the American Heart Association, the American Diabetes Association, the American Dietetic Association, and the American Cancer Society.

What kind of foods do you eat that are high in fat?

Let's look at some of the high-fat foods you circled in your Keeping Track. [Write on the work sheet a few of the foods that the participant correctly circled as high in fat.]

What kind of foods do you eat that are high in fat? [If the participant doesn't mention any high-fat foods, briefly look with the participant a this or her self-monitoring records from the run-in period. Write on the work sheet some of the high-fat foods noted.]

Make some general points about the food groups or types of food that tend to be high in fat, such as:

- 1. Meats (Meats contain both fat that you can see and fat that you can't see.)
- 2. Dairy foods (whole milk, regular cheese, ice cream) (Many Americans get most of their fat from meats and dairy products, including cheese.)
- 3. Snacks (such as potato chips)
- 4. Butter, margarine (Many people add fat to foods to flavor them.)
- 5. Gravy, mayonnaise
- 6. Baked goods (such as cookies, cake, muffins)
- 7. Fat added in cooking (oil, lard, shortening) such as deep-fat frying (fried chicken, French fries, doughnuts).

Keep in mind that the purpose of this list is **not** to give the participant detailed information about where fat is found in foods. Rather, the purpose is to begin to show them that many different foods that they eat are high in fat and to provide a rationale for self-monitoring. The facts about where fat is found in foods should come later as a byproduct of their own discovery through self-monitoring.

These are the kinds of foods you will have to watch out for as you become a "fat detective." They are also the kind of foods that are widely available, tempting to many of us, and they may even be traditional foods in your family or culture.

Many people aren't aware that most of the fat we eat (70% of it, in fact) is hidden in foods.

For example, fat is hidden in:

- The marbling of meats,
- Baked products,
- Sauces, and
- Batter coatings on deep fried foods.

Here's an example. [Review the example on the worksheet.] That's a lot of fat, a total of 22 teaspoons or about 1 entire stick of butter or margarine.

The best way to learn how much fat is in food is to **keep track of the amount of fat you eat every day**.

You will need to adapt the following section depending on the participant's literacy level, willingness to self-monitor, and comprehension of the self-monitoring process. If this is Session2, some of the following will be a review of points made at the last session; when possible, make these points using examples from the abbreviated self-monitoring the participant did during the previous week.

The first step is to:

1. Write down everything you eat and drink in your Keeping Track books.

This is something we're going to do throughout the first 24 weeks of the study. It is the most important part of changing your behavior.

Keeping track of what you eat will help you and I see, in black and white:

- What foods you eat,
- How much you eat,
- When and where you eat, and
- How your eating habits change over time.

Your Keeping Track records will be the very basis for our working together. You and I will be the only ones to see them, so **spelling is NOT important.** You can make up **abbreviations** or use your own shorthand if that makes it easier and faster for you to keep track, just so we both know what you mean.

Note: The use of abbreviations may also help those participants who have difficulty spelling feel less self-conscious.

What IS important is to:

- Be honest. That means to write down what you really eat, not just what you think will please yourself or me.
- Also, be accurate. It's best to write down what you eat as soon as possible after you eat it, because it's easy to forget. For example, count the number of slices of cheese you eat and write down the kind of cheese. Measure portions and read labels (we'll talk in more detail about these things next week).
- And be complete. Include everything. The butter on the toast, the cream in the coffee, and the mayonnaise on the sandwich.

It may seem hard to write down all of your foods, especially at first. And it does take some time. But it's worth its weight in gold. Being aware of what you are eating is the first step toward changing your eating habits.

2. Figure out how much fat is in every food and write it down.

To do this, you will need to:

- 1. Figure out the amount of the food you ate.
- 2. Look up each food in the Fat Counter, which is a book I'll give you that lists foods and the grams of fat in each one.
- 3. Compare the amount of food YOU ate with the amount in the Fat Counter to see how much fat you ate. And third,

3. Add up the fat grams you eat during the day.

I'll show you how to do each of these things in just a minute.

Give the fat gram goal.

Everyone in the Lifestyle Balance Program gets a fat gram goal or "budget." It is based on body size and the amount of calories needed to lose weight. So everyone has a different goal.

Your fat gram goal or "budget" is to stay under xx grams of fat each day. You can think of it as a budget because you need to stay *under* it every day. [Fill in the blank with the participant's fat gram goal (refer to the Manual of Operations).]

A gram is the way fat in food is measured. A gram is a unit of weight. One paper clip weighs about 1 gram. [Note: Be careful not to go into too much detail here because some participants may be easily confused by the differences between grams of weight and grams of fat.]

We don't expect you to stay under your fat gram goal right away or be able to stay under it every day. It may be hard to reach your fat gram goal at first. For now, just try to **get as close to your goal as you can.** During the next few weeks, we will teach you how shop for food and cook and serve it so that it is easier for you to reach your goal. Overtime we'll work together so that you can consistently stay *under* your fat gram goal.

Give the participant the Fat Counter. Demonstrate and practice how to use it and food labels to figure out how much fat the participant eats. [If this is Session 4, also give the participant measuring tools.]

This is a Keeping Track of Fat "practice page." Let's write down some of the foods you ate yesterday and figure out the grams of fat in those foods.

Write on the work sheet a variety of foods that the participant ate yesterday. If possible, include both highand low-fat foods and several foods with portion sizes that might require some calculation on the part of the participant. Show the participant how to look each food up in the Counter and calculate the number of fat grams in the amount that the participant ate.

Exactly how you do this will vary from participant to participant. The key is not to overwhelm those participants who may find calculations difficult and confusing. Assure these participants that you will continue to help them with this in the upcoming sessions and that the **important thing for now is to begin looking foods up in the Counter and getting an idea of the amount of fat in different foods and in various serving sizes.**

As you look foods up in the Counter, give the participant the weighing and measuring tools and make the following points:

Here are some measuring cups and spoons for you to start to use, just to get an idea of the amount of food you usually eat. Next week we'll go over measuring in more detail and practice it together.

For now, you might want to pour your breakfast cereal into the bowl you typically use, just as usual, and then measure the cereal before you eat it. Or put the amount of margarine you usually spread on toast onto the knife and measure it using the measuring spoons before you spread it. The glass measuring cup is for liquids. This scale is for weighing meats and cheese (briefly demonstrate how to use it). The ruler is for measuring things like pizza, pieces of pie, and cookies.

Here are some things to keep in mind when you use the Fat Counter.

If you can't find a food:

- Look for one that is the most like that food. (Don't assume that a food doesn't contain fat because it's not listed in the Fat Counter.) For example, use nut bread for zucchini bread.
- Write the name of the food in the back of your Fat Counter. There is a section there for listing additional foods. Then ask me about it next week, and I will help you find the fat grams.
- If you are having trouble figuring the grams of fat:
- Just write down the food and the amount you ate. I will help you figure the fat grams when you come in.

If you make a recipe:

• For many recipes, you can simply write down how much of each ingredient you ate. For example, in a stew, write down the amount of each ingredient that was in the amount you ate. For example, how much beef you ate, how much carrots, and so on. Include any fat that you used in cooking.

If you cook from recipes often, bring in some favorite recipes next week. I will help you count the grams of fat in them.

An optional handout is available on counting fat grams in more complicated recipes. We think that this handout should be saved for a later session, and at this point it would be more appropriate to ask the participant to bring in any recipes he or she uses often and help the participant estimate the fat grams. Remember that the participant is self-monitoring, not recording dietary data for nutrient analyses, and the point is to learn to distinguish high fat from lower-fat foods and make dietary changes toward the fat gram goal.

If you do use the handout at some point, use it to demonstrate how to count the fat grams in one of the participant's own recipes, rather than alone.

The bottom line for this week is to just get started and do your best. If you run into any problems, I'll help you with them next week.

If you eat a packaged food:

- Look on the label for the fat grams. (Even if it is listed in the Fat Counter, the grams on the label are more accurate.) First, find the Nutrition Facts on the label, and look at the serving size. Is this the amount you ate? And look at the total fat grams per serving.
- What if you eat a larger serving than is listed on the label? You will be eating more fat grams than are listed on the label.

Review the sample label on the work sheet. Be sure that the participant understands that the serving size on a label may be very different from what most of us consider a serving.

Demonstrate and practice how to add up fat grams during the day.

Some participants may be confused and overwhelmed at this point because of difficulties with calculations. Do **not** review adding up fat grams with these participants until the beginning of the next session. Instead, simply use the "Adding up the fat grams" worksheet to practice again how to look up fat grams and calculate the number of fat grams in the amount eaten by the participant. As before, tailor this to the participant's skill level.

The final step in keeping track of fat is to add up the fat grams you eat during the day.

There are two ways you can do this in your Keeping Track.

[Turn to Adding Up the Fat Grams work sheet.] Imagine that this is your Keeping Track.

Let's write in some of the foods you ate last week, the amounts you ate, and the grams of fat. In the Grams of Fat column, you can put a slash mark after the number of grams of fat and write down a "running total" (keep adding up the grams of fat throughout the day).

Demonstrate or have the participant calculate several running totals.

A running total is like a subtotal or running balance in a checkbook. The purpose of keeping a running total is so you know just how much fat you've eaten as you go along. You can use this to plan what foods you choose for the rest of the day. For example, "What should I have for lunch? Well, I've eaten x grams of fat so far. My fat gram goal is x grams. So I'd better eat less than x grams of fat for lunch to stay under my fat goal for the day." This is like using a budget to manage how much money you spend.

Another way to add up the fat grams is to use what we call the Fat Bank, these columns that look like rulers. The left column is the Fat Budget. The right is Over Budget.

I'll show you how to use it.

Have the participant do as much of the following as possible. Provide help as needed.

- a. Your fat goal is x grams. Find that number on the Fat Budget column and put an arrow beside it. Cross through all of the notches above your goal.
- b. Then fill in or cross through one notch for each gram of fat you eat. Start at your fat budget and go DOWN.

Demonstrate or have the participant cross through the notches for the breakfast foods.

You can easily see about how much fat you have left for the day in your budget.

- c. If you cross through all of the notches in the Fat Budget column, start at the bottom of the Over Budget column and go UP. This will let you see how much over your fat gram goal you are.
- d. Write the total fat grams for each day on the back of your Keeping Track booklet (show the participant where the totals should go). This will help us both to see at a glance how you've done during the entire week.

Have the participant complete the grams of fat, running total, and Fat Bank columns for the rest of the foods on the sample. Also, show the participant where to transfer the total fat grams for the day to the back of the Keeping Track book. Again, be careful not to overwhelm the participant.

Changing the way we eat is a gradual process and it will take time. I don't expect you to be perfect. During the next few months you will learn many different ways to help you eat less fat. For now, I want you to be the best fat detective you can be, looking for fat everywhere. And just do your best to come as close to your fat gram goal as you can.

Do you have any questions?

Participants should leave this session aware that:

- 1. We are more interested in their efforts to be honest and complete about their eating habits than to present us with picture-perfect Keeping Track records, and
- 2. We consider self-monitoring a very important tool and expect everyone to do some monitoring.

Assign home activity.

For next week:

- Keep track of your weight.
 - Weigh yourself at home every at this time of day.
 - Record your weight on the back of the Keeping Track book.
- Keep track of what you eat and drink.
 - Write down everything you eat and drink in your Keeping Track books.
 - Do this every day, as soon as possible after you eat.
 - Be honest.
 - Measure portions as much as you can and start reading labels.
 - And be sure to include everything you eat.

Use the Fat Counter to figure out how much fat is in what you ate, and write it down in your Keeping Track books. Keep a running fat gram total throughout the day. Try using the Fat Bank, too. Come as close to your fat gram goal as you can.

If this is Session 4:

Keep track of your physical activity, as you have been. And be a little more active this week-- your goal is (for most participants, it will be 120minutes).

Session 3: Three Ways to Eat Less Fat

Objectives:

In this session, the participant will:

- Review self-monitoring skills, and learn in more detail how to weigh and measure foods, by estimating the amounts of selected high-fat foods, actually measuring the amounts, and then calculating the fat grams.
- Learn three ways to eat less fat.
- Make a plan to eat less fat.
- If this is Session 5: Develop an activity plan for the coming week (for most participants, a weekly total of 150 minutes).

To Do Before the Session

Get materials ready:

- Measuring cups and spoons, glass measuring cup, scale, and ruler.
- Fat Counter.
- Pages for participant notebook.
- Optional handouts that are appropriate for a specific participant (e.g., the blank "Menu Make-Over" work sheet).
- Food models or actual foods for weighing and measuring demonstration. Include a selection of common high-fat foods, plus enough food models of teaspoons of fat (1teaspoon = 4 grams of fat)-or test tubes filled with measured amounts of shortening to show graphically the fat content of the foods. If possible, choose actual foods that you know the participant eats often. If this isn't possible, try to use food models that weigh close to what the actual food would weigh to avoid confusing the participant (for example, regarding the weight of various portion sizes of meats). For the actual foods, weigh or measure them in advance. For the food models, tape the amounts on the bottom. Some foods that may be suitable:

To weigh on the scale:

- 3 oz (after cooked) regular (25% fat) hamburger patty (keep frozen) to weigh on scale. 19 grams of fat (equivalent to 5 teaspoons of fat).
- 4 ounces cheddar cheese, thinly sliced by a deli (keep refrigerated). 28 grams of fat(equivalent to 7 teaspoons of fat).

To measure in metal or plastic measuring cup, teaspoon, tablespoon:

- 3 teaspoons of soft margarine in a tub (keep refrigerated). 12 grams of fat (equivalent to 3 teaspoons).
- 4 tablespoons of oil in the bottom of a frying pan, plus same amount in a small jar or bowl. (Ask the participant to guess the amount in the pan first, then bring out the jar or bowl of oil for the participant to measure with a tablespoon). 48 grams of fat (equivalent to 12 teaspoons of fat).

- 1-3/4 cups macaroni and cheese made from a mix (keep refrigerated). 34 grams of fat (equivalent to 8 teaspoons).
- 3 cups of "butter-flavored" movie popcorn. 29 grams of fat (equivalent to 7teaspoons of fat).

To measure in the glass measuring cup:

1-1/2 cups of whole milk in a large cereal bowl (keep refrigerated). 12 grams of fat(equivalent to 3 teaspoons of fat).

Weigh the participant. Mark weight on the How Am I Doing? Graph for weight.

If the participant has lost weight, congratulate him or her, but don't go overboard. Stress the fact that he or she must already be making some changes in **behavior**.

If the participant has not lost weight, mention it but stress that little by little as she or he makes behavior changes, the numbers on the scale will change.

Check if the participant weighed himself or herself at home. Discuss the fact that the two scales may differ. Patterns of change should be similar on both (if gain weight on clinic scale, home scale should show a weight gain, also).

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. [If this is session 5, graph activity, also.]

Were you able to write down anything this week about your eating?
What did you learn by Keeping Track? What difficulties did you have?
Were you surprised by the amount of fat in some foods?
How did using the Fat Counter go?
Were you able to keep a running total of fat grams or use the Fat Bank?
How close did you come to your fat gram goal?

Refer to the script for the 'Be a Fat Detective" for guidelines on how to review the Keeping Track records.

Review self-monitoring skills using the Fat Counter, weighing and measuring tools, and actual foods or food models.

We've given you measuring cups and spoons and a scale because **weighing and measuring foods is important**. Today we're going to start with something a little more "hands-on" than we've done so far and practice weighing and measuring together. First, let me go over some details about how to use the cups and scale and so on. You may be doing these things already.

Metal or plastic measuring cups and spoons

Use these for solid foods like margarine or mashed potatoes. Fill the cup or spoon and then level it off before you record the amount.

Demonstrate how to level.

Leveling can make a big difference. For example, even two extra tablespoons of granola on top of a cup that hasn't been leveled will add about 3 grams of fat.

Glass measuring cup (demonstrate this, although the study does not provide one)

Use a glass measuring cup, if you have one at home, for liquids like milk or soup. Pour the liquid in the cup, then read the line at eye level. If you read it from above, your eyes can fool you.

Demonstrate measuring liquids and reading the amount from eye level. Use any liquid. Water is fine.

Scale

The best way to measure meat and cheese is on a scale. Even a small amount can make a big difference in fat. Scales can measure very small amounts.

Demonstrate the use of the scale by weighing an actual food or food model. Have the participant weigh another food or food model. Make sure the participant can use the scale and read the results.

It's important to **weigh meats after they are cooked**. They lose about a quarter of their weight in cooking. So 4 ounces of raw meat weighs about 3 ounces when it's cooked. Three ounces of meat is about the size of a deck of cards or your palm, minus the fingers.

When you weigh cheese, you'll notice that one slice might look like another but not weigh the same. For prepackaged slices, you can check the label for the weight.

Most people are surprised when they begin to weigh and measure foods. Our eyes can play tricks on us.

Here are some common high-fat foods that someone might easily eat in a day.

Show the participant food models or actual foods for common high-fat foods. Review the instructions on the work sheet and have the participant complete the chart except for the column "Teaspoons of Fat." If possible, use some actual foods that the participant eats often and observe the participant using the

weighing and measuring tools so you can check her or his technique. Note: It may be helpful to repeat this activity at various points during the intervention, particularly after the Progress Review during Session 7 or 8, 12, and 16, as a way to review measuring skills and demonstrate the importance of accurate portion estimation.

Were you surprised by the actual amounts? Even small mistakes in estimating amounts can make a big difference in the fat grams.

Eventually you will get better at judging food amounts by looking. For now, weigh and measure foods as often as you can.

Last week we talked about the fact that most of the fat we eat is hidden in foods (70%, in fact). For example, fat is hidden in:

- The marbling of meats,
- Baked products,
- Sauces, and
- Batter coatings on deep fried foods.

Let me show you what the fat in these foods would look like if we could see it as teaspoons of butter, margarine, or oil. [Fill in the last column of the worksheet and if possible, illustrate using food models of teaspoons of butter or test tubes of measured amounts of shortening.] That's a lot of fat, a total of x grams and x pats (or x sticks) of butter or margarine altogether [note: one stick of butter or margarine = 1/2 cup or 24teaspoons]. Pretty amazing.

Introduce the three ways to eat less fat.

Many different kinds of foods are high in fat, but there are only three basic ways to eat less fat.

- 1. **Eat high-fat foods less often.** [Review the example on the work sheet.]
- 2. **Eat smaller amounts of high-fat foods**. Cutting back even a little can make a big difference. [Review the example.]

Eat lower-fat foods instead.

In the coming months, you'll discover a number of ways to "eat lower-fat foods instead." Here are a few examples of the difference you can make. [Review the examples on the work sheet, including the warning about the calorie content of low-fat or fat-free products. Use other or additional examples if they would be more relevant to the participant's eating pattern.]

Review the "menu make-over."

These menus show examples of small changes that make a big difference in fat grams saved. These are examples of the different ways to eat less fat, not menus for you to follow.

You will make your own food choices to reach your fat gram goal.

Review the examples on the worksheet. Mention that potato chips appear in both menus, and explain that there are no "good" or "bad" foods (the participant can eat any food in a small amount now and then and still reach his or her fat gram goal).

A blank "Menu Make-Over" work sheet is available if at this or other sessions the participant would benefit from recording personal examples of high-fat menus and corresponding make-overs.

Assign home activity.

Let's focus now on what you can do next week.

- Keep track of your weight and what you eat. Keep a running fat gram total throughout the day, and try to stay under your fat goal (budget). [If this is Session 5] And continue to keep track of your physical activity. This week be a little more active, for a total for the week of. [Fill in the blank. For most participants, the goal will be 150 minutes.]
- Make a plan to eat less fat and follow it.

Let's make the plan right now using this chart. First, write down 5 foods you eat that are high in fat. These should be foods that you eat often (not, for example, birthday cake that you eat only rarely). Now circle one of these foods and pick one of the three ways to eat less fat from that food.

Complete the rest of the work sheet with the participant, and assign the questions at the bottom as part of the home activity. Stress that the plan to eat less fat should be specific and realistic.

Session 4: Healthy Eating

Objectives:

In this session, the participant will:

- Discuss how eating less fat fits into the overall context of healthy eating.
- Review the Food Guide Pyramid and its recommendations, including to lower fat.
- Compare the participant's eating pattern to the Food Guide Pyramid.
- Review more examples of ways to eat lower-fat foods instead of high-fat foods.
- Be introduced to the importance of eating more grains, vegetables, and fruits.

To Do Before the Session

Get materials ready:

- Keeping Track book.
- Pages for participant notebook.
- Poster of Food Guide Pyramid.
- Optional handouts that may be appropriate for a specific participant (for example, one on low-fat recipe substitutions for participants who cook from recipes often).
- Individual samples of low-fat foods to taste (optional).

Weigh the participant. Mark weight on the How Am I Doing? Graph for weight.

If the participant has lost weight, congratulate him or her, but don't go overboard. Stress the fact that he or she must already be making some changes in **behavior**.

If the participant has not lost weight, mention it but stress that little by little as she or he makes behavior changes, the numbers on the scale will change.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. [If this is Session 6, graph activity.]

If this is Session 6:

Were you able to follow your activity plan from last week?

Discuss any barriers and problem solve with the participant. Graph on the How Am I Doing? Graph for activity.

What did you learn by Keeping Track last week? What difficulties did you have? Were you surprised by the amount of fat in some foods?

How did using the Fat Counter go? Did you keep a running total for fat grams? Did you follow your plan to eat less fat? How close did you come to your fat goal?

Refer to the script for the 'Be a Fat Detective" for guidelines on how to review the Keeping Track records.

Discuss how eating less fat fits into the overall context of healthy eating. Introduce the Food Guide Pyramid.

In the past few weeks, we've talked quite a bit about eating less fat. **Eating less fat is essential to losing weight. It's also one important part of healthy eating in general.** Today we're going to talk about some of the *other* parts of healthy eating. We'll look at your overall eating pattern to see how healthy it is and how you might improve it.

What exactly is "healthy" eating?

One part of healthy eating is the way you eat.

- A regular pattern of meals is important. Try to eat 3 meals each day. This will keep you from getting too hungry and losing control.
- Eat slowly. You will digest your food better if you take small bites and chew your food well. Also, you'll be more aware of what you are eating and more aware of when you are full. Try pausing between bites, putting down your utensils, and enjoying the taste of your food and the company who may be present.
- Don't worry about cleaning your plate. The greatest waste of food is to eat more than you want or need. Practice serving yourself smaller portions to begin with.

Another part of healthy eating is what you eat. One way to define what's included in a healthy eating pattern is by using the Food Guide Pyramid. Have you heard of the Food Pyramid? [Tailor the following discussion based on what the participant already knows about the Food Pyramid.]

The Food Pyramid is a **general guide to healthy eating** that's based on the latest findings about nutrition and health.

Turn to the Food Pyramid work sheet and point out the base of the pyramid.

The pyramid image is used because at the bottom is the **foundation**, the largest part of the structure, what the rest of the eating pattern is built on.

The foundation of the Food Pyramid is grains, or the **bread, cereal, rice, and pasta group**. These foods should be the main part of your diet. A healthy eating pattern includes **6 to 11 servings** from this group. A generation ago, many families built their meals around meat: the "meat and potatoes"

eating style. Now we know that most Americans eat too much fat and protein, and much of it comes from big servings of meat.

So in the Food Pyramid, the foundation is not meat, but rather breads, cereals, and other grain foods.

After naming the group and stating the recommended number of servings, ask the participant the following questions for every group except fats, oils, and sweets. As you do so, write on the work sheet a few examples of low-fat choices for each group, including serving size.

If possible, use example foods mentioned by the participant. Keep the discussion simple and tailor it to the individual (use examples that match the participant's eating preferences and ethnic background). A Food Pyramid handout on the next page will provide more details for participants who want them about the types of foods and serving sizes in each group. Ethnic variations are available. Do not review the entire Food Pyramid if it would be overwhelming to the participant.

- 1. What are some low-fat foods that would fit into this group? What do you think would be considered one serving of these foods?
- 2. Can you think of any high-fat foods that would be in this group? These would be the foods for you to avoid.
- 3. For the breads and cereals group: Many people think bread and potatoes and other starchy foods are high in fat, but actually it is the fat added to them in cooking or at the table that makes them high in fat. Potatoes are a good example: plain potatoes are low in fat, but by adding butter or sour cream, they become high in fat.
- 4. For the meats group: Nuts are included in this group (for example, peanut butter). All nuts are very high in fat. And many meats are high in fat, too. Americans tend to eat too much meat. We used to think we needed to eat a lot of meat to get enough protein, but now we know that Americans tend to eat too much protein. The Food Guide Pyramid recommends only two to three servings from the meat group and the portion size for a serving of meat is only 2 to 3 ounces. (Use a food model to illustrate this.) The meats group also includes dried beans. Have you tried dried beans, like kidney beans in chili? Unlike most meats, dried beans are high in protein but low in fat, unless you cook or serve them with added fat.
- 5. For the milk group: Some people have trouble drinking milk because it gives them gas, bloating, and diarrhea. Is that a problem for you? If so, milk products that are lactose-free may help you get rid of these problems.
- 6. The smallest part of the Pyramid is at the top, fats, **sweets**, **and alcohol**. These foods should be eaten **only in small amounts**. In general they don't provide vitamins and minerals, and they are high in calories, "empty" calories. {Remember that fat contains 9calories per gram and alcohol contains 7 calories per gram, compared to carbohydrates and protein at 4 calories per gram. Small

amounts of sweets won't add many calories, but many sweets, like cakes and chocolate, are also high in fat.)

- a. What are some lower-fat alternatives for foods in this group?
- b. What are some of the high-fat foods to avoid?

Have the participant compare his or her eating pattern to the Food Pyramid recommendations.

Let's look at one or two days from your Keeping Track book and compare what you ate to the guidelines given on the Food Pyramid. [Turn to Rate Your Plate page.] Let's start with breakfast and look at how many breads, cereals, rice, and pasta you had.

Move on throughout the day's record, and check off on the Rate Your Plate chart each serving from the food groups. Don't worry about being precise. This is not a self-monitoring record but a general guide to healthy eating. Clarify in simple terms any questions that come up regarding serving sizes.

- Consider one fat serving to be: one teaspoon of butter, margarine, oil, or regular mayonnaise; 1 tablespoon of cream cheese or salad dressing; or 10 peanuts.
- Consider one sweets serving to be: ½ cup of ice cream, 1 small cupcake or piece of cake, or 2 small cookies.
- If the participant drinks alcohol, explain that a) the recommendation is that if you choose to drink alcohol, do so in moderation, and b) alcoholic beverages are high in calories.
- Consider one serving to be one can (12 fluid ounces) of beer (150 calories), one glass (5fluid ounces) of dry wine (115 calories), or 1.5 fluid ounces (one "shot") of liquor (105calories). Mixers, such as tonic or a regular soft drink, add more calories.

Continue with a second day if appropriate.

What could you do to better match the Pyramid?

It looks like you could eat more [vegetables]. Let's think about tomorrow. If you want to eat 3 to 5 servings of vegetables, how could you do it?

Write example food choices and amounts on the work sheet, total the servings, and compare to the goal number of servings. E.g., 2 servings of salad with nonfat salad dressing for lunch, 1cooked vegetable and 1 serving salad with nonfat salad dressing for dinner = 4 servings. **Emphasize the importance of increasing grains, vegetables, and fruit.** It is not necessary to complete the rows for every food group.

Provide more examples of ways to "eat lower-fat foods instead."

Last week we talked about the three ways to eat less fat, one of which is to "eat lower-fat foods instead." The Food Pyramid and "eating lower-fat foods instead" work together. Here are some

examples. [Review the guidelines on the work sheet, highlighting those that are particularly relevant to the participant and reviewing examples from all of the Food Pyramid groups.]

Do you **cook from recipes?** Or does your spouse? What are some examples?

If the participant does a *great deal* of cooking from recipes, review the guidelines on the optional handout, **Build a Better Recipe**, highlighting those that are particularly relevant to the participant. If the participant only uses recipes occasionally, save the optional handout for a later session because this session is so full of information.

If the participant wants help in lowering the fat in a favorite recipe, have the participant bring the recipe to the next session and modify the recipe with the participant at that time.

Don't review recipe substitutions or modifications at all if the participant seldom cooks from recipes.

For some participants, recipe modification may be helpful as a small part of several future sessions, and it may be important to include other family members who cook for the participant. Regardless, remember that this is an early session and don't try to do too much at this point. Demonstrations of low-fat cooking can be done in future sessions during the maintenance phase of the trial.

Assign home activity.

For next week, I want you to:

- Continue to Keep Track of what you eat [if this is Session 6, also assign Keeping Track of activity.]
- For this week only, we're adding one more simple form, the same one we used today to Rate Your Plate. Use the two pages after this one to go over your Keeping Track records and compare what you ate to the Food Pyramid. [Review the instructions on the forms.]

Completing the Keeping Track booklet is much more important than completing the Rate Your Plate form. If the participant seems very reluctant to complete the Rate Your Plate forms, mention that you can complete them together at the next session and that the priority is to Keep Track.

Also, answer these questions before our next meeting:

- Did you make any changes during the week to better match the Food Pyramid? If yes, what were they?
- What problems did you have? How did you solve them?

Any questions?

Session 5: Move Those Muscles

Objectives:

In this session, the participant will:

- Receive the Lifestyle Balance activity goal.
- Discuss why the activity goal is important.
- Discuss current level of physical activity.
- Be encouraged to participate in the Lifestyle Balance activity sessions.
- Identify other activities equivalent to brisk exercise that the participant enjoys.
- Discuss the importance of wearing appropriate clothing.
- Develop an activity plan for the coming week (for most participants, this will be a total for the week
 of 150 minutes of activity) that includes the Lifestyle Balance activity sessions and other moderate
 activities that the participant enjoys.

To Do Before the Session

Get materials ready:

- Keeping Track book.
- Pages for participant notebook.
- Schedule and map for the supervised activity sessions.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities.

Were you able to come to the Lifestyle Balance activity sessions last week? Were you able to do something active on 3 to 4 days during the week?

Be positive and nonjudgmental. Praise all efforts to be more active, no matter how small. If the participant did not attend the sessions and/or did not do at least some activity during the week, ask, "Tell me a little about that." Do your best to uncover some of the barriers that prevented the participant from attending or being active without making him or her defensive. Problem solve with the participant to address any barriers. Stress again the important reasons for attending the activity sessions, particularly at the beginning of the study, and for taking steps to be active to some degree on a regular basis.

If this is Session 5 (the last session was "Healthy Eating"):

How did Keeping Track go last week? Did you "Rate Your Plate?" Did you make any changes during the week to better match the Food Pyramid? If yes, what were they? What problems did you have? How did you solve them?

Review and comment on the participant's self-monitoring records. If the participant did not complete the "Rate Your Plate" form, complete the form for one or two days with the participant. Praise all improvements, no matter how small. Problem solve with the participant to address any barriers.

Weigh the participant and graph.

Introduce the Lifestyle Balance activity goal.

So far you've focused on losing weight through healthy eating. This week and next week we'll focus on the other goal of the Lifestyle Balance program: being more active.

The Lifestyle Balance activity goal is to do a total of 2-1/2 hours of physical activity each week. This will burn about 700 calories per week.

Assess participant's current level of activity.

Now, before we can make an activity plan for you, I need to know **how active you are now.**

The purpose of the following discussion is to get a general idea of how active the participant is and to get the participant talking about his or her personal preferences and experiences with physical activity. Record the participant's answers on the work sheet, and make notations of pertinent details in the participant's progress notes so that you will be able to understand the situations (cues) that promote or derail a participant's physical activity. For example, if a participant has been able to exercise regularly in the past, primarily by doing it at lunch with a coworker, then this valuable piece of information can be highlighted from the start and the participant can be helped to arrange his/her environment accordingly.

- Do you do any kind of regular physical activity that lasts at least 10-15minutes? (Examples: work out at a health club, etc.) Where do you do these activities? With whom?
- How many times each week do you do these activities? And when you do, for how long are you usually active?
- Have you done any activities in the past that you no longer do? Why did you stop? Have you thought about starting to do them again?

If the participant names one or more activities, use them as a starting point when planning for next week.

What do you like or dislike about being active or being inactive? (Record.)

Provide the rationale for the activity goal.

I want to be sure you understand why being more active is so important. Being more active will:

Help you feel and look better. Being active can:

- Improve your mood,
- Counter depression and anxiety,
- Give you more energy,
- Help reduce stress,
- Be a way to meet new friends,
- Help you sleep better,
- Improve your self-esteem (help you to feel better about yourself in general),
- Improve your muscle tone and body measurements.

Many people report that they simply **feel good** when they're more active, and they really miss it if they've been active for a while and then stop.

- Regular physical activity will make you more physically fit. It will:
 - Strengthen your heart, lungs, bones and muscles,
 - Make your joints more flexible,
 - Reduce pain and injuries.
 - Make it easier for you to do your daily work, like carrying groceries,
 - Make it easier for you to play with your children or grandchildren.
 - Help you lose weight and keep it off.
 - Research has shown that the best way to lose weight is to eat a healthy diet and be more active. A combination of both is also the best way to keep weight off.

In addition to helping you lose weight, be more fit, and feel better in general,

Physical activity will lower your risk for heart disease, some kinds of cancer, and may help prevent diabetes.

Being more active:

- Raises HDL cholesterol (the good cholesterol),
- Lowers triglycerides, and
- Lowers blood pressure if it is elevated.
- Being more active also lowers blood sugar by making the body more sensitive to insulin. This
 reduces the risk of diabetes.

Describe the Lifestyle Balance activity sessions.

It's not easy to start being more active. We are here to help. Some things that can help you are to:

Come to the Lifestyle Balance activity sessions!

List other activities that the participant enjoys that can be counted toward the activity goal.

It will also help if you plan activities you LIKE to do.

After all, the point is to make physical activity a regular part of your lifestyle, and that will never happen unless you enjoy the activities you do. Exercise should be intense **enough to breathe** heavier than usual and to consider that you are working hard, but not so fast that you can't carry on a conversation or have trouble breathing.)

Many kinds of activity are good,. What other activities might you like to do?

Write on the work sheet **only the activities the participant should count toward the activity goal,** that is, those that are equivalent to brisk exercise, as indicated in the Lifestyle Intervention.

<u>Manual of Operations</u>. Don't review the list of activities in the Manual of Operations with participants, but use it as your own reference only.

From time to time, the activities you like may change. Just let me know, and we can make changes to this list.

Develop an activity plan for the coming week.

Now let's make a plan for next week.

During the week I want you to be active for.

Fill in the blank on the work sheet with the total number of minutes of activity per week (for most participants, this should be **60 minutes**).

For example, you could do xx minutes of activity on 3 different days of the week. We'll gradually increase this over the next three weeks until you're up to $2 \frac{1}{2}$ hours of new activity per week.

- Include a friend or family member if you would like. Some people like to be active alone, as a time to do something special for themselves. But many people find it helpful to be active with someone else. Is there anyone you would like to invite to exercise with you?
- Include the Lifestyle Balance activity sessions.
- And remember to plan activities you LIKE to do.

Okay. Let's write down the activities you will do on which days of the week. How many minutes will you do them? It should be for at least 10 minutes.

Also, keep track of your physical activity every day [or, if this is Session 5, keep track of your weight, eating, and activity]. Use your Keeping Track books. Keeping track will help us both to know how you are doing from week to week.

Show the participant where in the Keeping Track book to self-monitor activity. If this is Session 2, you have already shown the participant how and where to self-monitor activity, so the following will be somewhat redundant.

Write down what the activity was and how long you did it. Also, if you're exercising and know the distance in miles, write that down too if you want to. Use one line for each time you're active, even if it's the same kind of activity. For example, if you go around the block at 8:00 in the morning and again at 7:00 in the evening, write both down separately.

It's also important to **record only the amount of time you were actually** *doing* **the activity.** By that I mean don't include the time when you may have been taking a short break. For example, if you exercised and after 10 minutes you ran into a friend and stopped to talk for 5 minutes before exercising for 10 more minutes, you should only write down 20 minutes of exercise, not 25 minutes. The same is true for when you go swimming. If you are in the water for 60 minutes but only swim laps for 10 of those minutes, then you were only active for 10 minutes and that is what you should write in your Keeping Track.

Session 6: Being Active: A Way of Life

The script for this session is written as if the participant has been relatively sedentary before this time. Use your judgment to change your presentation of the session for those participants who have already been fairly active.

Objectives:

In this session, the participant will:

- Begin to graph activity.
- Discuss time as a barrier to activity.
- Learn two different ways to find the time to be active.
- Discuss lifestyle activity.
- Discuss ways to prevent injury and receive handouts on how to do some simple stretches and when to stop exercising.
- Develop an activity plan for the coming week (for most participants, this will be a weekly total of 90 minutes).

To Do Before the Session

Get materials ready:

- Keeping Track book.
- Pages for participant notebook, including individualized How Am I Doing? graph for activity.

Weigh the participant. Graph the weight in the participant's notebook.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities.

Last week we made a plan for your physical activity. How did it go?

Review the participant's Keeping Track records for activity. Praise any physical activity that was done, whether or not the participant reached his or her weekly goal.

If this is Session 6: Also review the participant's dietary self-monitoring and progress toward fat and/or calorie goals and weight loss.

Did you attend any of the activity sessions?

Emphasize again the importance of these sessions, especially at the beginning of the program. If the participant did not attend, try to uncover and address anything that got in the way.

Did you have any trouble Keeping Track of your activity? [If "yes," review.]

Graph participant's activity.

Every week we'll **mark your activity on this graph** [show the participant the How Am I Doing? graph for activity]. We'll use the graph to see your progress over time and how you are doing compared to your activity goals.

Mark the participant's recorded activity from last week on the graph, or if possible, have the participant do so.

Discuss barriers to activity.

It's important that we try to **solve any problems you're having following your activity plan.** Let's take last week. Did anything get in the way of your plan for activity?

Discuss whatever problems the participant brings up and brainstorm possible solutions. Consider any additional difficulties, such as upcoming cold weather, that the participant may face in the next few weeks and make plans to cope with these. Keep the examples relevant to the present or very near future. Examples:

Problem: Children.

Solution(s): Get a baby sitter or other family member to watch them.

Include the children in the activity (e.g., going for a exercise).

Problem: Hot weather.

Solution(s): Exercise early or late in the day when it is cooler.

Exercise indoors

Problem: Cold weather or rain.
Solution(s): Wear appropriate clothing.

Optional participant handouts are available on various barriers to activity, such as cold or hot weather. Give the participant only those that are relevant at this time.

Discuss time as a barrier.

One of the most common problems is lack of time. Everyone's busy these days.

But you can find the time to be active.

Here are two different ways.

Set aside one block of time for planned activity every day.
 Make being active a predictable part of your daily routine, like taking a shower may be a predictable part of your morning.

Use an example that is particularly relevant to the participant's lifestyle. For example, businesspeople may relate to an example of making a "standing appointment" for physical activity. Mothers may relate to an example of planning time to read a bedtime story every night to a child.

When can you set aside 20 to30 minutes to do an activity you like? Are you a morning person? Or would you enjoy getting out for exercise during lunch? How about after dinner? [Complete the work sheet.]

Some people can't find one big block of time to be active. Either their schedules vary a lot from day to day, or they're so busy that there isn't a 20-30 minute period that's free on most days. For some people, this might be the case during certain seasons of the year, for example, during the fall when after-school schedules begin to get hectic for their kids.

In these situations, it's usually easier to use a different approach.

Be on the lookout during the day for 10 to 15 minutes of free time. Use the time to be active. For example, you might be able to take a 10-minute break between meetings at work and go for exercise. Then later, take another 10-minutes to exercise after lunch. In the evening, take 10-minute exercise before you pick your son up from soccer practice. By the end of the day you've done 30 minutes of activity.

In a way, you really can't "plan" for these times, but you can think ahead about when to be on the lookout for them. Or seize the moment! Sometimes all the best planning in the world falls apart. There's still the "spontaneous approach." On some days you might look at the work or housekeeping you have ahead of you and realize, "I'm not going to finish all of this today, no matter what I do." So plan your exercise and JUST GO!

Can you think of any times during the day when you have 10 or 15 free minutes? [Complete work sheet.]

Discuss lifestyle activity.

We've been talking about the kind of activity you will be recording in your Keeping Track books, whether you do it in one block of time or at several times during the day. Another important kind of activity is called "lifestyle activity." It involves making active choices throughout the day. It's hard to record this kind of activity, so we aren't asking you to write it down in your Keeping Track books. But it is just as important as what you do record.

An example of an inactive choice is when you shop, park your car as close as you can to the entrance to the store. An active choice is to park your car further away and wheel. This may only take a minute or so to do, but every minute of activity has an impact on your overall health and it adds up to a "more active you."

Our parents, and especially our grandparents, didn't have a choice about being active throughout the day. They were active because they had to be. There weren't elevators in every building. They had no car or only one car for the entire family. They had no phone or only one phone and so they ran up or down the stairs to answer it. They did the dishes and laundry by hand. It was simply their way of life. By contrast, most of us now have so many conveniences that our lives are almost guaranteed to be inactive unless we **consciously make active choices.**

What are some active choices you could make during the day? What are some inactive choices you could limit?

Add examples to the chart. Possibilities include:

- Wheel to a nearby store rather than driving.
- Go for a 2-minute exercise session during TV commercials (especially food commercials!).
- Do stretching exercises while watching TV.

Turn inactive time into active time.

Many people say they have no time exercise but they watch several hours of television in the evening. **Try cutting your TV time in half and turn it into exercise time.** Or be active while you watch TV. Lift weights, or exercise with your arms.

At first, you may think of exercise as a way to relax after along day. But when you get used to it, you'll discover that exercise is a great way to relax and unwind, and you may feel much more rested and refreshed than you would have had you spent that time on the couch in front of the TV.

Discuss ways to prevent injury and give the participant some handouts on simple stretches and when to stop exercising.

Build up your activity slowly. Start and end each session slowly. Exercise at a less intense pace is
a fine way to warm up and cool down. If you want, you can also do some simple stretches like
those on these handouts.

These handouts also tell you what to do if you get a cramp or a muscle strain or pull and when to stop exercising. So look the handouts over at home and we can discuss any questions you have at the next session.

Note: Don't review these handouts during the session. Most participants will simply be wheeling as their form of physical activity, so it is not necessary to emphasize stretching. Just suggest that they start and end their exercise at a slower pace. For those participants who begin doing more intense activity later on, review these handouts at that time.

If a participant starts doing stretches, make sure they do not include stretching time in their 21/2-hour goal.

Develop an activity plan for the week.

Now let's make an activity plan for next week.

• The goal is to do a little more than last week, for a weekly total of. [Fill in the blank on the worksheet. For most participants the goal will be **90 minutes** of activity per week.]

Try setting aside one block of time, or plan to use several 10-15 minute periods during the day. Include the activity sessions, and be sure to plan activities you LIKE to do. [Complete the chart.]

 Also, keep track of your physical activity every day. [If this is Session 6, assign weight and dietary self-monitoring also.]

Record only the time when you are **doing** the activity. (That is, don't include breaks.) And **don't** record activities that last less than 10 minutes. [Give the participant a Keeping Track book.]

Include lifestyle activity throughout the day. You won't record this, but it is still very important. What active choices do you plan to make during the week?[Record on the blank line.]

Next week we'll talk about the lifestyle activity you did.

Any questions?

Session 7: Tip the Calorie Balance

Objectives:

In this session, the participant will:

- Discuss how healthy eating and being active are related in terms of calorie balance.
- Discuss how calorie balance relates to weight loss.
- Review the participant's progress so far in terms of a) changes made in fat/calorie intake and activity, and b) weight change. Discuss how this relates to calorie balance.
- Develop an activity plan for the coming week.
- If weight loss is less than what is expected, make a plan for the coming week to either self-monitor calories or follow a low-calorie meal plan, or both.

To Do Before the Session

Review some of the participant's past Keeping Track records. Make brief notes of some of the positive changes the participant has made to eat less fat and be more active.

For participants who have not lost weight as expected or have gained weight:

Determine the participant's daily calorie goal (refer to the Manual of Operations).

Make sure the participant's How Am I Doing? graphs for weight and activity are up to date.

Have materials ready:

- Keeping Track book.
- Pages for participant notebook.
- Meal plans appropriate for the participant's calorie goal. Tailor to the participant's food preferences as much as possible before the session.

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity? (Graph activity.)

If this is Session 8 (the last session was "Take Charge of What's Around You"):

Were you able to get rid of the problem food cue and add the positive cue for being more active? What problems did you have? What could you do differently next week?

If this is Session 7 (the last session was "Being Active: A Way of Life"):

Were you able to make the active lifestyle choices you had planned?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Explain how healthy eating and being active are related in terms of calorie balance.

Everything we've covered so far fits together. It fits together because of what's called the "calorie balance." That's what we'll talk about today.

We've said many times that the Lifestyle Balance Program involves **two kinds of lifestyle changes:**

- 1. Healthy eating. This includes eating less fat and more grains, vegetables, and fruits, and
- 2. Being active.

These changes are important in and of themselves. They may prevent diabetes and lower your risk of other diseases. They are also important because they're **both related to weight loss** and that's because of what's called **"calorie balance."**

Calorie balance is the balance between the calories (or energy) you take in by eating and the calories (or energy) you use up by being active.

When you eat **food**, you take in calories or energy.

- Calories in food come from fat, carbohydrates (starches, sugar), protein, or alcohol. Other
 ingredients in food, like vitamins, minerals, and fiber, don't have calories. (For example, green
 leafy vegetables are mostly vitamins, minerals, and fiber--and they have very few calories).
- The number of calories in any food you eat depends on what's in that food. Fat is the most concentrated in calories, with 9 calories per gram. That's more than twice the number of calories in starches, sugars, or proteins, and even more than alcohol. So foods that are high in fat are high in calories. That's one important reason why our emphasis has been on eating less fat.

For example, many people think of meats as being "pure protein" but actually most meats contain protein plus a lot of fat, which is where most of the calories in meats come from.

Calories also measure the energy you **use up**.

- You use calories for just staying alive (like breathing) and by any activity you do.
- The number of calories you use in a certain activity depends on several things, including the type of activity, the amount of time you are active, and how much you weigh (basically, the amount of energy used is determined by the amount of weight carried and the distance over which you carry it. When you wheel for a distance of a mile, for example, you are carrying a lot of weight (your body) over a long distance (1 mile).

If the participant is doing a different type of planned activity, check with the exercise physiologist on staff to convert minutes or distance into calories.

Explain how calorie balance is related to weight loss.

Your weight is determined by the balance between food (calories in) and activity (calories out).

Let's look at four ways the calorie balance can work.

- 1. Your weight can **stay the same**. In this case, "calories in" from food equal "calories out" from activity. Food and activity are at about the same level on both sides of the scale.
- 2. Second, you can **gain weight**. In this case, "calories in" from food are higher than "calories out" from activity. Either calories have increased or activity has decreased or both. The balance has tipped this way [indicate direction of balance].
- 3. Third, you can **lose weight.** "Calories in" from food are lighter than "calories out" from activity. You've eaten less food (by less I mean fewer calories, not less in volume--remember, we said early in the program that you can actually eat more food for the same number of calories by eating lower-fat foods), or you've done more activity, or both. The best way to lose weight is to do **both** at the same time and **really tip the balance** this way *[indicate direction]*.
- 4. And finally, you can reach a **new balance at a new weight.** You have developed new food habits and new activity habits and they are balanced again. This is what happens when you lose weight and keep it off. You've reached a new balance over time.

The important thing to **remember** is that:

- Food and activity work together to determine how much you weigh.
- To lose weight, it's best to eat less and be more active. That way, you are changing both sides of the energy balance at once. By TIPPING the balance, you can lose the weight you want.
- Then, over time, you can reach a new balance at a new, lower weight. We will help you to make the changes part of your lifestyle, so you will keep the weight off.

Explain calorie requirements for weight loss.

How much do you need to tip the balance in order to lose weight?

The number of calories you need to eat, or the amount of activity you need to do, varies from person to person. But in general, there is a formula we can use. It's based on two facts:

- 1 pound of body fat stores about 3,500 calories, and
- Slow, steady weight loss (1 to 2 pounds or so a week) is the best way to lose body fat.
 (Quick losses of large amounts of weight can mean that water or muscle are being lost rather than fat, and that's unhealthy.)

So to lose 1 pound in a week, you need to tip your energy balance by 3,500 calories in the week. Or 500 calories each day for 7 days. Or to lose 1-1/2 pounds in a week, you need to tip your energy balance by 5,250 calories in the week. Or 750 calories each day for 7 days. For a 2-pound weight loss per week, you need to tip the balance by 7,000 calories in the week, or 1,000 per day.

Again, for weight loss, the best way to tip the balance is to change both food **and** activity.

Review the participant's progress so far in terms of a) changes made in fat/calorie intake and activity, and b) weight change. Discuss how this relates to calorie balance.

Now let's take a minute to review some of the **changes you've made so far** on both sides of the balance.

 First, what changes have you made to be more active? We've talked about increasing both planned activity, the kind you've been recording in your Keeping Track books, and lifestyle activity, like taking the stairs instead of an elevator.

Briefly record on the work sheet some of the changes made by the participant. Praise and encourage the maintenance of these changes.

What changes have you made to eat less fat (and fewer calories)? We've focused on eating less fat because fat is the most concentrated source of calories.

Briefly record on the work sheet some of the changes made by the participant. Praise and encourage the maintenance of these changes.

Have these changes tipped the calorie balance?

The answer is in how the scale has responded.

- At the start of the Lifestyle Balance program, you weighed ... (refer to the How Am I Doing? graph for weight at randomization visit and record that weight on the work-sheet
- Your weight now is... (record on work sheet).

• And we expected your weight by this time would be ... (record the weight indicated on the graph by the expected weight loss line at this week).

So you have ...

Check one of the three boxes on the work sheet. Be as positive as possible, stressing the accomplishments the participant has made so far, no matter how small, and express your confidence in the participant's future success.

- Stayed at the same weight, or gained weight.
 - To lose weight, you need to try something else to tip the calorie balance. We'll work together to find out what will work better for you.
- Lost some weight, but not as much as expected.
 - Good. You've made some progress.
 - To lose more weight, you need to try something else to tip the calorie balance *further*.
- Lost as much weight as expected (or more).
 - Great! You've tipped the calorie balance.
 - If you keep tipping the balance, you will keep losing weight.

Develop an activity plan for the coming week.

For next week:

Continue to keep track of your weight, eating, and activity.
 Be active for

Fill in the blank on the work sheet, depending on how active the participant has been until this point. For most participants, *if this is Session 8,* the goal should be **150 minutes** per week; *if this is Session 7,* the goal should be **120 minutes** per week.

By doing more activity, you will use more calories.

As before, try setting aside one block of time each day, or look for 10 to 15 minutes that open up during the day and use them to be active. Include the Lifestyle Balance activity sessions. And plan other activities you LIKE to do. [Complete the chart.]

• Make active lifestyle choices throughout the day. As we've said before, every minute of activity is helpful. So keep moving as much as you can.
What are some of the active choices you plan to make this week? [Fill in the blank.]

If weight loss has not been as expected, make a plan for the coming week to either self-monitor calories or follow a low-calorie meal plan, or both.

The following is a requirement for participants who have not lost as much weight as expected. It is an option for successful participants who want to lose more weight or express an interest in learning more about the calorie content of foods.

- And to tip the calorie balance further, one of two things will be helpful:
 - Keep track of calories every day, just like you've done for fat grams.

Sometimes it isn't enough to just look at fat grams. You may be eating some foods that are relatively low in fat but still high in calories. (For example, many of the new fat-free frozen desserts and cookies are just as high (or higher) in calories than the original versions because of added sugar.) Or you may be eating large enough portions of some foods that the calories are adding up. By keeping track of calories, you'll learn which foods are higher in calories and find ways to save calories. So this week, we want you to look up the calories in every food you eat, just like you've been looking up the fat grams.

Try to stay under calories each day. You should lose weight if you eat that number of calories. Also,

- Watch out for the foods that are high in calories.
- Be sure to record everything.
- And watch portion sizes.

Or it might be most helpful for you to:

Follow a meal plan for calories per day.

A meal plan is a model or good example of what to eat. A meal plan will:

- Show you exactly what foods and amounts to eat. You won't be faced with a lot of decisions and temptations about food.
- A meal plan will also **make it easier for you to record what you eat.** In fact, if you follow the meal plan *exactly*, you won't need to record anything.

Which do you think would be most helpful, keeping track of calories or following a meal plan? Or would you like to try both?

Check the box or boxes on the work sheet.

If applicable, give the participant the appropriate meal plans. Tailor the meal plan to suit the participant's food preferences, and answer any questions or concerns the participant has regarding following the meal plans as closely as possible for the coming week. Present the meal plan as a flexible model from which the participant can develop an individualized eating style, rather than as

- a rigid prescription. (See How to Use the Lifestyle Balance Meal Plans for further information on how to introduce the meal plans to participants.)
- With some participants, you may need to practice calorie monitoring using an example and/or briefly double-check and correct portion estimation skills using food models.

For the rest of the study, we'll keep working together to bring you closer to your weight loss and activity goals. **We'll keep trying to tip the calorie balance and see how the scales respond.** Over time, you'll reach a new balance at your goal weight and then we'll work together to help you maintain that weight.

Note: The following explanation is for only those participants who express interest in how their calorie goal has been calculated. Do not give this text to participants.

Question: How did you determine the number of calories I should be eating to lose weight?

Answer:

The number of calories you need for weight loss depends on many things, including how active you are, how old you are, and so on. But we can make a good guess and then see how the scale responds. We like to begin by estimating what you ate when you entered the program.

1. Estimate of what you ate when you started:

Starting weight x 12 = calories/day (estimate)

- 2. A slow, steady weight loss of 1 to 2 pounds per week is the best goal.
- To lose 1 pound, you must eat 3,500 calories less. If you want to lose 1 pound in 1week, you would need to eat 500 fewer calories each day for 7 days.
- To lose 2 pounds, you must eat 7,000 calories less. If you want to lose 2 pounds in1 week, you would need to eat 1,000 fewer calories each day for 7 days.

We recommend that heavier people aim to lose 2 pounds per week, and that thinner people lose 1 pound per week. No one should eat fewer than 1,000 calories/day.

3.	Estimated calories at start: calories/day for maintenance
Tol	ose 1 pound per week, subtract 500 to get calories/day.
Tol	ose 2 pounds per week, subtract 1000 to get calories/day.

So your	daily ca	alorie goal	I for weight loss	is
,	,		•	

Session 8: Take Charge of What's Around You

Objectives:

In this session, the participant will:

- Learn about food and activity cues and ways to change them.
- Mentally search the participant's home, work place, and where the participant shops forfood, looking for problem food cues and discussing ways to change them.
- Learn ways to add positive cues for activity and get rid of cues for inactivity.
- Develop an activity plan for the coming week (150 minutes per week).

To Do Before the Session:

Get materials ready:

- Keeping Track book.
- Pages for participant notebook.
- Optional handouts that may be appropriate for specific participants (for example, the "Am I Really Hungry?" sign to post on the refrigerator door).

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity? (Graph activity.)

Did you "Rate Your Plate?" Did you make any changes during the week to improve the way you eat (eat more slowly, follow a regular pattern of meals/snacks)? Did you make any changes to better match the Food Pyramid? If yes, what were they? What problems did you have? How did you solve them?

If the participant did not complete the "Rate Your Plate" form, complete the form for one or two days with the participant.

Were you able to make the active lifestyle choices you had planned? Keep track of calories and stay under your calorie goal and/or follow the meal plan (*if applicable*)? Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Introduce the concept of eating and activity cues.

Today we're going to talk about **taking charge of what's around you**, or **how to make what's around you support your Lifestyle Balance goals** to lose weight by healthy eating and to be more active.

First, we'll talk about cues for eating, and later, go on to activity cues.

What "cues" you (or makes you want) to eat?

- Of course, one reason we eat is because of hunger. But what about those times when you have an "appetite" or desire to eat without physically being hungry?
- You might eat because of what you're thinking or feeling. For example, you might eat some ice cream because you feel lonely, bored, or happy.
- You might eat because of what other people say and do. You might eat chips at a party because a friend offers them to you.
- Or you might eat because of the sight or smell of food, or
- Certain activities that make you think about food (like watching TV or reading magazines). This
 is what we'll focus on today. In later meetings we'll talk about eating in response to thoughts,
 feelings, or what other people say and do.

The **sight of food** is one of the most powerful food cues. For example, you may see a carton of ice cream in the freezer and soon you'll be eating ice cream, even though you're not hungry. The **activity of watching TV** is also a powerful food cue for many people. You may turn on the TV and find yourself eating potato chips, even though you're not hungry.

Another example is **eating popcorn at the movies**. Do you eat popcorn when you go to the movies?

If not, probe for another example that is relevant for the participant, such as eating hot dogs at a sporting event or buying cookies after passing a bakery. Use the example in the discussions that follow.

Why do you eat popcorn in that situation? Do you think it's because you're hungry? Most likely, it's because eating popcorn at the movies is a **habit** for you.

When you respond to a food cue in the same way over and over again, you build a habit. The food cue becomes paired with the way you respond, and your response becomes more and more automatic.

Let's say that since childhood, you've gone to the movies many, many times, and you've eaten many boxes of popcorn there. Now you find yourself eating popcorn whenever you go to the movies, even though you're not hungry. You responded to the cue (going to the movies) in the

same way (buying popcorn), over and over again. Buying popcorn became a habit. And since it's a habit, it may be hard for you to sit through a movie and not have popcorn.

Food cues and eating habits are not harmful by themselves. But they can be a problem if they get in the way of your efforts to eat less fat and calories.

Discuss two ways to change problem food cues and habits.

How can you change problem food cues and habits?

- One of the best things you can do is to stay away from the food cue. Or keep it out of sight. For
 example, you may not be willing to stop going to the movies, but you can stay away from the
 concession stand. If you keep going to the movies and don't let yourself have popcorn, slowly you
 will stop thinking about popcorn. The connection between the movies and the popcorn will have
 been broken.
- 2. Or you can build a new, healthier habit. Practice responding to the cue in a healthier way. An excellent way to support yourself as you do this is to add a new cue that helps you lead a healthier life. For example, you might take a package of sugar-free gum with you when you go to the movies. When you enter the theater, take out a piece of gum. After a while, you will connect going to the movies with chewing gum.

It's important to remember that it takes time to break an old habit or build a new one. Change doesn't happen overnight. If you wanted to stop eating popcorn at the movies, you would need to see a lot of movies without popcorn. Eventually, you will enjoy the movie and forget about the popcorn.

Note: Some participants will find it hard to accept the idea that cues in the environment make them want to eat certain things. Try to find some ways (for example, as in the bullets below) to show the participant that there are many food cues around us all the time and that this phenomenon is so common that we are usually unaware of how powerful it is.

These ideas are powerful, and they work. Also, they're nothing new. People use them every day, sometimes very consciously and sometimes without even thinking about it. Some examples:

- Food companies deliver samples of new breakfast cereals right to your door by mail. They know that if they can get the food into your house, you'll eat it.
- For generations, mothers have put leftover snacks in the front of the refrigerator so their teenagers are more likely to eat them before the foods spoil.
- Supermarkets put new products on the shelves that are the easiest to see and reach.

In this session, we want to help you learn to make changes in what's around you to encourage healthy eating and being more active.

Identify specific food cues at home that are a problem for the participant. Discuss ways to change them.

Let's talk about some of the problem food cues in your life and some ways you can change them.

Note: A few common food cues are listed at the top of the second work sheet. Do not turn to this yet.

Let's start with **where you live.** Imagine that we've just opened the front door. We have a video camera, and we start taking a video of what's in the room. Which room would it be? Do you see any actual food in the room? Do you see anything else that might make you think about eating, like a TV or a comfortable chair? What is a change you could make to stay away from that cue or to build a new, healthier habit?

Move from room to room ("Are there other rooms that are a problem for you?"), asking for cues and discussing possible ways to either stay away from the cue or to build a new, healthier habit. If the participant has no response, refer to previous Keeping Track records and/or turn the page in the participant's notebook to the list of common problem food cues and ask if one or two of the examples apply to the participant (possible solutions are given below). Don't give too many examples. Some will undoubtedly come up at future sessions and can be addressed in detail at that time. The purpose of discussing specific examples is to make the "remember" points that follow of relevance to the participant.

Living room (or bedroom)

Cue: TV (or computer, telephone).

Solution(s): One way to break the connection between eating and the TV is to make it a rule

never eat while watching TV (or on the computer or phone).

Keep an exercise band near the TV.

Keep a pack of sugar-free gum near the TV (or computer). Allow yourself only gum while

watching TV (or working on the computer).

Cue: Candy dishes (for serving candy, chips, and nuts) on an end table.

Solution(s): Don't buy the candy, chips, or nuts.

If you must buy these foods, hide them. Keep them out of sight.

Kitchen

Cue: High-fat/calorie foods, **especially those that are ready to eat**. In the freezer (e.g.

ice cream), refrigerator (e.g., cheese, lunch meats, whole milk, pie), kitchen

cupboards (e.g., cookies, chips), or on counter tops (e.g., cookie jar, food

packages).

Solution(s): Stop buying these foods altogether.

Store them out of sight, in a brown bag or other unattractive, opaque container.

Make them hard to reach.

Keep lower-fat/calorie choices easy to reach, in sight, and ready to eat.

Examples: Fresh fruits, raw vegetables (already washed and prepared), non fat dips,

pretzels, low-fat popcorn, diet drinks.

Limit high-fat/calorie choices to those that require preparation.

Cue: Foods you are cooking or leftovers, on the stove or counter.

Solution(s): Make it a rule not to eat while cooking.

Taste foods only once, then rinse your mouth with water or a breath mint immediately.

Rinse off any utensils used in food preparation immediately after each use.

Ask someone else to taste the food. Put leftovers away **before** meals.

Ask someone else to put the leftovers away.

Put leftovers in individual serving containers right away, and freeze them for future meals.

Dinner Table

Cue: Serving dishes or packages of food on the table during meals.

Solution: Serve foods from the kitchen.

Store food only in the kitchen. Put packages away immediately after use.

Cue: Large dinner plates (or large glasses, bowls, serving spoons and forks).

Solution(s): Serve yourself small portions using a smaller plate or bowl. Or ask someone who is

supportive to do so. Spread the food attractively over the plate.

Cue: Leftovers on plates.

Solution(s): Remove your plate from the table as soon as you're finished.

Don't eat the food that your children leave on their plates.

Identify specific food cues at work that are a problem for the participant. Discuss ways to change them.

Let's do the same thing with where you work. Are there any things on your way to work, around you at work, or on your way home that have become paired with eating high-

fat/calorie foods?

Cue: Fast-food restaurant (or bakery, hot dog stand, candy store, etc.) on the way to or from

work.

Solution(s): Take a different way to work.

Make it a rule to never eat in the car.

Cue: High-fat/calorie foods in public areas (doughnuts or high-fat coffee creamers near the

coffee pot, candy on secretary's desk, etc.).

Solution(s): Stay away from those areas.

Buy or make your own coffee in a different place. Bring a low-fat/calorie snack to share with co-workers.

See if there's a way to keep these foods out of sight (other co-workers may appreciate it,

too).

Cue: High-fat/calorie foods on your desk, in your desk drawer, or in your locker.

Solution(s): Don't bring high-fat/calorie foods to work. Keep low-fat/calorie snacks like apples, raw

carrots, pretzels, low-fat popcorn, or diet beverages on hand instead.

Make it a rule not to eat at your desk.

Cue: Vending machines.

Solution(s): Stay away from the vending machines.

Bring a low-fat/calorie snack from home. Or buy juice or pretzels, if available in the machine. Ask a friend to go get them for you, so you won't be tempted by the other

foods.

The important thing to **remember**, whether you are at home or at work, is:

1. Keep high-fat/calorie foods out of your house and work place. Or keep them out of sight. Out of sight is out of mind.

Keep lower-fat/calorie choices easy to reach, in sight, and ready to eat.

Examples: Fresh fruits, raw vegetables (already washed and prepared), non fat dips, pretzels, low-fat popcorn, diet drinks.

2. **Limit your eating to one place.** Where do you eat most of your meals at home? Limit all eating to this place. When you are hungry, go to this place to eat. This will help you to distinguish between hunger and other cues to eat.

At work, a particular table in the cafeteria or kitchen area may be a good choice. Do not eat at your desk or computer. This is an open invitation to become distracted from eating.

3. When you eat, limit other activities. The rule is simple: No TV, driving, or talking on the phone while you are eating. Focus on enjoying the meal. In the future, these other activities will not cue you to eat.

Identify specific food cues while shopping for food that are a problem for the participant. Discuss ways to change them.

Finally, let's take the video camera to **where you shop for food.** Move around the store as you usually do. What do you see that's a problem for you?

You don't have as much control over what foods are in the grocery store as you do over what foods are in your house. But you do have some control. Here are some tips:

- Make a shopping list ahead of time. Make it a rule not to buy anything that's not on the list.
- Don't go shopping when you're hungry. Have a low-fat/calorie meal or snack first.
- Avoid sections in the store that are tempting to you, if possible. For example, go down a different aisle to avoid the bakery.
- Ask the grocery store manager to order low-fat/calorie foods that you want to buy. Remember, that is their business, to please you, the customer.
- Don't be a slave to coupons. Only use the coupons that are for low-fat/calorie foods, not for high-fat foods.

Identify specific positive cues for activity that the participant could add to his or her home.

Now let's turn to **physical activity.** For most people, there are many things around them that lead to being inactive. For example, after dinner, you may automatically position yourself in front of the TV. This is because the end of dinner and TV have been paired together many times in the past. But remember, you do have a choice. You could just as easily choose to exercise after dinner.

If you have been inactive, you probably have many cues around you that are associated with inactivity and few that would cue you to be active. To be active regularly, it's important to add positive activity cues to your life. Over time, the cues will become paired with being active, and you will develop new activity habits that will become more and more automatic.

What are some positive activity cues that you could add to your life? Let's pick up our imaginary video again, and start with where you live. What could you add to the living room that would prompt you to be active?

Move from **room to room**. Mention a few examples from the handout and add some that are particularly relevant to the participant.

In the living room or bedroom:

- Keep exercise equipment in sight, not in the closet.
- Hang an activity calendar and graph of your activity in a visible place.
- Keep an exercise band near the TV. (Why not make TV a positive cue?)
- Hang a photo or poster of people being active or of outdoor scenes in a visible place.
- Subscribe to a health or exercise magazine. Keep it in a visible place.
- Buy a home exercise video and leave it on the coffee table or on the TV.
- Put a note on the TV reminding you that a half hour of TV time could be used for exercise instead.

In the kitchen:

Post motivational photos, outdoor scenes, or reminders to be active on the refrigerator.

In the bathroom:

Post a reminder on the mirror before breakfast.

Identify positive cues for activity that the participant could add to his or her work place.

What are some positive activity cues that you could add to your work place? Let's pick up our imaginary video again. [Mention a few examples from the handout and add some that are particularly relevant to the participant.]

- Put your exercise band in a visible place in your office.
- Put a note on your office door reminding yourself to exercise during your lunch break before eating.
- Set an alarm on your watch to remind you to exercise.
- Make a regular, daily appointment with yourself to be active. Write it in your date book. Keep your appointments with yourself--they are as important as your other appointments.
 - Emphasize two cues that can prompt activity either at home or work.
- Set up a **regular "date" to be active with a friend or family member.** When she or he arrives at 7:00 for exercise, you'll probably go even if you don't feel very energetic.
- Use a timer or alarm on your watch to remind you to be active.

Discuss some ways to remove cues for inactivity.

Another approach is to remove the cues for being inactive.

- Watch less TV. Keep the TV behind closed doors in a cabinet. Or get rid of your TV. Or be active
 while you watch TV (for example, use your exercise band or system).
- **Don't leave things in a pile around the house.** They remind you to keep leaving more things there, rather than putting them away. Take separate trips to put them away instead.

In summary, it takes time to break old habits and build new, healthier ones, but it can be done. One of the most important steps you can take is to get rid of problem cues and add new ones that will help you lead a healthier life. You can make food and activity cues work FOR you, not against you.

Assign home activity.

Here is what I want you to do next week. First, get rid of one problem food cue in your life. Let's make a plan for that. (Ask the participant the questions on the work sheet and fill in the blanks). Also, add one positive cue for being more active. (Ask the participant the questions on the work sheet and fill in the blanks). What problems do you think you might have in trying to make these changes? How will you deal with them?

As always, keep track of your weight, eating and activity and do your best to reach your goals (specify goals on cover of Keeping Track books).

Finally, answer these questions before you come in to the next meeting ("Did you follow your plan?" and so on). We'll talk about how you did when you come in next week.

Any questions?

Session 9: Problem Solving

Objectives:

In this session, the participant will:

- Learn the five steps to problem solving.
- Practice the steps using a problem the participant is experiencing now with eating less fat/calories or being more active.

To Do Before the Session

Have materials ready:

- Keeping Track book.
- Pages for participant notebook.

Weigh the participant.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Review Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity?

Graph physical activity.

Were you able to get rid of the problem food cue and add the positive cue for being more active? What problems did you have? What could you do differently next week?

Were you able to make the active lifestyle choices you had planned? Keep track of calories and stay under your calorie goal and/or follow the meal plan (if applicable)?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Introduce the upcoming sessions and the problem solving process.

In the first eight sessions of the Lifestyle Balance program, you learned *how* to eat healthy and be more active. Healthy eating and being active will help you lose weight and be healthier in general. We also hope it will reduce your chance of developing diabetes.

But healthy eating and being more active means changing your habits, and making the changes a permanent part of your lifestyle. Many things can get in the way of changing habits. That's what we'll focus on in the next several sessions. We will discuss:

- Negative thoughts,
- Slips and your reactions to slips (a slip is when you don't follow your eating or activity plan),
- Stress, and
- What people say and do (or "social cues").

All of these things can get in the way of healthy eating and being more active.

What are some examples of things that get in the way for you?

Name several problems that the participant has already discussed at earlier meetings, if possible. E.g., You wanted to go out for exercise, but it was too cold. You wanted to eat less fat, but your children wanted you to buy potato chips.

It's inevitable that problems like these will come up.

But problems can be solved. Today we're going to talk about the *process* of problem solving. This is the process that you and I will be working on together throughout the study.

Explain the five steps to problem solving.

In general, there are five steps to solving problems.

1. The first step is to describe the problem in detail. Be specific.

For example, instead of defining the problem as "I eat more fat than I should," be specific about the kinds of foods you eat that are high in fat--maybe high-fat desserts or red meats. Be specific about when you eat them, and describe these situations in detail. For example, you may eat high-fat desserts when you go to your mother's house and she offers them to you.

Also, **look at what led up to the problem**. Many problems involve a chain of actions: one action leads to another and then another and eventually this leads to inactivity or overeating. This is called an **"action (or behavior) chain."**

Try to see the steps (or "links") in the action chain, including:

Things around you that cue (or prompt) you to eat or to be inactive.
We've talked about food and activity cues before. Examples are a bakery near where you work, television watching, or a carton of ice cream in your freezer.

- People in your life who don't support your efforts to lose weight and be more active. Examples are a co-worker who offers you doughnuts every morning, children who insist that you deep-fry chicken rather than baking it, or a spouse who wants you to watch TV in the evening rather than exercise.
- Thoughts or feelings that get in your way. Examples are defeating thoughts like, "I'll never be
 disciplined enough to exercise every night." Or feelings of boredom, stress, loneliness, or anger
 that lead to overeating.

Here is an example of an action chain [refer to the diagram]:

Sarah is a busy woman with a job and a family. Yesterday she was extremely busy at work and she didn't eat lunch because she didn't have time to go out. In the afternoon, her boss was very critical and demanding, and Sarah felt stressed and anxious. At the end of the day, Sarah came home tired, upset, and hungry. She went right to the kitchen. She immediately saw a package of cookies on the kitchen counter, and before she knew it, she ate a fair number of the cookies.

It may seem complicated to look at a problem in this much detail. But actually, it makes problem solving much, much simpler.

- You see that the real problem may not be the last step (eating the cookies)but rather all of the things that led up to it (like not eating lunch and soon).
- Uncovering the action chain will help you to find the "weakest links" in the chain to break. There's a saying that a chain is only as strong as its weakest link. By naming all of the links in the chain, you will be able to find the weakest ones, the places where you can make a change most easily.
- 2. Step 2 is to brainstorm your options. What are all of the possible solutions to the problem? "Brainstorming" means to create a storm of ideas in your brain. Let the ideas pour out, no matter how crazy they may seem. Anything goes. The more ideas the better. And it's actually helpful to include some crazy, extreme ideas because it helps open your mind and stir up your creative juices.

By brainstorming, **you'll see that you aren't at all powerless to change your situation.** You have many options. Here are some possible ones for Sarah [refer to work sheet].

3. Third, **pick an option to try.** Weigh the pros and cons of each option, and choose one (or it might be a combination of several) that is **very likely to work** and that **you can do**. In other words, be realistic. You should be confident that you will succeed.

It's also helpful to try to break as many links as you can, as early as you can in the chain.

For example, it will be much easier for Sarah to control her eating in the evening if she eats some lunch and doesn't arrive home hungry. It will be easier for Sarah to avoid eating too many cookies if she doesn't buy the cookies in the first place. Another reason to try to break an action chain as early as possible is that **you will have more links to work with.**

If eating lunch doesn't help Sarah and she still arrives home tired, upset, and hungry, she can still choose low-calorie snacks like fruit when she gets home.

Let's say that Sarah chooses the option of packing a quick bag lunch.

- 4. Fourth, **make a positive action plan.** This is where you spell out exactly:
- What you will do,
- When you will do it, and
- What you need to do first.
- Also, make a plan for any roadblocks that might come up.
- And build in steps that will make success more likely. For example:

Will it help you to involve someone else?

Can you do anything to make it more fun and enjoyable?

Will it help if you:

Write your plan down and post it on your refrigerator or calendar? Tell your plan to someone else, so you're committed to following it? Join an exercise class or club so you're more committed? Make a date with someone to exercise?

Sometimes if you build in a step to get yourself over the first "hump," then everything begins to snowball and the rest is much easier. For example, here is Sarah's action plan [review work sheet].

5. The fifth step of problem-solving is to **try it and see how it goes**. Did it work? If not, what went wrong? Use what you have learned to problem solve again and make a new action plan. Remember, **problem solving is a process**. **Don't give up**. It often takes many tries to find a solution.

Review another example if you think it would be helpful. Use one that is tailored to the individual (for instance, an example of the food preferences of the family getting in the way of the participant's goals).

Now let's apply this process to you.

Have the participant practice the steps using a problem he or she is experiencing now.

For next week, I want you to work on solving a particular problem. Think of a problem that you're having now with eating less fat/calories or being more active.

Complete the **Lifestyle Balance Problem Solver** work sheet with the participant.

For next week:				
:	Keep track of your weight, eating, and activity. Follow your action plan. And answer the questions on the work sheet.			

Session 10: Four Keys to Healthy Eating Out

Objectives:

In this session, the participant will:

- Learn four basic principles for healthy eating out: planning ahead, assertion, stimulus control, and healthy food choices.
- Identify specific examples of how to apply these principles at the type of restaurant the participant frequents.
- Practice making a meal selection from an appropriate menu.
- Practice out loud how to ask for a menu substitution.

To Do Before the Session:

- If possible, have the participant bring in menus from the restaurants he or she frequents.
- Get materials ready:
- Sample menus from local restaurants.
- Keeping Track book.
- Pages for participant notebook.
- Optional handouts that are appropriate for the participant (for example, booklets on the nutrient content of fast foods).

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity? Try your action plan? What did you learn from the problem solving process?

Graph physical activity.

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Introduce the four keys to healthy eating out.

Today we're going to talk about eating out. What kinds of places do you eat out at?

Tailor the rest of the session to one or two of the places where the participant eats out most often. If the participant doesn't name several places or is not specific enough, prompt for a few of the following

examples: fast-food restaurants, other restaurants, church or community centers, cafeterias, friend's homes, snack bars or vending machines, in an airplane.

Do you find it difficult to stay under your fat gram goal when you eat out at these places? What is difficult for you?

There are four basic keys to healthy eating out. [First, indicate each of the major headings on the work sheet, as scripted below. Later you will come back to the specific points under each heading.]

- 1. First, **plan ahead.** Having a plan will help you to anticipate difficult situations and handle them more easily. You won't run into so many surprises.
- 2. Second, **ask for what you want.** Be firm and friendly. We'll talk in a minute about how to do this so you won't offend anyone.
- 3. Third, **take charge of what's around you**. Take steps to make what's around you **support** you in your efforts to eat healthy. Get rid of the things that get in the way, if you can.
- 4. And finally, choose foods carefully.

Help the participant identify specific examples of how to apply the four principles.

Let's use one of the places where you eat out as an example.

What are some ways you can **plan ahead** for eating out at?

Follow along on the work sheet as you discuss each of the four keys to healthy eating out as they apply to that type of restaurant. Use some of the examples given below, but don't try to be exhaustive. Rather, choose those examples that relate to the specific difficulties faced by the participant. You may want to jot down on the work sheet a few strategies that are particularly relevant.

When you review **how to ask for what you want**, use the following script:

Many people find it hard at first to ask a waiter or waitress for something special. With practice, it gets easier. Here are some tips:

■ Begin with "I", not "You."

"I would like," "I need," "I will have." Using "I" statements shows that you take responsibility for your own feelings and desires. "I would like my chicken broiled with lemon juice instead of gravy," or "I would like tossed salad instead of coleslaw, please."

"You should have," "you said," "you don't understand." Using "you" often puts others on the defensive. "You didn't put the salad dressing on the side!" Better: I asked to have the salad dressing on the side, please."

- Use a firm and friendly tone of voice that can be heard.
- Look the person in the eye.

Eye contact says a lot. Avoiding eye contact often means you don't believe what you are saying.

Repeat your needs until you are heard. Keep your voice calm.

Sometimes it may take several tries before you are understood. If you need to repeat yourself, keep your voice low but firm. A loud voice can be threatening to others.

Wishy-washy "Oh, well. I guess they couldn't broil the fish."

Threatening "You said you would broil my fish!"

Firm & friendly "This looks very nice. But I asked for my fish to be broiled, not fried. Would you

have some broiled for me, please?"

When you review the fourth principle, **choose foods carefully**, have the participant:

- Practice making a meal selection from an appropriate local menu.
- Practice out loud how they would ask for a menu substitution.

Refer to menus from local restaurants and the "What's on the menu?" and "Fast food can be lower in fat" handouts for examples. It's important to role play aloud at this point to give the participant practice actually choosing words that are comfortable for him or her. At some point you may want to go to a restaurant with the participant and by ordering first, you can model how to make healthy meal selections and ask for menu substitutions. Participants may also need encouragement to ask family members to support them when they are at a restaurant, for example, to ask a spouse to say, "I'm glad you ordered milk for your coffee," instead of, "Are you sure you don't want cream?"

At fast-food restaurants

1. Plan ahead.

- Pick a restaurant carefully. Most fast-food restaurants now serve some low-fat foods, such as grilled chicken and salads with low-fat dressing.
- Plan what you will order without looking up at the menu. Menus can tempt you to order what you don't want.

2. Ask for what you want. Be firm and friendly.

- For example, "May I have my coffee with a little low-fat milk rather than cream, please?" "Please leave the mayo off my burger."
- Ask how much is usually served. For example, "How many ounces is the hamburger, please?"

3. Take charge of what's around you.

Be the first in your group to order. You won't be tempted by what or how much others order and they may follow your good example.

4. Choose foods carefully.

- Try grilled chicken sandwiches without special sauces or a salad with low-calorie dressing.
- Stay away from French fries. If you must have them, order a regular size (not a double) and Don't finish them all.
- If you must have a hamburger, order a regular size, without cheese, not a double or a cheeseburger.

At other restaurants (not fast-food)

1. Plan ahead.

- Pick the restaurant carefully. Go to one with low-fat choices. Call ahead to see what is on the menu. Stay away from "all you can eat" buffets, brunches, and happy hours.
- Eat less calories and fat during other meals that day or for a few days in advance.
- Have a little something to eat before you go to the restaurant so you're not too hungry when you get there. Eat fruit, some low-fat crackers, or drink water before you go out.
- Plan what to order without looking at the menu. Looking at the menu can tempt you to order more than you want.
- Don't drink alcohol before the meal. It may make it harder for you to follow your good intentions. Try tomato juice, club soda, or mineral water, instead.

2. Ask for what you want. Be firm and friendly. Remember, you are paying for the meal. You have the right to ask for special services. And most restaurants want to make you happy.

Ask for the foods you want:

- Ask for food substitutions. For example, catsup or mustard instead of mayonnaise on a sandwich. A tossed salad instead of coleslaw. Baked potato instead of French fries.
- Can foods be prepared in a different way? For example, ask that the fish be broiled and seasoned with lemon juice, not butter; ask that butter, margarine, and sauces be left off the vegetables.
- Don't be afraid to ask for foods that aren't on the menu. Many restaurants will prepare grilled meats, fish, and chicken without added fat or sauces, fresh fruit salads, and steamed vegetable platters with rice, even if they're not on the menu. Or look for foods on a different part of the menu (for example, if fresh fruit is on the breakfast menu, it may well be available as a dessert for dinner).

Ask for the amounts you want:

- Ask how much is usually served. For example, "How many ounces is the hamburger, please?"
- Ask for salad dressings, gravy, sauces, or spreads "on the side." For example, ask for dry toast
 with margarine on the side. Then use only a small amount. Or order salad dressing on the
 side, then limit the amount you use. (One idea is to dip your fork into the dressing before each
 bite.)
- Ask for less cheese or no cheese.

- Split a main dish or dessert with someone. Or order an appetizer as a main dish.
- Order a smaller size (appetizer, senior citizen's or children's portion, cup of soup).
- Before or after the meal, have the amount you don't want to eat put in a container or "doggie bag" to take home.

3. Take charge of what's around you.

- Be the first to order. You won't be tempted by what others order, and they may follow your good example.
- Keep foods off the table that you don't want to eat.
 - a. When a waiter or waitress brings rolls, chips, or other complimentary foods, say "No, thank you," and hand the food back right away.
 - b. When you order something, ask that half of it be put in a doggie bag **before** it's brought to the table. Then have it brought to you with the check.
- Ask that your plate be removed as soon as you are finished. You won't be tempted to eat more than you want while others finish their meals.
- Remove table tents from the table that advertise high-fat/calorie foods such as desserts.

4. Choose foods carefully.

- You can tell a lot from the words on a menu. Watch out for these high-fat words; look for these low-fat words, instead. [Refer to handout.]
- Watch out for sauces on meats, vegetables, and so on. Ask that these foods be served without the sauce.
- Think about how much food you really need. Do you need an appetizer? Bread? Make some compromises. "I'd rather have dessert so I'll skip the appetizer."
- Trim visible fat off meat.
- Take skin off chicken.

At another person's home or community center/potluck dinners

1. Plan ahead.

- Bring something from home for yourself and others. Examples: fruit salad, vegetable salad with low-calorie dressing.
- Talk to the host or hostess before you go, if you are comfortable doing so(particularly if you eat at their home often). Ask for their support in your efforts to lose weight.
- Eat a little something before you go, so you aren't too hungry when you arrive.

2. Ask for what you want. Be firm and friendly.

Say "No, thank you. That looks lovely, though," when offered a food you'd rather not eat.

3. Take charge of what's around you.

 At buffets or cocktail parties, stay away from the buffet or appetizer table. Choose a small plate, and after serving yourself, sit at a table far away.

4. Choose foods carefully.

- Take only a small amount of high-fat/calorie foods, just enough to taste.
- Look at everything on the buffet before serving yourself. Then choose only 3 or 4of your favorite foods, instead of trying a little of everything.

Airplanes

1. Plan ahead.

 Order a special menu ahead. Call 24 hours before departure. Many airlines have low-fat and vegetarian menus available.

2. Take charge of what's around you.

Say "No, thank you," smile, and hand the peanuts right back to the flight attendant.

Banquets, Conferences

1. Plan ahead.

- Ask what is on the menu. Is anything prepared without fat?
- Order a special menu ahead. Even if the choices are limited, many caterers will prepare a steamed vegetable plate with rice and fruit salad upon request.

Assign home activity.

Describe a problem you have when you eat out. [Record on the work sheet.] Choose one of the four keys to healthy eating out that is likely to help you solve the problem and that you can do. Make a positive action plan. [Complete the work sheet with the participant.]

For next week:

- Keep track of your weight, eating and activity.
- **Try your action plan.** And before you come to the next session, answer the two questions on the bottom of the work sheet (Did it work? If not, what went wrong?).
- For participants who eat out often, ask the participant to collect menus for restaurants the participant frequents and bring them in to the next session.

Any questions?

Session 11: Talk Back to Negative Thoughts

Objectives:

In this session, the participant will:

- Recognize that everyone has negative thoughts and identify examples of them.
- Learn how to stop negative thoughts and talk back to them with positive ones.
- Practice stopping negative thoughts and talking back to them with positive ones.

To Do Before the Session:

Get materials ready:

- Keeping Track book.
- Pages for participant notebook.
- Optional handouts that are appropriate for the participant (for example, a Stop! Sign prop to hold up when you hear the participant expressing a negative thought).

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity? Try your action plan? What did you learn last week about healthy eating out?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Graph physical activity.

If the participant has brought in restaurant menus, help the participant practice ordering from the menus.

Help the participant identify examples of negative thoughts.

Today we're going to talk about stopping negative thoughts.

Everyone has negative thoughts at times. These negative thoughts can lead you to overeat or be inactive. Then afterwards you may feel even worse about yourself. A vicious cycle of self-defeat can result.

For example, suppose you came home after a hard day at work. You think to yourself, "I'm tired of working so hard. I'm sick of being in this study. I can never eat what I want." This negative thought might lead you to eat some potato chips. And then you think, "I did it again. I'll never lose weight." Next, you're discouraged and go on to eat more of them.

Sometimes we aren't aware we are having negative thoughts. Negative thinking becomes such a habit for most of us that we tend to believe and act on our negative thoughts without even hearing them.

The goal of this session is to help you hear your negative thoughts and teach you to talk back to them.

Here are some common examples of negative thoughts.

Review each category and the example(s) on the work sheet, then ask a question or two to get the participant thinking about his or her own experience with negative thoughts.

1. Good or Bad Thoughts.

These thoughts divide the world into:

- Good and bad foods:
- Seeing yourself as a success or failure;
- Being on or off the program.

Sometimes this is called "all or nothing" or "light bulb" thinking (either on or off) with nothing in between.

Example: "Look at what I did. I ate that cake. I'll never be able to succeed."

- Do you have some foods you consider "good," and some foods you consider "bad?"
- What happens when you eat a little of what you consider to be a "bad" food?
- Can you think of some problems with considering a food "bad?"

2. Excuses (or Rationalizations)

These thoughts **blame something or someone else for our problems.** We act as if they have so much power that we have no choice but to overeat or be inactive.

We don't mean to go off the program, but we "can't help it."

Example: "I don't have the will power."

"I have to buy these cookies just in case company drops in."

Can you think of a time when you bought some high-fat/calorie food "for someone else"? Did they really need the food, or do you think you used them as an excuse to buy the food for yourself?

3. Should Thoughts.

These thoughts **expect perfection.** Of course, no one is perfect, so SHOULD thoughts are a **set-up for disappointment**. They also **lead to anger and resentment** because "should" assumes that someone is standing over us, forcing us to do what we don't want to do.

Example: "I should have eaten less of that dessert."

- What kind of things do you think you "should" or "should not" do to lose weight and be more active?
- What do you expect yourself to do perfectly (for example, self-monitoring)? What happens when you expect perfection of yourself? How do you feel? How does it affect your future decisions and choices?

4. Not As Good As Thoughts.

These thoughts compare us to someone else and then blame ourselves for not measuring up.

Example: "Mary lost two pounds this week, and I only lose one."

- Do you compare yourself to someone else? Who?
- How does comparing yourself to that person affect you? How does it make you feel? How does it affect your decisions and choices about eating and being active?

5. Give Up Thoughts.

These thoughts defeat us. They often follow the other kinds of negative thoughts.

Example: "This program is too hard. I might as well give up."

Do you ever want something good to eat and think, "I'm sick of this Lifestyle Balance program"?

Explain how to talk back to a negative thought.

Once you are aware of a negative thought, you can "talk back to it." Here's how:

- First, catch yourself having the negative thought. Ask yourself, "Is this thought moving me forward or bringing me down?" As soon as you're aware of a negative thought, say to yourself, "I'm doing it to myself."
- 2. Then **imagine shouting "STOP!" to yourself.** Picture a **huge, red stop sign.** [You may want to hold up the STOP! sign prop at this point.] The stop sign is so big that it takes up all the room in your mind. This should startle you and get rid of the negative thought.
- 3. Talk back with a positive thought. No matter how effectively you've stopped a negative thought, it will probably return again in a similar situation because it has become a habit for you. So it's important to begin to build a new habit: positive thinking. After you stop a negative thought, talk back to it with a positive one.

Review the categories and the examples on the work sheet, making the following points.

- Good or Bad: Talk back with Work Toward Balance.
 Don't expect perfection of yourself, but don't indulge yourself either. Work toward an overall balance.
- Excuses: Talk back with It's Worth a Try.
 Instead of looking for something or someone else to blame, why not give yourself a chance?
 Try something. You just might succeed.
- Should: Talk back with It's My Choice.
 You are in charge of your eating and activity. No one else is responsible for your choices or standing over you with unrealistic expectations.
- Not As Good As: Talk back with Everyone's Different.
- Give Up: Talk back with One Step at a Time.
 Problem solving is a process. It takes time to make life-long changes. Learn from what doesn't work and try another option. Learning is always a success.

Now let's **practice** stopping negative thoughts and talking back with positive thoughts. Look back over the kinds of negative thoughts we've discussed. What kind are most familiar to you? For example, do you tend to make excuses or are you more likely to compare yourself to someone else? What are some examples? Write examples of negative thoughts on the work sheet. If the participant doesn't name examples, use several from the previous pages.

Now let's take them one at a time. First, say the negative thought out loud. Then say "Stop!" And then talk back to it out loud with a positive thought.

Use the remaining time in the session to actually role-play this with the participant. Use a stop sign prop if you find it helpful. Record the positive thoughts on the work sheet.

This session may be an appropriate time to review with participants the work sheet "Remember Your Purpose" (Session 1) on which they recorded their personal reasons for joining the study and so on. Details from this work sheet may provide images and words for the participant to use in talking back to negative thoughts with positive ones. Any imagery that is significant to the participant may help make the process of "talking back" more meaningful and fun; for example, a participant might find it enjoyable to imagine a devil on one shoulder and an angel on the other, and to see the task of positive thinking as, "letting the angel talk."

Assign home activity.

For next week:

- Keep track of your eating and activity.
- Catch yourself thinking negative thoughts. Write them in your Keeping Track books.
- Practice stopping them and talking back to them with positive thoughts.

Next week we'll talk about how you did.

Any questions?

During this session, some participants may raise problems outside the expertise of the Lifestyle Coach, such as a significant clinical depression, anxiety, or a clinical eating disorder.

Session 12: The Slippery Slope of Lifestyle Change

Objectives:

In this session, the participant will:

- Review the participant's progress since Session 7 or 8 ("Tip the Calorie Balance").
- Identify some things that cause the participant to slip from healthy eating or being active.
- Discuss what to do after a slip to "get back on your feet again."

To Do Before the Session

Review the participant's progress. Note any plans that were made to improve weight loss and activity level, which strategies were used, and which were successful or unsuccessful. If the participant is not currently at goal for weight loss and/or activity, refer to the Tool Box for ideas of additional strategies required or optional for particular problems.

If you have copies of some of the participant's past Keeping Track records, review them as well. Note some of the positive changes the participant has made.

Make sure the participant's How Am I Doing? graphs for weight and activity are up to date.

Have materials ready:

- Keeping Track book.
- Pages for the participant notebook.
- Meal plans appropriate for the participant's calorie goal. Tailor to the participant's food preferences as much as possible before the session.

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity? What negative thoughts did you catch yourself thinking? Were you able to stop them and talk back with positive thoughts?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Graph physical activity.

Review the participant's progress since Session 7 or 8, and if not at goal, develop an action plan to improve progress in reaching weight loss and activity goals.

Today we're going to talk about what are called "slips," or times when you don't follow your plans for healthy eating or being active.

Let's use skiing as an example. Everyone who learns to ski knows that they will "slip" and fall down. It's a natural part of learning to ski. What a skiing instructor does is to help beginning skiers anticipate when they might fall down and show them how to get up again. That's what we'll do today--talk about when you might "slip" from your eating and activity plans, and how you can get back on track again after you slip.

Note: Throughout this session, try to use analogies in addition to skiing that are meaningful to the participant. (For example, one analogy is how we handle fires. First, we try to identify high-risk situations in which fires are likely to occur. Second, we try to take steps to avoid these situations if we can. Third, in case a fire does occur, we plan ahead for a way to put out the fire and/or escape.

We make a plan that is as simple and easy to remember as possible so that we are more likely to follow it while under stress.) You will also want to use a meaningful analogy for how the participant has developed other skills by making mistakes and learning from them, such as learning to drive a car, bake a cake, and so on.

Before we talk about slips, we'll take some time to review your progress

What are some of the major changes you've made to be more active? Include both what you do to reach your goal (that is, those activities you record) and what you do to be more active in general What changes have you made to eat less fat (and fewer calories)? Briefly record on the work sheet some of the changes made by the participant. Praise and encourage the maintenance of these changes.

Have you reached your weight goal? Your activity goal?

Refer to the How Am I Doing? graphs for weight and activity, and check yes or no on the worksheet.

If the participant is **at goal** for weight loss and activity, praise the progress made.

If the participant is **not at goal** for weight loss or activity, praise whatever progress has been made. Encourage the participant to improve, and develop a related plan using the work sheet. **Follow the guidelines in the Tool Box as to which strategies are required to address particular problems identified.** For example, some participants may need to be given meal plans at a lower calorie level.

Define slips.

Now let's move on to the topic for today, "slips."

Slips are times when you don't follow your plans for healthy eating or being active.

Slips are:

- A normal part of lifestyle change. Just like falling down is a normal part of skiing. If you are going to ski, you are going to fall. All skiers will fall. And everyone who sets out to lose weight and be more active will have slips.
- To be expected. If you haven't already had some slips, you most certainly will have them in the future. Slips are inevitable.

Does this sound discouraging? Well, it doesn't have to be. Because **slips don't hurt your progress**. What hurts your progress is the way you react to slips. So today we'll talk about the best way to react to slips when they happen.

Identify some things that cause the participant to slip from healthy eating or being active.

Different people have different things that cause them to slip. For example, moods or feelings cause many people to slip from healthy eating.

Some of us tend to overeat when we're **happy**. Imagine that:

Your family is celebrating. Maybe it's a holiday, a birthday, or a vacation. There is plenty of everyone's favorite foods, from appetizers to desserts. And for years, your family's custom has been to "take it easy," have fun and just relax during these times. What would this situation be like for you? Would you tend to slip in this kind of situation?

Some of us are more vulnerable to overeating when we're **bored**. Imagine that:

You're at home alone, watching a favorite TV program. You're feeling okay, pretty relaxed, but a little bored. A commercial comes on at the end of the program, and you find yourself wandering into the kitchen. What would this be like for you?

Other people overeat when **upset**. Imagine that:

You are settling down for a relaxing evening at home. Someone in your family starts to talk about something that's been part of an **ongoing argument** between the two of you. You both get angry and he or she stomps out of the house, slamming the door. You head for the kitchen. **What would this situation be like for you?**

Or here's another example:

You're **behind on a project at work.** The boss has been looking in on you every10 minutes and glaring at you impatiently. You feel pressured and very tense. You go get yourself a cup of coffee and see a delicious snack that someone brought in that morning. **What would this be like for you?**

Which is the *most* difficult for you in terms of slipping from healthy eating: feeling happy, bored, or upset? [Record on the work sheet.] Are there other things that cause you to slip from healthy eating?

Give the participant time to name a few examples. Record on the work sheet.

What things cause you to slip from being active?

Have the participant name several examples, such as vacations, holidays, feelings or moods, cold or hot weather.

The situations that lead to slips differ from person to person. For example, you may tend to eat when you're bored, whereas someone else may get involved in a hobby. Or when you are at a party, you may be so busy talking and laughing that you forget to eat, whereas someone else may find the goodies are just too tempting. What causes you to slip is learned. It is a habit.

The way you react to slips is also a habit. You can learn a new way to react to slips that will get you back on your feet again.

Discuss what to do after a slip to get back on your feet again.

First, remember two things:

- Slips are normal and to be expected.99.99% of all people who are on their way to losing weight and being more active have slips. But a slip doesn't need to lead to giving up completely. Slips can and should be useful learning experiences.
- No one time of overeating or not being active, no matter how extreme, will ruin everything. You won't gain more than a few pounds of weight even after the biggest eating binge imaginable--unless you stay off track and keep overeating time and time again. The slip is not the problem. The problem occurs if you don't get back on your feet again and keep going toward your goals.

So after you have a slip:

1. Talk back to negative thoughts with positive thoughts.

The negative thoughts that come after a slip can be your worst enemy. They can lead to feeling discouraged, guilty and angry and undermine your ability to handle the slip effectively. Talk back to the negative thoughts with positive ones. "I am not a failure because I have slipped. I can get back on my feet again."

2. Next, ask yourself what happened.

Use the opportunity to look closely at the situation and ask yourself what happened. Was it a special occasion? If so, is it likely to happen again soon? Did you overeat because you were lonely, bored, or depressed? Did you eat because of social pressure? Did you skip activity because you were too busy with other things, or because of work and family pressures? Use these questions to review the situation and think about it objectively. **Learn from the slip.**

Then you can plan a strategy for handling the situation better next time. Can you avoid this situation in the future (for example, by not sitting near the food or by not wheeling past the candy machine)? If you can't avoid it, can you manage it in a better way (for example, by making sure you have low-calorie foods available at home)?

3. Regain control the very next time you can.

Do **not** tell yourself, "Well, I blew it for the day," and wait until the next day to start following your eating plan. **Make your very next meal a healthy one. Get back on schedule with your activity plan right away**. You will not have set yourself back very much if you follow this suggestion.

4. **Talk to someone supportive.** ("Talk it through, don't eat it through.") Call your lifestyle coach or someone else on staff. Call another participant or another friend. Discuss your new strategy for handling slips. Commit yourself to renewed effort.

5. Finally, focus on all of the positive changes you have made and realize that you can get back on track. The same person who "blew it" today is the same person who has been successful during many previous weeks. Slips do not reveal the "real you" (hopeless, lacking willpower, etc.). They are simply another occasion of behavior. Remember, you are making life-long changes. Slips are just one part of the process.

Assign home activity.

Describe one thing that has caused you to slip from healthy eating.

Could you **avoid it** in the future? If so, how? [Record on the work sheet.]

If not, make a plan for **how to get back on your feet** the next time you slip. [Record.]

Describe one thing that has caused you to slip from being active.

Could you **avoid it** in the future? If so, how? [Record on the work sheet.]

If not, make a plan for **how to get back on your feet** the next time you slip. [Record.]

For next week: a) Keep track of your eating and activity. b) Try your two action plans. c) Answer the questions on the work sheet.

Any questions?

Session 13: Jump Start Your Activity Plan

Objectives:

In this session, the participant will:

- Discuss ways to add interest and variety to the participant's activity plans.
- Learn the definition of "aerobic fitness."
- Learn the F.I.T.T. Principles (frequency, intensity, time, and type of activity) as related to heart (aerobic) fitness.

To Do Before the Session:

Have materials ready:

- Keeping Track book.
- Pages for participant notebook.
- Optional handouts that are appropriate for the participant (for example, on various barriers to physical activity).

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity?

Did you try your two action plans to get back on your feet after slipping? How did it go?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Graph physical activity.

Discuss ways to add interest and variety to the participant's activity routine.

So far in the Lifestyle Balance program, our focus in terms of physical activity has been on increasing the amount of time you are active. We've moved gradually from 30minutes per week to 2 ½ hours per week of new physical activity. By this time in the program, many participants find that their activity routine has become a little stale and boring. **Boredom is a problem because it may cause you to slip back into old habits of not being active.** So it's important to be aware of

any boredom you're feeling about your activity plan, and do something to keep it fresh and interesting.

That's what we'll talk about today--ways to "jump start" your activity routine (or giveit new energy when it's becoming a little too "routine").

First, add variety.

■ Do something new and different now and then. Don't expect yourself to do the same activity, day in and day out, every season of the year, any more than you would expect yourself to eat the same food, day in and day out, all year long. Remember, you are making life-long changes, and being active is something you will be doing for the rest of your life. So build in some variety. For example, if you usually do aerobic conditioning during the week, strength (resistance) training on the weekend.

Can you think of some ways to vary what you do for activity?

Record on the work sheet. Include lifestyle activity but be sure the participant understands to self-monitor only the physical activities that are similar (or higher in) intensity (refer to Manual of Operations).

If the participant expresses interest in learning more about a particular activity, such as strength(resistance) training, consider making an appointment for the participant to meet with the exercise specialist on staff for instruction.

Do the same activity in a new place. For example:

- Wheel on a different path through the park.
- Wheel in a different neighborhood after work.

What are some ways you can vary where you do your activity? (Record.)

Be active as a way to be social.

- Instead of going out for a cup of coffee, go out for a "wheel and talk" with a friend or family member.
- Plan a weekend hike with a group of friends.
- Go wheeling with a club.
- Join a basketball team.
- Sign up with a group of friends for a wheel for charity.

What are some activities you could do with a friend, family member, or group as a way to socialize? (Record.)

It also helps if you make being active fun.

- Some people enjoy listening to a radio, music tapes or books on tape while they exercise
- Plan tours of cities when you travel.

What would be fun for you? (Record.)

Another way to prevent boredom is to **challenge yourself**.

- Prepare yourself for a race.
- Set up a friendly competition with a friend (whoever wheels the most miles before a certain date gets taken out to lunch by the other).

What would make activity more challenging for you? (Record.)
Have you been bored at times with your activity in the past?
Have you found anything to be particularly helpful for you at those times?

If you're not bored now, please be sure to bring it up whenever you do feel bored in the future. Use me and our activity specialist as resources to help you. For example, we can talk about some community programs that might add interest to your activity routine, and so on.

Define "aerobic fitness."

One way to add something new to your activity routine is to begin to focus on **improving your** "aerobic fitness."

"Aerobic fitness" refers to how well your heart can pump oxygen ("aer-")through your blood to your muscles in your body.

Your heart is a muscle, too. If you exercise your heart (make it beat faster), it will become stronger over time. This is just like the muscles in your arm becoming stronger if you lift weights every day.

As your heart becomes stronger, you'll notice that it's easier for you to do things like wheeling up inclines and carrying groceries.

Explain the F.I.T.T. Principles.

Not all ways of being active will help strengthen your heart--only those that are "F.I.T.T." This is what "F.I.T.T." stands for:

"F" stands for frequency, or how often you are active.

Aerobic fitness levels go down within 48 hours of no activity, so it's important to be active often.

- Try to be active on most days of the week (at least 3 days per week is recommended; 5 to 7 days are even better).
- To avoid soreness and injury, it's best to increase the frequency slowly.

"I" stands for intensity, or how hard you are working while being active.

This is usually measured by **how fast your heart beats.** We want your heart to beat faster than it usually does, so that it will become stronger, but we don't want it to beat so fast that you could injure yourself.

• The goal is to stay within what's call your "target heart rate", about 50-70 % of the maximum number of times your heart can beat in a minute for someone your age.

Here is how to figure your target heart rate.

Review the formula on the work sheet and calculate the participant's own target heart rate.

Have you ever taken your heart rate or pulse?

Review with the participant the steps for taking your heart rate as described on the work sheet. Use a pen or marker to mark on the participant's wrist exactly where he or she is able to find the pulse. This will help the participant find it quickly when exercising.

Another way to get a rough idea of how hard you should be working is to breathe fast enough that you can talk but not sing. You should be able to have a conversation with a friend while exercising, but if you can break into song, speed it up!

On the other hand, if you have trouble breathing and talking while you exercise, slow down.

As you do regular physical activity over time, your heart doesn't beat as fast as it used to. For example, you'll notice that your heart doesn't beat as fast when you wheel up an incline, and you don't get as out of breath.

This means that you are becoming more fit, that your heart is doing the same amount of work with less effort. It also means that to continue strengthening your heart, you will need gradually to do more challenging activity to reach your target heart rate. For example, you'll need to exercise more intensely than you used to get the same benefit in terms of aerobic fitness.

"T" stands for time, or how long you are active.

- To improve your aerobic fitness, you should stay active continuously for at least 10 minutes. That's why we don't ask you to record in your Keeping Track any activity that doesn't last at least 10 minutes.
- We recommend that you slowly increase the time you are active to 20 to 60 minutes.
- The total number of minutes per week should at least equal your Lifestyle Balance activity goal for that week.

The final "T" stands for type of activity.

- To improve your fitness, you should do "aerobic" activities. As we said before, these are activities that **challenge your heart**. Brisk exercise will result in aerobic activities.
- These activities use large muscle groups and
- Last 10 minutes or longer. Brief activities that don't require your heart to work harder, such as bowling, pitching a softball, or washing a window, will not improve your aerobic fitness.

Introduce another way to measure exercise intensity.

Measuring your heart rate is one way to keep track of your intensity (or how hard you are working) when you're active. But even without measuring their heart rate, most people have a good sense of how hard they're working when they're active, just by listening to their body.

Rate yourself on this scale while you're being active. How hard are you working?

Review the work sheet with the participant. For your own background information as a Lifestyle Coach, the scale is based on Borg's original Rating of Perceived Exertion (RPE) Scale which is a numerical scale from 6 to 19, with 7 corresponding to very, very light, 9 to very light, 11 to fairly light, 13 to somewhat hard, 15 to hard, 17 to very hard, and 19 to very, very hard. The original scale was designed to approximate what one would estimate the corresponding heart rate to be, by adding a zero to the end of the RPE. For example, an RPE of 13 (somewhat hard) would approximate a heart rate of 130. So if a participant calculated her upper heart rate limit to be 130, her upper RPE limit would be around 13.

Assign home activity.

For next week:

- Keep track of your weight, eating and activity.
- Do your best to reach your activity goal for the week. [Record.]
- Take your heart rate or pulse every time you're doing physical activity.
- Adjust how hard you are working during an activity so that you stay within your target heart rate [specify] or keep how hard you are working at this level [specify].

Any questions?

You may want to ask the for You, if you and the		

Session 14: Make Social Cues Work for You

Objectives:

In this session, the participant will:

- Review examples of problem social cues and helpful social cues.
- Discuss ways to change problem social cues and add helpful ones.
- Review strategies for coping with social events such as parties, vacations, having visitors, and holidays.
- Make an action plan to change a problem social cue and add a helpful one.

To Do Before the Session:

Ask the participant to invite a family member to this session if you and the participant think that would be helpful in planning strategies for handling social cues.

Have materials ready:

- Keeping Track book.
- Pages for participant notebook.
- Optional handouts that are appropriate for the participant (for example, with tips for handling parties, holidays, vacations, and other social events; low-fat/calorie recipes for entertaining; helpful ideas for low-fat eating and staying active while traveling).

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity?

What was it like taking your pulse or **heart rate**? Were you able to stay within your target heart rate?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Graph physical activity.

Review the concept of food and activity "cues" and define social cues.

In an earlier session we talked about **how to "take charge of what's around you."** We took an imaginary video camera through your house and where you work, and we looked for problem food or activity "cues," things that would prompt you to think about eating or to be inactive, like a TV set or a bag of cookies on a kitchen counter. We planned some ways to get rid of problem cues and add positive cues (for example, watch less TV, keep high-fat foods out of the house).

In that session we focused on the sight and smell of food or certain activities that make you think about food. Today we're going to talk about social cues, or what other people say or do that affects your eating and activity. Again, we will plan some ways to reduce problem social cues and some ways to add positive ones.

Give examples of problem social cues and positive social cues.

Problem Social Cues

One of the most powerful **problem social cues** is:

- The sight of other people eating problem foods or being inactive (for example, you go to a bar where you see other people eating potato chips and watching TV). Can you think of an example in your own life? Is it difficult for you when you see someone in your family or a friend eat certain foods? (Record examples briefly on the work sheet.)
- Being offered (or pressured to eat) problem foods or being invited to do something inactive are also negative cues (for example, your spouse buys you candy for your birthday or a friend asks you to come over to watch football). What are some examples in your own life?
- **Being nagged** is a negative cue (for example, your spouse says, "You shouldn't be eating that bacon. It's too high in fat."). Some people may think that nagging is helpful, but actually it tends to cause the behavior it's designed to stop. Does anyone nag you about your eating or activity?
- **Hearing complaints** is a negative cue, too (for example, your daughter says, "I hate this frozen yogurt. Real ice cream is better," or your spouse says, "You're always outside exercising. You don't have any time for your family any more.").

Do you hear complaints from anyone about your eating or activity?

Now let's compare problem social cues with **positive social cues**.

Positive social cues include:

The **sight of other people eating healthy foods or being active** (for example, you go out to dinner with another participant who orders low-fat foods or you go to an aerobics class). Can you think of any people who are good examples for you? In what way? (Record on the work sheet.)

- Being offered healthy foods or being invited to do something active (for example, your mother offers you fruit salad for dessert or asks you to go for a wheel). Does anyone do this for you?
- Being praised (for example, your spouse says, "The oatmeal was delicious this morning, honey.").
 Who praises you for your efforts and accomplishments?
- Hearing compliments (for example, your daughter says, "Thanks for buying frozen yogurt, Mom. It's a lot healthier than ice cream," or your spouse says, "You're really committed to exercising every day. I'm proud of you."). Does anyone compliment you?

When you respond to a social cue in the same way over and over again, you build a habit. The cue becomes paired with the way you respond, and your response becomes more and more automatic. In an earlier session, we used the example of eating popcorn whenever you go to the movies as a food cue that over time becomes a habit for many people. It works the same way with social cues.

Let's say that since childhood, your mother has offered you second helpings of food at the dinner table. You developed a habit of accepting her offer. Now when you return home as an adult and your mother offers you second helpings, it is hard for you to refuse.

It's important to understand that with social cues, the **other person has also learned a habit.** So in the example we've just used, your mother has learned to offer you second helpings and expects that you will accept the offer. **This makes social cues even harder to change than other cues.**

Discuss ways to change problem social cues.

How can you change problem social cues?

- 1. As with problem food cues, one of the best things you can do is to **stay away from the cue**, **if you can**. For example:
- Move to a different room if a family member eats problem foods in front of you.
- Skip certain parties that are just too tempting for you.
- Socialize with people by going bowling, dancing, or to the movies. Don't go out to eat as a way to socialize.
- Change the subject when someone starts talking about food or your weight or activity.
- 2. **Change the cue, if you can.** This means trying to influence the other person's habit, if you can. For example, when someone nags, complains, eats problem foods in front of you, or pressures you to eat:
- Discuss the problem. Brainstorm options. For example, "It's hard for me when you eat ice cream in front of me. It really tempting. Is there away we could get together and have fun, but not eat ice cream?" Be willing to compromise to find a solution that will work for everyone.

- Tell people about the study, your efforts to lose weight and be more active, and why this is important to you. Many people will be willing to help if they understand that you are trying to change your eating and activity and why.
- Ask others to praise you for your efforts and ignore your slips. This is KEY to your success. Explain to your friends and family that this is what would be most helpful to you. In turn, be sure to thank them when they notice your efforts and overlook your slips.

(Role play this with the participant, using an example that is meaningful to him or her.)

- 3. If you can't stay away from the problem social cue or change it, practice responding in a more healthy way. Over time you will build a new, healthier habit and the other person will learn a new habit, too, because of your new response. For example:
- Say "No" to food offers. If you are consistent and continue to say "No," others will eventually stop offering.
- One of the most important things you can do is to show others you know they mean well, and suggest something they can do to help you. Be specific. Most people mean well when they nag, offer food or pressure someone to eat (for example, many people think that being a good hostess means insisting that guests have second helpings). If you recognize that they mean well and give them a specific, positive alternative, they can still feel helpful and you are more likely to reach your goals, too. For example, when a hostess offers you second helpings, say, "Thanks so much for offering. You know what I'd really enjoy is some coffee." If you can, give them specific ideas of how to help ahead of time, before you are confronted by a challenging situation.

Role play saying "No" to food offers, using an example that is meaningful to the participant. Illustrate that the participant should be prepared to say "No" several times to someone who continues to offer, e.g., "Are you sure you don't want a piece of cake?"

Remember that it takes time to break an old habit or build a new one. Change doesn't happen overnight. And with social cues, there are at least two people involved in making a change: yourself and someone else. Don't expect other people to adjust instantly to a new way of relating, any more than you expect yourself to change instantly.

Discuss ways to add positive social cues.

Not all social cues are problems. You can use social cues to *help* you eat healthier and be more active. For example:

- Spend time with people who are active and make healthy food choices. For example, at parties stand next to people who spend most of their time talking and dancing instead of eating.
- Put yourself in places where people are active. For example, join an exercise club or sports league. Come to the study activity sessions.

- Set up a regular "date" with others to be active. You will be more likely to be active because you won't want to disappoint them by cancelling.
- Ask your friends to call you to remind you to be active or to set up dates to be active.
- Bring a low-fat/calorie food to share. For example, bring a fruit salad to a potluck dinner.
- Be the first to order when you eat out at a restaurant and order healthy foods. This is much easier than waiting until after others order high-fat foods and then trying to make a healthier choice. In addition, you will provide a positive social cue for other people.
- **Be social by doing something active.** For example, exercise and talk. Go out dancing instead of going out to dinner. Start a family tradition of going for exercise after dinner instead of watching TV.

An important way to change negative social cues and add positive ones is to ask people who want to support you for help.

What people in your life want to support you? [Record a few names.]

What could they do to help you? Here are some ideas. Would any of these be helpful to you?

Review the ideas on the work sheet. Check a few that the participant thinks would be helpful. Add other ideas at the bottom of the chart. Some participants may want to copy the work sheet to give to a supportive friend or family member.

Discuss ways to handle social events such as parties, having visitors, or holidays.

Social cues are especially powerful at social events such as parties, holidays, vacations, and when you have guests in your home or are a guest in someone else's home. These events:

- **Upset our routine** (for example, you usually exercise after dinner, so how do you fit exercising in on a day when you're going to a party after dinner?),
- Challenge us with unique food and social cues (for example, your family serves appetizers
 whenever there are guests in the house but not at other times; you go on vacation to a place
 you've never been before and you're not familiar with any of the restaurants),
- May involve habits that have developed over many years and so can be very powerful (for example, for the past 30 years on Thanksgiving, your family has watched the parade on TV and had pumpkin pie with whipped cream for dessert).

What are some social events that are difficult for you?

Get an idea of the kind of social events the participant attends. If it is near a holiday or vacation, you may want to focus during the remainder of the session on brainstorming options and making an action plan for that specific event. Optional participant handouts (see Appendix) are available that provide guidelines for holidays, parties, vacations, and so on.

To handle social events well, try to anticipate the problems that will occur. What exactly might be difficult for you? Then brainstorm your options ahead of time. Here are some ideas: [review the examples on the work sheet]:

- Plan ahead.
- Stay away from problem cues when you can.
- Change problem cues.
- Respond to problem cues in a more healthy way.
- Add helpful social cues.

Stay positive. Think of every social event as an opportunity to learn what works well for you and what doesn't. Remember, you are building healthy habits for a lifetime.

For participants that entertain, you may want to distribute some low-fat/calorie ideas and/or recipes (for example, recipes for low-fat dips and a list of low-fat crackers). Participants who travel often may appreciate the optional handout on helpful ideas for low-fat eating and staying active while traveling.

Assign home activity.

With the participant, develop and record on the work sheet two action plans to:

- Change a problem social cue.
- Add a helpful social cue.

If it is near a holiday, vacation, or particular social event, include an action plan for that event.

Assign home activity.

This week:

- Keep track of your weight, eating and activity.
- Try your two action plans for making social cues work for you.

And before the next session, answer the questions (Did it work? If not, what went wrong?) for both action plans

Session 15: You Can Manage Stress

Objectives:

In this session, the participant will:

- Discuss how to prevent stress and cope with unavoidable stress.
- Discuss how study participation can be a source of stress and how to manage that stress.

To Do Before the Session:

Have materials ready:

- Keeping Track book.
- Pages for participant notebook.

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity?

Were you able to follow your action plans (change the problem social cue and add the helpful one)?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Graph physical activity.

Define stress and its relevance to the study.

Stress is tension or pressure. Stress is a natural part of living our life.

Any change, good or bad, big or small, can cause stress. Big changes or events in our life--like getting married, a serious illness, changing jobs--can cause stress. Small events- like losing your keys, having a birthday, having a flat tire, or needing to get your errands done before picking up your children--can also cause stress.

What kinds of things make you feel stressed?

Why are we talking about stress in the Lifestyle Balance program? Because **many people react to stress by changing their eating and activity habits**. Some people eat and drink too much as a way to deal with stress. Others may stop eating. Some people become very inactive and withdrawn.

What is it like for you when you get stressed?

If the participant does not provide examples, mention one or two situations that are typically stressful (such as being under a deadline at work, illness, being faced with unexpected responsibilities such as a sick child or car repair). Ask how the participant feels or reacts. Based on the response, point out any physical and emotional symptoms (headache or muscle tension) and behavioral changes that might affect eating and activity.

- Do you get any physical symptoms like a headache or stomach ache or muscle tension?
- Do you change your behaviors when you feel stressed?
- Do you eat more when you are stressed?
- Do you change the kinds of food you eat?
- Do you change how active you are or the kind of physical activities you do?

Discuss ways to prevent stress.

An ounce of prevention is worth a pound of cure, and this is certainly true when it comes to stress. The best approach is to **prevent stress whenever you can**. Here are some ideas:

1. Practice saying, "No."

Practice saying "No" when someone else asks you to do something you don't want to do. Say "Yes" only when it is important to **you.**

Saying "No" can be hard. It causes some tension or stress. But that stress is usually short-lived. If you say "Yes," you may have hours, weeks, or months of stress as you do whatever you agreed to do.

2. Share some of your work with others, both at home and at work.

Delegate what you can to someone else. For example, your spouse and children might be able to help clean the house, cut the lawn, shop for food, prepare meals, and do laundry. A co-worker might be able to help you with an overwhelming project at work.

Sharing work doesn't mean you're being irresponsible. Giving responsibility to others, even if they aren't as experienced as you, gives them a chance to learn, participate, and gain experience. One warning: Don't expect them to be perfect. Criticizing the efforts of others who are trying to help can

be another source of stress. Instead, support them for their efforts and be patient as they gain skills.

3. Set goals you can reach.

Sometimes we create our own stress by trying to be perfect. If you set reasonable goals, you are more likely to succeed. When you succeed, you are less likely to feel stressed. Remember, we talked about this when we discussed negative thoughts—if you try to be perfect, you probably won't succeed!

Periodically, take a good look at the demands you are placing on yourself. Ask yourself, "Am I expecting myself to do more than anyone could possibly do?"

4. Take charge of your time.

Make schedules with the real world in mind. Don't try to accomplish in 30minutes what realistically will take an hour. Take a good look at your to-do list, eliminate what isn't essential, and give yourself a realistic amount of time to accomplish the rest.

Get organized. Chaos is very stressful. It's also inefficient. Devote some time every day to getting organized, and you will save time and stress in the long run.

5. Use the steps for solving problems.

If changing your eating and activity habits is causing stress, take action. Use the steps to solving a problem that we discussed in an earlier session:

- Describe the problem in detail. Discuss it with your family or friends if they are involved.
- Brainstorm your options.
- Pick one option that is very likely to work and that you can do.
- Make an action plan.
- Then try it and see how it works.

Continue the process until you find a solution. Sitting on problems can cause even more stress. Solve them instead and move on.

6. Plan ahead.

Think about what kind of situations are stressful for you. These are times when you are at high risk, so plan ahead for how to handle them or work around them. For example, are holidays especially stressful for you? If so, plan some ways to make your life easier during the holidays. Examples: Buy frozen meals to have on hand for busy days. Decide what parts of decorating the house are not essential to you and spend that time relaxing instead.

7. Keep things in perspective. Remember your purpose.

Maintain a positive attitude. Think of all the good things in your life. And remember why you joined the study.

8. Reach out to people.

Think about who you can turn to for support. **Ask supportive people to help** when you are overwhelmed or need someone to encourage you. We talked about this last week.

9. Be physically active.

Many people find that being active helps them cope with stress and feel more relaxed and able to manage stressful situations more smoothly.

Discuss ways to cope with unavoidable stress.

What about the times when you can't avoid stress?

First, catch yourself feeling stressed as early as you can.

We talked before about action or behavior chains and that it's important to try to break them as early as possible. The same is true of stress. If you learn to recognize the signs of stress and catch yourself early in the process, you may have a chance to avoid some of the harmful consequences such as overeating or being inactive.

Do you have any signs when you are getting stressed?

■ Take a 10-minute "time out."

Develop a new habit of responding to stress with a "time out"--stop what you are doing and take a few minutes for **yourself.** Do whatever you find helpful that doesn't involve food. Examples:

- a. **Move those muscles.** Research has shown that being active relieves tension, reduces anxiety, and counters depression. So when you notice yourself feeling stressed, make yourself go out for 10 or 15-minute of exercise. The distraction and breathing can do a lot to make you feel better.
- b. **Pamper yourself.** Take a bath. Manicure your nails. Massage your feet. Read a magazine. Read the funnies. **Just take out 10 minutes for YOURSELF.**
- c. **Breathe.** Most of us tend to hold our breath when we are under stress, which creates more tension in the body and mind. So when you catch yourself feeling stressed, try this: Take a full, deep breath. Count to five. Then let go of your breath slowly. Let the muscles in your face, arms, legs, and body go completely loose.

Discuss how study may be a source of stress and ways to manage that stress.

We understand that the study itself and the lifestyle changes we recommend may cause stress. Changing your behaviors and helping your family to make related changes can create pressure and tension.

Here are some possible ways that the study may cause stress and some examples of how to manage that stress.

Review the work sheet with the participant. Note that some of the possible sources of stress may not apply to the participant--for example, the participant's family may enjoy low-fat foods. Be careful that the review of the work sheet does not create a negative perspective, and help the participant feel able to cope should such stresses arise.

Assign home activity.

How does the study cause you stress? [Record on work sheet.] What are some other major sources of stress in your life? [Record on work sheet.] Pick one of the examples you've given, and let's make an action plan for either preventing that stress or coping with it.[Complete the work sheet.]

For next week:

- Keep track of your weight, eating and activity.
- Follow your action plan.

Then answer the questions on the work sheet (Did it work? If not, what went wrong?) before we meet next time.

Session 16: Ways to Stay Motivated

Objectives:

In this session, the participant will:

- Receive a certificate of participation.
- Review the participant's progress since Session 1, and if not at goal, develop a plan to improve progress.
- Discuss the importance of motivation and ways to stay motivated.

To Do Before the Session:

Review the participant's progress notes since Session 1. Note any plans that were made to improve weight loss and activity level, which strategies were used, and which were successful or not successful. If the participant is not currently at goal for weight loss and/or activity, refer to the Tool Box for ideas of additional strategies required or optional for particular problems.

If you have copies of some of the participant's past Keeping Track records, review them as well. Note some of the positive changes the participant has made.

Make sure the participant's How Am I Doing? graphs for weight and activity are up to date.

Get materials ready:

- Keeping Track book(s).
- Optional forms for self-monitoring during maintenance, such as the Lifestyle Balance Calendar, if applicable.
- Pages for participant's notebook.
- Lifestyle Balance certificate of participation. There are several versions; choose the version that is appropriate for the participant's level of progress. You may want to print the certificate on special paper and add the participant's name in calligraphy if possible (by computer or by hand). Have the principal investigator at your center sign the certificate before the session.
- Meal plans appropriate for the participant's calorie goal, if applicable.

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity? Were you able to follow your action plan (to prevent or cope with one source of stress)?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant. Graph physical activity.

Give the participant a certificate of participation and introduce the upcoming calendar of sessions.

This is the last of the 16 core sessions of the Lifestyle Balance program.

Congratulations! This certificate is to let you know how very important your participation in the study has been during this time.

Sign the Lifestyle Balance certificate of participation and give it to the participant. Personalize it by mentioning briefly some of the particular contributions and efforts that the participant has made.

It's very important to keep in mind that, even though you have finished the first 16 sessions, the weight loss and physical activity goals remain in place for the rest of the study. So at our next visit, we'll talk about how we'll work together in the future to help you...

If the participant hasn't reached the goals, emphasize reaching them and then maintaining them for the rest of the study. If the participant *has* reached both goals, emphasize maintaining them and surpassing them if possible because they are *minimum* goals.

Let's set up an appointment for the next visit

If at all possible, make the appointment for one or two weeks from now. Do **not** go to monthly or bimonthly visits at this point (for a detailed discussion of this issue, see the Manual for Contacts After Core, Session 1). Also, do **not** design a general schedule for the after-core period at this point; wait until the first after-core session when you will discuss the frequency of contact in the context of the goals for the after-core.

Review the participant's progress since Session 1, and if not at goal, develop a plan to improve progress.

Today we're going to talk about ways to stay motivated for the long term, to make healthy eating and being active last for a lifetime. But first, let's review your progress since the beginning of the program.

- What are some of the major changes you've made to be more active? Include both what you do to reach your goal (that is, those activities you record) and what you do to be more active in general (the lifestyle activity that you don't record, like taking the stairs instead of an elevator).
- What changes have you made to eat fewer calories and less fat?

Briefly record on the work sheet some of the changes made by the participant. Be as specific as possible. Praise and encourage the maintenance of these changes.

Have you reached your weight goal? Your activity goal?

Refer to the How Am I Doing? graphs for weight and activity, and check yes or no on the worksheet.

If the participant is **at goal** for weight loss and activity, praise the progress made.

If the participant is **not at goal** for weight loss or activity, praise whatever progress has been made. Encourage the participant to improve, and develop a plan using the work sheet. **Follow the guidelines in the Tool Box as to which strategies are required to address particular problems identified.** For example, some participants may need to be given meal plans at a lower calorie level.

Discuss the importance of motivation.

In programs like Lifestyle Balance, motivation is crucial to maintaining healthy eating and physical activity for the long term. But how to stay motivated is one of the biggest problems people face.

One reason it's difficult to stay motivated is the fact that many people do well. This sounds ironic-your progress itself makes it hard to *maintain* that progress. But think back to when you first joined the study. [Tailor the following examples to the individual participant's experience thus far in the program.] You may have felt tired when you went up stairs and that motivated you to become more active. Now that you're more active, you can climb stairs without difficulty. So that source of motivation (feeling tired when you climbed stairs) is gone.

It's the same for weight. When you first came into the study, your clothes may have been tight and that motivated you to lose weight. If your clothes are looser on you now, you no longer have tight-fitting clothes as a source of motivation.

Discuss ways to stay motivated.

However, it *is* possible to stay motivated for the long term and, as I said, it is very important to maintaining healthy eating and staying active. Here are some things that other people have found helpful.

1. Stay aware of the benefits you've achieved and hope to achieve.

Again, think back to when you first joined the study. What did you hope to achieve?

Record on the work sheet. Refer the participant back to the work sheet from Session 1A,

Remember Your Purpose, and review. Also **acknowledge any costs** that the participant articulates at this point (or that the participant has discussed with you before). Be aware that, throughout the study, participants will continue to weigh the costs versus the benefits of the program as they perceive them.

Have you reached these goals?

Have you received any benefits that you didn't expect?

What would you like to achieve during the next six months of the study? Let's make a list and then you can review these when you need motivation. [Record.]

Recognize your successes.

What changes in your eating and activity habits do you feel proudest of? What has been easier than you thought it would be? What has been harder than you thought it would be?

When you are feeling low on motivation, think about all of these positive changes and give yourself credit for them. Try not to lose the momentum you have reached so far.

3. Keep visible signs of your progress so you can see how far you've come.

- Post a graph of your weight loss and activity on your refrigerator door. Not only will it
 keep you aware of your progress, but loved ones will take note and congratulate you for your
 movement in the right direction.
- Mark your activity milestones on a map toward a particular goal. For example, create a simple map of the number of miles it would take to wheel to a favorite vacation spot or tour a favorite city. Mark milestones along the way (the halfway point, a fun museum to stop at along the way, and so on). You might even want to go on an actual vacation at that place when you reach your goal.
- Measure yourself at monthly intervals. Keep track of your progress in terms of specific measurements (for example, waist circumference or the number of belt loops).

4. Keep track of your weight, eating and activity.

It's common to "drift" away from new habits. You may gradually make small changes in your eating and activity over a long period of time, and not even be aware that you are slowly going back to your old habits. The best way to prevent this and stay in control is to continue to keep track. Keeping track will help you catch changes before they sneak up on you.

Give the participant optional forms for self-monitoring during maintenance, such as the Lifestyle

Balance Calendar, if applicable.

- Record your activity daily.
- Record what you eat this often: [Fill in the blank. The minimum should be one week per month, but some participants may want to or be willing to continue daily self-monitoring.]
- Record your weight on. [Fill in the blank, for example, "on Monday mornings."]

If you gain weight, you will need to keep track more often.

5. Add variety to your routine.

We've talked before about how to "jump start" your activity plan. Have you added some variety to keep yourself from being bored with staying active? Have you noticed any difference in how you feel about being active?

The same thing is true with eating. You don't need to use the same low fat salad dressing every night. Experiment with new low fat products. Try new recipes and restaurants. Don't approach healthy eating as a chore. It is an art.

What meals, snacks, or particular foods are you most bored with? Can you think of some ways to vary this part of your eating?

Record the participant's ideas on the work sheet. Examples:

- Use seasonings and flavorings to add flavor to lower-fat dishes. (Review the handout on adding flavor without fat.)
- Try a wide range of fruits, vegetables, and grains.
- Include a variety of colors, textures, and tastes on your plate.
- Make one night a week an "ethnic night," "soup night," or "vegetarian night." Experiment with preparing various recipes for these foods.
- If you eat out often, plan more meals at home.
- If you eat at home often, plan more meals out. (Have you stopped eating out because you're trying to lose weight? Has this left you feeling restricted and deprived? Have you stopped inviting friends over to eat or accepting invitations to eat at their homes? Don't deny yourself the pleasure of social eating. Instead, make a plan for how to handle these times, then try your plan, and see how it works. You may make a few mistakes at first, but it's important to know that you can eat out and still eat healthy.)
- Share food preparation and dining with others as a way to relax. Invite people over to prepare dinner together. Cook with your children and spouse.
- Plan potluck dinners around a certain theme and share the best recipes you discover as a group.
- You may want to subscribe to a magazine that includes healthy recipes and food ideas, such as Weight Watchers, Eating Well, or Cooking Light.
- Or take a class to learn how to cook, at least the basics.

If the participant expresses interest in learning more about a specific topic such as ethnic cooking or vegetarian eating, address it briefly here and plan to provide more detail at a future meeting or group session.

6. Set new goals for yourself, and develop ways to reward yourself when you meet each goal.

The **goal** should be **specific and short-term** ("I will not use butter or margarine on my vegetables this week"). It should also be something that's not too easy or too hard(something that will present **"just enough" of a challenge** for you that you will be able to do it and will also feel that you've accomplished something).

The reward should be something that you will do or buy if and only if you reach your goal. The reward doesn't need to be fancy or cost a lot of money. It can be something that you normally enjoy doing (like reading the paper or taking a hot bath) with the difference being that you will do it only if you reach your goal. For example, "After I finish exercising, I'll call my friend and chat." Then, if you need a boost to keep you going during your exercise, you can think about what you'll talk about on the phone with your friend.

What are some non-food ways you can reward yourself for reaching a goal?

Record ideas on the worksheet, such as:

- Buy myself fresh flowers,
- Treat myself to a manicure,
- Go to a movie.
- Set some money aside for something you want to buy or do,
- Take a bubble bath,
- Buy a favorite magazine, or
- Take some time for myself. (Specify.)

7. Create some friendly competition.

Get a friend or relative to enter into a friendly competition with you. This should be the **kind of competition in which you both win.** For example:

- If you and your friend are both active every day for a month, at the end of the month what will you do?
- If you are active every day for a month and your daughter does her homework every day, at the end of the month what will you treat yourselves to?
- See how many days in a row you can be active for at least 30 minutes. Try to beat yourself.
 For example, if last month you were active for seven days in a row, see if you can do better this month.

8. Use me and others to help you stay motivated.

If you notice that your motivation is dropping, call me. Or call someone else on the Lifestyle Balance staff. Or call a friend or another participant. Everyone has trouble staying motivated sometimes, so we all understand. And we can help each other through the tough times.

9. Introduce Viterion 100 system.

We will be contacting you going forward on a biweekly basis to monitor your progress. We will ask you a few questions about your level of exercise and your caloric intake. If we find that you are maintaining your goals, then we will not contact you more than the pre-planned amount. If the responses indicate that you are having a "slip," then the lifestyle coach will give you a call to see what's going on and try to help you get back on track.

Train the participant in the use of the Viterion machine and see if he has any questions.


Assign home activity.

Pick one way to stay motivated that you think would be most helpful to you right now. Choose something that is very likely to work and that you can do. Be realistic. Be specific. (Record on work sheet.)Let's **make an action plan** related to that. (Complete the work sheet.)For next week, keep track of your eating and activity. Follow your action plan. And answer the questions on the work sheet before you come in for your next session.

WEIGHT MIRROR

General Principles:

- As a component of the Behavioral Intervention, the Internet based freeware, Weight Mirror, will be used to create a 'virtual image' of the participant that is 7% lighter than their measured weight at the onset of the study.
- Visualization of weight loss, in this manner, will be used as a motivational tool.
- A photograph of the participant will be taken at the onset of the study, and uploaded to the Weight Mirror program for virtual image creation. The area of interest on the website will include eyes to knees inclusive of right/left body dimension.
- Original photograph will be used as a reference along with the virtual image, and included in the Lifestyle Manual to be given to each participant
- Photographs will be updated at 6, 12, and 18 months
- http://makeovr.com/weightmirror/



EXTENTION PHASE - MONTHLY INTERVENTION.				
Topic				
Data Collection				
Review of self-monitoring records				
Review of homework				
Introduction of new topics*				
Completion of action plan				
Scheduling of next meeting				


^{*}only on bi-monthly face-to-face meeting with life-style coach.

TeleHealth Network:

- Participants will be provided with a Viterion 100 TeleHealth device that connects directly to the home phone line.
- NO computer, wireless network, modem, or Ethernet link is required.
- Lifestyle coaches can automatically be connected with participants through the TeleHealth system.
- TeleHealth allows patients to receive education and self-management tips DAILY.
- Information received by the home TeleHealth device is viewed daily via a secure internet site by an RN/ARNNP-assigned care coordinator.

"Toolbox" Options:

- As employed by the DPP, toolbox options will be utilized by life-style coach's motivation and adherence to the core and extension lifestyle intervention.
- These options will include awards for compliance, effort, and success.
- Problem solving strategies will be included to mitigate problem behaviors such as poor attendance, insufficient self-monitoring, unmet weight loss goals/maintenance, and unmet physical activity goals.




Enrolling a patient into the Viterion system:


- Using your web browser navigate to https://vaww.viterion.cc.med.va.gov/visnet
- The Viterion homepage will appear:



- Click on the ADMINISTRATOR tab
- The LOGIN screen will appear:




- Trained personnel can access the system by entering the appropriate SITE, USERNAME, and PASSWORD
- Click on the LOGIN tab to load the following screen:




Select the PATIENT tab


• Selecting DEMOGRAPHICS from the dropdown menu will allow you to add patient data:



- Select ADD NEW PATIENT from the drop down menu
- Enter personal information and emergency contact information
- Click SAVE
- Subsequent patient information pages will load:



- Check/Select SPINAL CORD INJURY from the DISEASE table
- Highlight the name(s) of the appropriate clinician(s) that will be assigned to the patient and use the arrow keys to move them to the ASSIGNED column
- Click SAVE
- A series of similar patient information tables, and specific limits for peripheral anthropometric and biological data collection can be entered and saved:




- Verify the patient
- Select appropriate monitor type
- Check appropriate boxes if any vital signs will be monitored
- Click SAVE
- Enter any limits
- Click SAVE ALL


PERSONNEL SET UP AS CLINICIANS CAN ACCESS ADDITIONAL DATA:



- Click on the CLINICIAN tab
- The LOGIN screen will appear:



- Enter the appropriate SITE, USERNAME, and PASSWORD
- Click on the LOGIN screen
- This will load the CLINICAL page:



- Select the appropriate patient's name from the dropdown menu
- Select the start date and the end date of the data you wish to see by clicking on the calendar buttons and choosing the date
- Click the RUN REPORT button; It will take a few seconds to generate the report

CIRCUIT RESISTANCE TRAINING (CRT).

General principles:

- CRT is a mode of training that employs lockstep resistance maneuvers interposed with short periods of un-resisted, high velocity arm work.
- Study participants will undergo CRT three times per week on non-consecutive days for 24 weeks.
- Resistive loads for training during weeks 1 and 2 of each month will be 50% of the 1-repitiion maximal (1RM) values calculated during initial isoinertial strength testing.
- Resistive loads will be increased to 55% and 60% of the 1RM during training weeks three and four for each month, respectively.
- 1RM strength will be assessed as follows:
 - Subjects will be instructed to perform 8 repetitions of each maneuver with each repetition lasting six seconds (3 seconds concentric, 3 seconds eccentric).
 - ☐ If 8 repetitions are completed in a controlled fashion, weight will be increased and the exercise repeated incremental increases will be 5 kg (paraplegia) and 2.5 kg (tetraplegia) until 8 repetitions **cannot** be completed.
 - ☐ 1RM will be calculated using the Mayhew regression equation:

$$1RM = Wt/(0.533 + 0.419e^{-0.055*REPS})$$

where **1RM** is the calculated one repetition maximum strength, **Wt** is the resistance used in the last set where more than three repetitions but less than eight repetitions were completed, and **reps** equals the number of repetitions completed in the last set of testing.

1RM will be assessed in the following time schedule:

	Upper extremity dynamic strength (1RM)									
Exercise Maneuver	-3	0	1	2	3	4	5	6	12	18
Military press	_	•			•			•		
Horizontal rows	_				-					
Pec dec	_				-					
Preacher curls		•			-			•		
Latissimus pull-downs	-	•			•			•		
Seated dips ("Rickshaw")	-	•			•			•		

DESCRIPTION OF EXERCISE MANEUVERS UTILIZED IN CRT.

Exercise Maneuver	Description
Military Press	Shoulder abduction with scapular elevation and upward rotation starting from the fully adducted and depressed position.
Horizontal rows	Shoulder horizontal abduction with scapular adduction starting from a position of maximum forward reach.
Pec dec	Should horizontal adduction while in external rotation to the midline, from the maximum tolerated horizontal abduction in external rotation.
Preacher curls	Elbow flexion supported on an inclined pad from the fully extended position.
Latissimus pull-downs	Shoulder adduction with scapular downward rotation and depression starting from the maximal upward reach position.
Seated dips ("Rickshaw")	Shoulder flexion, scapular depression, and elbow extension while maintaining arms as near the body as possible, from the fullest allowed point of shoulder joint extension, scapular elevation, and elbow flexion.


CRT training session design:

- Each training session will be preceded by a 2-minute warm-up on a Vita-glide® arm ergometer.
- Resistance exercises will be performed in pairs (2 maneuvers in succession) each incorporating 10 repetitions of each maneuver lasting six seconds (3 seconds concentric, 3 seconds eccentric).
- Two minutes of endurance exercise is then interposed using a Vita-glide[®] arm ergometer at a cadence of 50 rpm without applied resistance
- Two more resistance maneuvers are performed.
- These activities are alternated until the participant has rotated through each resistance station three times.




Modifications to CRT for participants with tetraplegia:

- Adaptations to work-out for persons with tetraplegia as high as the C5 level.
- Resistance maneuver order is altered to reduce time needed for changing the resistance stations.
- Resistance and endurance exercises are performed in contiguous time blocks order of exercise (i.e. resistance and endurance) are alternated on each training day.
- Each training session will be preceded by a 10-minute warm-up on a Vita-glide[®] arm ergometer.
- Each resistance station will be performed twice only.



OXYCON MOBILE - INSTRUCTIONS/PROTOCOL.

Equipment Set-up:




- Connect computer to power source using A/C adaptor
- Connect PCa unit to power source using A/C adaptor Green light should turn on automatically (FF-full functionality)
- Turn computer on LOG IN
- Connect PCa to computer via gray USB cable
- Connect gas tank to the back of the PCa unit
- Connect the Triple V flow-meter, sample line and cable (yellow) into the appropriate ports on the back of the SBx unit
- Connect the Triple V flow-meter into the Cal flow slot, the sample line into the Cal gas slog, and cable into the SBx ports on the PCa unit Should hear a buzzing from the SBx mobile unit
- Ensure battery for the DEx mobile unit is charged load into DEx mobile unit

Calibration:

- Load LABmanager program
 - ☐ When self-test is completed, screen will read SYSTEM CHECK OK




- ☐ Select 10 (SAVE) at the bottom left This will open the LABmanager testing program
- Select the CALIBRATION tab located at the bottom of the HOME screen



HOME SCREEN


☐ Select AUTO CALVOL OXYCON

- Select 1 (START) at the top left Auto flow calibration will commence (High flow init. – High flow measure – low flow init. – low flow measure – low flow check OK)
- Select 10 (SAVE) at the bottom left, when the calibration is complete click YES to save calibration




☐ Select GAS ANALYZER CALIBRATION

- Select 1 (START) at the top left Auto gas calibration will commence Select 10 (SAVE) at the bottom left, when the calibration is complete click YES to save calibration



Patient Data Entry:

- Select the MAIN GROUP tab located at the bottom of the HOME screen
 - ☐ Select PATIENT DATA
 - Enter <u>name</u>, <u>ID</u>, <u>DOB</u>, <u>sex</u>, <u>height</u>, <u>weight</u>, <u>race</u>
 - Select 10 (SAVE) at the bottom left, and EXIT



Subject Preparation:

- Securely fasten POLAR BELT heart monitor to subject
 - ☐ Apply PURELL to belt to ensure proper contact with the skin
- Attach DEx and SBx units to each other by connecting the cable (already attached to SBx unit) in to the DEx unit – Should hear a buzzing from the SBx mobile unit
- Remove the Triple V flow-meter and sample line from PCa, and insert sample line in to the Triple V
- Secure harness system to subject, and securely attach the DEx and SBx units into the pouches in the front of the harness
- Place the Triple V flow-meter/sample line on the subjects lap for the time being
- Attach face mask using appropriate head strap
 - Cover the mouth opening with the open palm of your hand and instruct the subject to breathe normally if no air escapes, the mask is appropriately secure










Testing:

- *DO NOT attach Triple V and sample line to the subject at this time
- Select the MAIN GROUP tab located at the bottom of the HOME screen
 - ☐ Select BREATH BY BREATH
 - Select appropriate test setting (bicycle = wheelchair)
 - Select appropriate protocol (ie Phase selection is manual)



- ☐ Select 1 (START)
 - CHECK phase begins
 - No sample collection initially status line: •bgnd zeroing
 - Automatic Sample collection begin status line: OK






- *Attach Triple V and sample line to the subject at this time
 - ☐ Select 1 (START)
 - REST phase begins
 - Data will be collected in this phase until the start of the next phase is manually selected
 - ☐ Select 1 (START)
 - WARM-UP (REFERENCE) phase begins
 - Data will be collected in this phase until the start of the next phase is manually selected
 - ☐ Select 1 (START)
 - TEST phase begins
 - Data will be collected in this phase until the start of the next phase is manually selected
 - ☐ Select 1 (START)
 - RECOVERY phase begins
 - Data will be collected in this phase until the protocol is stopped
 - ☐ Select 1 (STOP) Ends the protocol and test data collection (Status line READY)

Subject:


- Remove triple V flow meter from the face mask
- Remove facemask
- Remove DEx and SBx units from the belt/harness system and the belt/harness system off
- Turn the DEx and SBx units off
- Take the battery out of the DEx unit and place it in the battery charger
- Remove the polar belt
- Put water and disinfectant in a bowl and clean face mask, head strap, polar belt and polar belt strap

Retrieving subject test data:

- Select the MAIN GROUP tab located at the bottom of the HOME screen
 - □ Select SCREEN REPORT
 - Highlight the report selection desired (i.e. 1_MP)
 - Click OK




- ☐ Select OxyCon table Time process (the bottom half of the screen)
- ☐ Highlight the Oxycon Table Time Process tab/window
- ☐ Click '6' Print Output on the left-hand side of the screen




Designing Reports:

- Select the GENERATION tab located at the bottom of the HOME screen
 - ☐ Enter password
 - ☐ Select REPORT DESIGNER
 - Highlight the Report Selection desired (i.e. 1_MP)
 - Click OK




☐ Select 3 (REPORT DESIGN)

- Select OXYCON TABLE
- Select TIME PROCESS
- Insert the desired variables
- Click OK
- Select "X" to exit program
- Select YES to "Save Report?"




Exporting data from report designer to excel:


- Select the GENERATION tab located at the bottom of the HOME screen
 - ☐ Enter password
 - ☐ Select REPORT DESIGNER
 - Highlight the Report Selection desired (i.e. 1_MP)
 - Click OK (*As described)
 - ☐ Select the "MODULES" tab in the upper left-hand side




- ☐ Select TABLE→OXYCON TABLE→TIME PROCESS
- ☐ Insert desired variables
- ☐ Click OK
- ☐ You will be returned to the main menu of Report Designer
- ☐ Select the "REPORT" tab in the upper left=hand side
- ☐ Select "SETTING"




- ☐ A new window will appear
- ☐ Select "FILE OUTPUT" → Check "FILE EXPORT"
- ☐ Select the "SETTINGS" button underneath "FILE EXPORT"




- Select as follows:
 - No formatting
 - Select CR/LF
 - Select ANSI (Windows)
 - Check Mark: "Unlimited Length of Line"
 - Select the "FILE NAME/OPTIONS" button
 - Select "NEW" and create a new entry
 - Click OK



- ☐ You will be returned to the "FILE OUTPUT" window
- ☐ Click OK to save changes
- ☐ Select the "REPORT" tab on the upper left-hand side
- ☐ Select "SAVE AS" and save report
- ☐ Select 10 (SAVE) on the lower left-hand side to save and EXIT
- Select the MAIN GROUP tab at the bottom of the HOME screen
 - ☐ Select REPORT SELECTION
 - ☐ Select the appropriate report
 - ☐ Click OK




- ☐ Select 9 (FILE OUTPUT)
- ☐ Select 10 (SAVE) to save and EXIT




☐ IMPORT DATA:

- Open MICROSOFT EXCEL
- Select FILE→OPEN
- Select "FILE TYPES" → "ALL FILES




- Navigate to local disk (:C)→LAB4→DB→Select desired FILE
- Click OPEN
- TEXT IMPORT WIZARD window appears

- Select "FIXED WIDTH"
- Select NEXT→NEXT



- Select ADVANCED
- Use the following settings:
 - Decimal separator ","
 - Thousand Separator ","



- Click OK
- Select FINISH
- Subject data appears in EXCEL→FORMAT→SAVE as xlsx

Using the Flash Card:

If the **Oxycon Mobile** is active, the measured data are telemetrically transmitted to the PCa and thus to the PC. Should the transmission be disturbed, the measuring data are not received correctly. As, however, the measuring data are not only sent but simultaneously saved on a Flash Card, it is possible to read the Flash Card data. In order to save the measuring data, insert the Flash Card in the DEx unit. Use the Flash Card Reader which is included in the delivery of the **Oxycon Mobile** to read out the saved data. The Flash Card Reader is connected to your PC via the USB interface.



1. Select patient

Prior to reading the Flash Card, a patient must be selected to whom the data are to be assigned. More detailed information can be found under "Patient Data" in this manual.




Safety of patient data:

The measuring data are always assigned to the currently selected patient. Before the data are read out in order to ensure the safety of patient data, it must be checked whether time and data of the measuring data belong to the selected patient.

2. Insert Flash Card


When the Flash Card is inserted in the Flash Card Reader, all of the files saved on the Flash Card are displayed. Windows XP indicates the Flash Card Reader as drive "SanDisk Image-Mate E:" (standard installation). For each measurement 3 files are displayed which indicate date and time, size as well as a file name.





3. Read out Flash Card

Select "Read out Flash Card" from the Main group of the LabManager in order to read out the measuring data. The following appears on the screen:



Select the desired measurement and confirm your selection with (**OK**). The ergospirometry startup screen appears. Click (**OK**) again.




"F1" starts the "Check" phase.

Further sequence:

The following sequence is similar to that of an ordinary ergospirometry measurement. More detailed information can be found under "Ergospirometry" in in this manual. The preset sequence "Ox-Mobile" has to be used.

In the status line appears "Bgnd zeroing"



Now measuring data are read out. In the status line appears "Recording".





Click "F12" to save the recording and end the program.

Notes on using the Flash Card:

- Please observe the manufacturer's instruction manual, which is delivered with the flash card reader.
- The number and the recording time of the measurements, which are to be saved, is limited by the memory capacity of the flash card.
- Only use the recommended flash card, which is available from Cardinal Health. More detailed information can be found under "disposables and Replacement Parts" in the OxyCon Manual.
- If measuring data are assigned to a patient and read out, delete the data from the flash card in order to avoid that data get mixed up later. Specific measurements (or even all of the flash card data) can be deleted in the Explorer program of Windows XP.
- Delete the .CFG, .CPX, and .EVT file of the selected measurements(s). Press the key combination ALT+TAB in order to change from the program "Read out Flash Card" to the Explorer program (and vice-versa).

Additional images and component views:





Insert and Load Battery



In order to operate the **Oxycon Mobile** a lithium-ion battery must be inserted in the DEx unit, first. Two lithium-ion batteries are included in the delivery. The operating time is about 2 hours per battery. Before a measurement is started, it must be ensured that a fully charged battery is inserted. Only lithium-ion batteries (3.6 V, 1500 mAh) which are recommended by **Cardinal Health** must be used.



Battery charger:

Either one or two batteries at the same time can be charged with the delivered charger. Please note the charger operating manual. Charge the lithium-ion battery only by the charger delivered by **Cardinal Health**. A defective charger has to be replaced by a **Cardinal Health**-released battery charger. See "Disposables and Replacement Parts" in this manual.


The yellow LED indicates the charging process. The battery is completely charged, if the LED stops lighting up.





Inserting and closing the cover:

When the cover is inserted, it must be observed that the contact plate is correctly positioned on the plastic plate. If necessary, rotate the plastic plate by hand.



Battery Exchange during Operating the DEx Unit

When the yellow LED on the DEx unit is blinking or the earphone message: "Battery almost exhausted" is received, the user is asked to change the battery. The battery can be exchanged during operating the DEx unit and also during a measurement.

- Remove the empty battery without switching off the DEx unit before.
- Insert new battery.
- Continue the measurement if the new battery is inserted. It is **not** necessary to switch on the DEx unit again.




No data are lost when the battery is exchanged!

If, for example, the battery is exchanged during standby, the **Oxycon Mobile** is also in standby after this battery exchange.

Insert Flash Card

Insert the Flash Card in the DEx unit as shown below.






Prior to every measurement an empty/deleted Flash Card has to be inserted.


Switch on/off DEx and SBx/CPX Unit

Connect the DEx unit to the SBx/CPX unit via the yellow cable (yellow marked sockets) and connect the TripleV to the SBx unit. Press the multifunctional button for about 3 seconds to switch on the DEx unit. First, the yellow LED on the DEx unit lights up (indicating the boot process). After a few seconds the green LEDs on both units have to blink in order to indicate "Standby". In this "Standby" phase the DEx and SBx/CPX units can also be switched off by pressing the multifunctional button for about 3 seconds.






Graphical Symbols







VELOS: PATIENT DATA COLLECTION REPOSITORY.

General Principles:


- Velos eResearch is a secured web-based application, backed-up and supported on site at UM
- The Velos eResearch clinical trials management system provides study teams with a tool to track study
 patients and their status histories, individual study calendars and progress in completing a protocol, adverse
 events, and any associated data collection.
- Department administrators can track the financial aspects of performing a protocol and generate invoices to collect reimbursement from sponsors.
- Data Safety and Monitory Boards/Committees can run reports to track compliance with protocol standards
- Facilitates compliance with University processes and policies.
- Ensures strict and controlled access to protected health information (PHI), allowing for patient identifiable information to be stored safely in an electronic format
- Velos eResearch has electronic CRF's that will be used to collect data.
- Source data in 'hard copy' will be forwarded to the lead center for data entry and filing

Directions for accessing and utilizing Velos eResearch:


- Using your web browser, navigate to: http://velos.miami.edu
- This will load the login homepage:




- Enter your username and password and click "LOGIN"
- This will load the Velos homepage:




- The GREEN tab columns on the left-hand side are the main navigation buttons in Velos
- Clicking on the HOMEPAGE tab will return you to this screen and can reorient you in the system
- A list of all the studies that you have access to will appear
- 'DOD Nash' study (highlighted yellow) is our study of interest (This should be the only study visible for the Shepherd/Atlanta institution members)
- Selecting the S button in the study will load the general study information:




- The first tab shown: SUMMARY is a general description of the study information, details, description, as well as sponsor information
- Selecting the STUDY SETUP tab will load the following page:



- Here you can preview details related to the study arms, study calendars, and associated study forms
 - CRT Exercise only group
 - □ CRT + Intervention Exercise, dietary, and lifestyle group
- The two calendar arms reflect the two study treatment arms, which patients will be assigned to accordingly
- Selecting the STUDY STATUS tab will load the following page:



- This page provides information regarding the organization/institutions that can enroll patients in this study
- The University of Miami is the parent organization or regulatory site however, is never the organization enrolling patients. It acts as the repository for the study
- VA, UMMG (UM Medical Group), and Shepherd ATL are all listed as patient enrolling sites
- Selecting the STUDY TEAM tab will load the following page:




- All personnel with access to the study are listed, and appear under their corresponding institutional affiliation
- The Shepherd ATL study team is highlighted in yellow


SELECT HOMEPAGE FROM THE GREEN NAVIGATION BAR TO RETURN




Selecting the D button in the study will load additional study document and details:



- The first tab shown: DOCUMENTS contains direct links to all approved IRB and HIPAA documents, as well as the sponsor protocol
- Selecting the ABSTRACT/STUDY DESIGN tab will load the following page:



- Here you can preview details regarding the study abstract, specific aims, methodological rationale, and statistical design
- Selecting the ELIGIBILITY CRITERIA tab will load the following page:




 Here you can preview details regarding inclusion and exclusion criteria that have been established for the study

SELECT HOMEPAGE FROM THE GREEN NAVIGATION BAR TO RETURN




Selecting the P button in the study will load the following page:



Selecting MANAGE PATIENTS from the BLUE navigation bar will load the following page:




- Selecting NEW will load a patient entry page automatically
- Clicking on the link CLICK TO ACCESS PATIENT LOOKUP will open a new window:




- The Shepherd ATL group will not have patients in the UHealth system or any associated institutions
- Selecting CAN'T FIND PATIENT from 2. Verify Patient will allow addition of new patients:







- Add all the necessary patient information
- Clicking on the USE THIS PATIENT button will then allow you to attach this patient to the study:



- Enter DOD NASH in the study box
- The study will appear in a drop down menu, select the study
- Enter the appropriate enrolling site from the drop down menu (ie Shepherd ATL)
- Your e-signature is required to save this patient to the study

CRF forms in VELOS eResearch attached to the study:

Screening Form:

Form Name: Scree	ning Form (Nash Study)	
Screening Form		
Data Entry Date*	08/17/2011	
Patient Code*		
Height (Meters)		
Body Mass (kg)		
	○ Male	
Gender	O Female	
	Other	
	○Yes	
Veteran	○ No	
Inclusion Criteria		
	○ cs	○ c6
	O C7	○T1
	○T2	○⊤3
AIS (Injury Level)	○ T4	○T5
AIS (Injury Level)	○T6	○T7
	○⊤8	○ ⊤9
	○T10	O T11
	○T12	Ou
Injury Duration	Yes	
Greater than a	O No	
,	0.10	
Age between 18 - 65 yrs old?	○Yes	
65 yrs old?	○ No	
	○Yes	
Body Mass Index?	O No	Body Mass Index (Kg/Msq)
Fasting Dislipidemia (HDL)?	○Yes	Fasting Dislipidemia HDL (mg/dL)
(HDL)?	○ No	HDL (mg/aL)
Fasting Dislipidemia	○Yes	Fasting Dislipidemia
(Triglyceride)?	○ No	-Triglyceride (mg/dL)
Impaired Fasting Glucose?	Yes	Impaired Fasting Glucose (mg/dL)
	○ No	(iig/dc)

Exclusion Criteria					
Structured exercise	○Yes				
conditioning within 6 months of study entry?	○ No				
Defined diet involving caloric	O Yes				
restriction or nutrient	O No				
modification?	ONO				
Weight loss/gain of 5% within 6 months	○Yes				
of study entry?	○ No				
Surgery within 6	○Yes				
months of study entry?	○ No				
	^				
Pressure ulcer within 3 months of	O Yes				
study entry?	○ No				
Upper limb pain that limits exercise?	○ Yes				
that limits exercise?	○ No				
Recurrent acute infection/illness	OYes				
requiring hospitalization of IV	O No				
antibiotics?					
Pregnant?	○ Yes				
_	○ No				
Previous MI or	○Yes				
cardiac surgery?	○ No				
6 month history of glucose-lowering	○ Yes				
and/or lipid- lowering drug therapy?	○ No				
Type I OR Type II	○Yes				
diabetes?	○ No				
Daily intake of vitamin supplementation	○ Yes				
exceeding 100% RDA?	○ No				
Contraindicated disorder/condition	○Yes				
(Traumatic brain injury)?	○ No	Contraindicated			
Contraindicated disorder/condition (Substance	○ Yes	drug therapy (Estrogen/hormone	○ Yes		
abuse/dependence)?	○ No	replacement therapy)?	○ No		
Contraindicated disorder/condition (Psychiatric	○ Yes	Contraindicated drug therapy	○Yes		
condition)?	O No	(Insulin-sensitizing drugs)?	○ No		
Contraindicated drug therapy (β- adrenergic	○ Yes ○ No	Contraindicated drug therapy (Lipid-	○Yes		
antagonists)? Contraindicated		altering agents)?	○ No		
drug therapy (Maintenance a- blockers)?	○ Yes ○ No		○Yes		
Contraindicated	○Yes	Fasting Blood Glucose?	○ No		Fasting Blood Glucose (mg/dL)
drug therapy (Methyldopa)?	O No				
Contraindicated drug therapy	○ Yes	Symptoms of Hyperglycemia?	○ Yes		Casual Plasma Glucose (mg/dL)
(Thiazide and loop diuretics)?	○ No		○ No		
Contraindicated drug therapy	○ Yes	Plasma Glucose	○Yes		Plasma Glucose after OGTT (mg/dL)
(Parasympatholytics)?	[?] O No	during OGTT?	○ No		
Contraindicated drug therapy	○ Yes	Form Status*	Work In Progress	v e-Signature *	
(Zinc)?	○ No	. Jim Jakus	TOTA III TOGICOS	C Digitature	

Anthropometric Form I:



Anthropometric For II:




- These forms are attached to different events/visits, depending on what data is being collected at that time
- This ensures forms attached to various events only capture data as dictated by the study design

Blood Testing Form:



Fitness Attributes Form:




SF-36 Form:

Form Name: SF-36 Your	Health and Well-Being v2				
This survey asks for yo you are able to do your	ur views about your h usual activities. Than	ealth. This infor k you for compl	mation will leting this s	I help keep track of survey!	how you feel and how well
Answer every question	by marking the answe	er as indicated.	If you are	unsure about how to	o answer a question, please
Data Entry Date*					
 In general, would you se Excellent 	Very Good	Good		Fair	Poor
0	0	0		0	0
2. Compared to one year a Much better now than one year ago		your health in gen About the sam year ago		Somewhat worse now than one year ago	w Much worse now than one year ago
3. The following items are how much?	about activities you migh	t do during a typic	cal day. Doe	s <u>your health now limi</u>	t you in these activities? If so,
a. Vigorous activities, so running, lifting heavy object		ed a lot		ited a little	No, not limited at all
participating in strenuous s	sports*		0		0
 Moderate activities, s moving a table, pushing a cleaner, bowling, or playing 	vacuum O g golf*		0		0
c. Lifting or carrying groce	ries*		0		0
d. Climbing several flights	of stairs*		0		0
e. Climbing one flight of st	airs*		0		0
f. Bending, kneeling, or sto	poping*		0		0
g. Walking more than a mi	le*		0		0
h. Walking several blocks	0		0		0
i. Walking one block*	0		0		0
j. Bathing or dressing your	self*		0		0
4. During the <u>past 4 weeks</u> your <u>physical health?</u> a. Cut down on the amount or other related activities*		Vaa	ms with you	r work or other regula	r daily activities as <u>a result of</u>
b. Accomplished less than y	you would like*	0		0	
c. Were limited in the kind	of work or other activitie	s* O		0	
d. Had difficulty performing activities (for example, it to		0		0	
a. Cut down on the amount	uch as feeling depressed	or anxious)? ork Yes	ms with you	No	r daily activities <u>as a result of</u>
or other related activities*		0		0	
b. Accomplished less than y	you would like*	0		0	
c. Didn't do work or other a usual*	activities as carefully as	0		0	
6. During the past 4 weeks with family, friends, neighb		r physical health o	r emotional	problems interfered w	with your normal social activities
Not at all	Slightly	Moderately		Quite a bit	Extremely
	-				Cont'd


0	Very mild	g the <u>past 4 wee</u> Mild	Moderate	Sev	ere	Very Severe	
. During the <u>past 4 w</u>	eeks, how much did <u>p</u> a	ain_interfere with	n your normal wor	rk (including both	work outside	the home and hous	sewor
Not at all	A little bit	Mode	rately	Quite a bit		Extremely	
. These questions are ne one answer that co low much time during	e about how you feel a omes closest to the wa the <u>past 4 weeks:</u>	nd how things h	ave been with you n feeling.	u during the past	4 weeks. For	each question, plea	se giv
. Did you feel full of p	pep?*	All of the ti	me Most of the time	A Good bit of the time	Some of t	he A little of the time	No of the tim
. Have you been a ve	ery nervous person?*	0	0	0	0	0	(
Have you felt so do	wn in the dumps that	0	0	0	0	0	
Have you felt calm a		0	•	0	0	0	
Did you have a lot o	of energy?*	0	0	0	0	0	
Have you felt downh	nearted and blue?*	0	0	0	0	0	
. Did you feel worn o	ut?*	0	0	0	0	0	
. Have you been a ha	appy person?*	0	0	0	0	0	
Did you feel tired?*		0	0	0	0	0	
0	SE is <u>each</u> of the followi	0	or you?	0	time	0	
1. How TRUE or FALS		ing statements fr	or you?	Don't Know	Mostly		false
1. How TRUE or FALS . I seem to get sick a	iE is <u>each</u> of the followi	ing statements for Definitely to	or you? rue Mostly true	Don't Know	Mostly	false Definitely	false
How TRUE or FALS I seem to get sick a cople* I am as healthy as	SE is <u>each</u> of the following little easier than other anybody I know=	ing statements for Definitely to	or you? rue Mostly true	Don't Know	Mostly	false Definitely	false
1. How TRUE or FALS. I seem to get sick a copie. I am as healthy as I expect my health	SE is <u>each</u> of the following in little easier than other anybody I know to get worse to get worse.	ing statements for Definitely to	or you? Mostly true	Don't Know	Mostly	false Definitely	false
a. I seem to get sick a seeple" b. I am as healthy as c. I expect my health d. My health is excelle The following calcusetter functioning of Calculate They sical functioning in the limitations due to the seeple sink they sical functioning to the limitations due to the seeple sink they sical functioning to the limitations due to the seeple sink they sical functioning to the seeple sink they are seen to see the seeple seep	is is each of the following in little easier than other anybody I know* to get worse* Int*	ing statements for Definitely to	or you? Mostly true	Don't Know	Mostly	false Definitely	
1. How TRUE or FALS. I seem to get sick a copie. I am as healthy as I expect my health My health is excelled. The following calculater functioning of Calculate in the company of the company of the company of the copies. The following calculations due to phys health roblems to lot limitations due to lot limitations	is is each of the following in little easier than other anybody I know* to get worse* Int*	ing statements for Definitely to	or you? Mostly true	Don't Know	Mostly	false Definitely	
1. How TRUE or FALS. I seem to get sick a cople* I am as healthy as I expect my health My health is excelle the following calculate hysical functioning coloulimitations due pohys health roblems loole limitations due emotional health roblems	is is each of the following in little easier than other anybody I know* to get worse* Int*	ing statements for Definitely to	or you? Mostly true	Don't Know	Mostly	false Definitely	
1. How TRUE or FALS. I seem to get sick a copie" I am as healthy as I expect my health My health is excelle The following calcuetter functioning of Calculate House imitations due phys health Toblems Lole limitations due phys health	is is each of the following in little easier than other anybody I know* to get worse* Int*	ing statements for Definitely to	or you? Mostly true	Don't Know	Mostly	false Definitely	
1. How TRUE or FALS. I seem to get sick a copie. I am as healthy as I expect my health My health is excelled. Calculate hysical functioning collections due to phys health roblems.	is is each of the following in little easier than other anybody I know* to get worse* Int*	ing statements for Definitely to	or you? Mostly true	Don't Know	Mostly	false Definitely	
1. How TRUE or FALS. I seem to get sick a cople* I am as healthy as I expect my health My health is excelle the following calcuster functioning of the color of t	is is each of the following in little easier than other anybody I know* to get worse* Int*	ing statements for Definitely to	or you? Mostly true	Don't Know	Mostly	false Definitely	
I. How TRUE or FALS. I seem to get sick a cople* I am as healthy as I expect my health My health is excelle tetter functioning calculate the following	is is each of the following in little easier than other anybody I know* to get worse* Int*	ing statements for Definitely to	or you? Mostly true	Don't Know	Mostly	false Definitely	
I. How TRUE or FALS. I seem to get sick a copie. I am as healthy as I expect my health My health is excelled the following calculate of the following calculate of the following calculate of the following collection of the	isE is <u>each</u> of the following a little easier than other anybody I know— to get worse— int— lations are compute in all subscales.	ing statements for Definitely to	or you? Mostly true	Don't Know	Mostly	false Definitely	
I. How TRUE or FALS. I seem to get sick a sopple* I am as healthy as I expect my health My health is excelled the following calculated functioning of the following calculated functioning for the following calculated functioning for the following calculated functioning functioning for the following calculated functioning	isE is <u>each</u> of the following a little easier than other anybody I know— to get worse— int— lations are compute in all subscales.	ing statements for Definitely to	or you? Mostly true	Don't Know	Mostly	false Definitely	
1. How TRUE or FALS. I seem to get sick a cople* I am as healthy as I expect my health My health is excelle the following calculate he following calculate he following calculate hysical functioning cole limitations due physical functioning lole limitations due emotional health roblems lole limitations due motional well eing coial functioning ain ieneral health hysical Composite tandardized hysical Subscale lental Composite tandardized lental Subscale	E is <u>each</u> of the following a little easier than other anybody I know— to get worse— int— lations are compute in all subscales.	d mean scores	or you? rue Mostly true	Don't Know	Mostly Output	false Definitely	
1. How TRUE or FALS. I seem to get sick a cople* I am as healthy as I expect my health My health is excelle the following calculate he following calculate he following calculate hysical functioning cole limitations due physical functioning lole limitations due emotional health roblems lole limitations due motional well eing coial functioning ain ieneral health hysical Composite tandardized hysical Subscale lental Composite tandardized lental Subscale	is is each of the following in little easier than other anybody I know— to get worse— int— lations are compute in all subscales.	d mean scores	or you? rue Mostly true	Don't Know	Mostly Output	false Definitely	

Reporting Data:


Reports can be designed by navigating from the homepage:




Selecting AD HOC QUERIES from the BLUE navigation bar will load the following page:




Here you have the option to select your study (DOD – NASH) and CREATE REPORT:




- Select PATIENT from the drop down box for REPORT TYPE
- Select PATIENTS ON STUDY under PATIENT POPULATION
- Ensure that DOD NASH is selected from the drop down box
- Click on the link to SELECT/SEARCH FORM to search for the form(s) data desired for reporting
- The following window will appear:




- Select the form(s) desired for reporting in the lower half of the window
- They will appear CHECKED in the upper half of the window (yellow box)
- Select SUBMIT to return to the previous report window:



- The selected form(s) will auto-populate
- Click on the NEXT button:




- Here you can select the specific fields you want displayed from the various forms that where selected
- Click on the NEXT button:



- Here you will have the option to filter the fields chosen by particular events/dates/parameters
- Click on the NEXT button:



- Here you will have the option to sort how the fields are displayed in the report by particular event/dates/parameters
- Click on the NEXT button:



- Here you can add details and descriptions that you want to appear in the report of the data (yellow box)
- At this point, your electronic signature will be required to save and display the report
- Select the DISPLAY button
- Below is an example of a report

Study Number	Patient Id	Visit Name	Protocol Name	Form Status	Created By	Created On	Last Modified By	Last Modified On	Form Version Number	Data Entry Date	Body Mass (kg)	Lean Mass (%)	Fat Mass (%)	Visit
			Calendar (Exercise,											
Study - DOD- Nash	207464	Visit 1 (1 Month)	Diet, Lifestyle)	Completed	Eric Ponce	8/17/11 11:31			2	8/17/11	45			Visit 1
		Wash In (-3	Calendar (Exercise,											
Study - DOD- Nash	207464	Month)	Diet, Lifestyle)	Completed	Richard Morris	7/28/11 10:31			2	8/16/11	129			Visit 4
		Wash In (-3	Calendar (Exercise,											
Study - DOD- Nash	207464	Month)	Diet, Lifestyle)	Completed	Richard Morris	7/28/11 10:29			2	8/9/11	144			Visit 3
		Wash In (-3	Calendar (Exercise,											
Study - DOD- Nash	207464	Month)	Diet, Lifestyle)	Completed	Richard Morris	7/28/11 10:31			2	8/23/11	137			Visit 5
		Wash In (-3	Calendar (Exercise,											
Study - DOD- Nash	207464	Month)	Diet, Lifestyle)	Completed	Richard Morris	7/28/11 10:28			2	8/2/11	134	19	81	Visit 2
		Wash In (-3	Calendar (Exercise,											
Study - DOD- Nash	207464	Month)	Diet, Lifestyle)	Completed	Richard Morris	7/28/11 10:27			2	7/26/11	142			Visit 1
			Calendar (Exercise											
Study - DOD- Nash	207508	Visit 2 (2 Month)	Arm)	Completed	Eric Ponce	8/17/11 11:28			2	8/17/11	45	70	30	Visit 2
		L	Calendar (Exercise		L				١ .					l
Study - DOD- Nash	207508	Visit 5 (5 Months)	Arm)	Completed	Eric Ponce	8/17/11 11:30			2	8/17/11	60			Visit 5
		Wash In (-3	Calendar (Exercise		L I				_					
Study - DOD- Nash	207508	Month)	Arm)	Completed	Richard Morris	7/28/11 10:08			2	8/23/11	141			Visit 5
	207500	Wash In (-3	Calendar (Exercise		L	7/20/44 40 07				0/0/44				
Study - DOD- Nash	207508	Month)	Arm)	Completed	Richard Morris	7/28/11 10:07			2	8/2/11	145	18	82	Visit 2
		Wash In (-3	Calendar (Exercise		L		Richard	= /20 /44 40 05		2000				
Study - DOD- Nash	207508	Month)	Arm)	Completed	Richard Morris	7/28/11 9:59	Morris	7/28/11 10:06	2	7/26/11	139			Visit 1
51-1- DOD N-1	207500			Work In	D	7/42/44 44 46				7/42/44				10.04
Study - DOD- Nash	207508			Progress	Richard Morris	7/12/11 11:46	81.11		2	7/12/11	144			Visit 1
	207500	Wash In (-3	Calendar (Exercise			7/20/44 40 02	Richard	7/20/44 40 05		0/0/44	445			10.00
Study - DOD- Nash	20/508	Month)	Arm)	Completed	Richard Morris	7/28/11 10:03	Morris	7/28/11 10:05	2	8/9/11	146			Visit 3
Charles DOD Nach	207500	NESSE A (A BASSALS)	Calendar (Exercise	C	Frie Danne	0/17/11 11:20			,	0/17/11				15-14-4
Study - DOD- Nash	20/508	Visit 4 (4 Months) Wash In (-3	Arm) Calendar (Exercise	Completed	Eric Ponce	8/17/11 11:29	Richard		2	8/17/11	50			Visit 4
Study - DOD- Nash	207500	Month)	Arm)	Completed	Richard Morris	7/26/11 10:40		7/28/11 10:02	2	8/16/11	143			Visit 4
Study - DOD- Nasii	20/308	Wash In (-3	Calendar (Exercise,	Completed	Richard Morris	//20/11 10:40	INIOLLIZ	//20/11 10:02	- 4	0/10/11	143			VISIL 4
Study - DOD- Nash	207517		Diet, Lifestyle)	Completed	Richard Morris	7/28/11 10:48			2	7/19/11	154	19	.,	Visit 2
Study - DOD- Nasii	20/31/	Wash In (-3	Calendar (Exercise,	Completed	RICIAIU WOTTS	7/20/11 10.40				7/15/11	154	15	01	VISIL Z
Study - DOD- Nash	207517	Month)	Diet, Lifestyle)	Completed	Richard Morris	7/28/11 10:50			2	8/16/11	152			Visit 5
Study - DOD- Nasii	20/31/	Wash In (-3	Calendar (Exercise,	Completed	RICIAIU WOITIS	7/20/11 10:30			- 4	8/10/11	152			AIRIT 2
Study - DOD- Nash	207517	Month)	Diet, Lifestyle)	Completed	Richard Morris	7/28/11 10:48			2	7/12/11	156			Visit 1
J. 1007 - 1000 - 1103/1	20/31/	Wash In (-3	Calendar (Exercise,	completed	meriara morris	, / 20/11 10.40				1/14/11	130			FISH I
Study - DOD- Nash	207517	Month)	Diet, Lifestyle)	Completed	Richard Morris	7/28/11 10:49			2	8/2/11	159			Visit 4
Juny - DOD- Hasil	20/31/	Wash In (-3	Calendar (Exercise.	completed	menaru morris	, / 20/11 10:45				0/2/11	139			7.3IL 4
Study - DOD- Nash	207517	Month)	Diet, Lifestyle)	Completed	Richard Morris	7/28/11 10:49			2	7/26/11	154			Visit 3
Juny - DOD- Hasil	20/31/	Wash In (-3	Calendar (Exercise,	completed	menaru morns	, / 20/11 10:49				7/20/11	134			FISIL 3
Study - DOD- Nash	207617	Month)	Diet, Lifestyle)	Completed	Richard Morris	7/28/11 11:03			2	7/19/11	95	10	an an	Visit 2
July - DOD- Hasii	20/01/	Wash In (-3	Calendar (Exercise,	completed	Michael WOTTS	772071111.03				7/15/11	93	10	30	TIJIL E
Study - DOD- Nash	207617	Month)	Diet, Lifestyle)	Completed	Richard Morris	7/28/11 11:02			2	7/12/11	96			Visit 1
51007 555-110311	20/01/	Wash In (-3	Calendar (Exercise,	completed	menara Morris	,,20,1111.02				7/12/11	50			******
Study - DOD- Nash	207617	Month)	Diet, Lifestyle)	Completed	Richard Morris	7/28/11 11:06			,	8/9/11	95			Visit 5
, 505 11031	20/01/	Wash In (-3	Calendar (Exercise,	piccou		. 20 22 22:00			-	5,3/11	33			
Study - DOD- Nash	207617	Month)	Diet, Lifestyle)	Completed	Richard Morris	7/28/11 11:03			,	7/26/11	91			Visit 3
, 505 11031	20/01/	Wash In (-3	Calendar (Exercise,	zzmpieceu		. 20 22 21.03			-	,,20,11	51			
				ı			1						ı	I

 Options are available for reports to be exported to WORD, EXCEL, OR STATISTICAL SOFTWARE programs for further analysis.

Form Abbreviations/Codes:

Screening Report				
Exclusion Criteria:	- 11m (1			
Field Name:	Field ID (short form):			
Structured exercise conditioning within 6 months of study entry?	s.SE			
Defined diet involving caloric restriction or nutrient modification?	s.SD			
Weight loss/gain of 5% within 6 months of study entry?	s.WLG			
Surgery within 6 months of study entry?	s.SURG			
Pressure ulcer within 3 months of study entry?	s.PUl			
Upper limb pain that limits exercise?	s.ULP			
Recurrent acute infection/illness requiring hospitalization of IV antibiotics?	s.Il			
Pregnant?	s.PRG			
Previous MI or cardiac surgery?	s.MI			
6 month history of glucose-lowering and/or lipid-lowering drug therapy?	s.GLT			
Type I OR Type II diabetes?	s.DBT			
Daily intake of vitamin supplementation exceeding 100% RDA?	s.VIT			
Contraindicated disorder/condition (Traumatic brain injury)?	s.CD_TBI			
Contraindicated disorder/condition (Substance abuse/dependence)?	s.CD_SA			
Contraindicated disorder/condition (Psychiatric condition)?	s.CD_PC			
Contraindicated drug therapy (β-adrenergic antagonists)?	s.CDT_B			
Contraindicated drug therapy (Maintenance α-blockers)?	s.CDT_A			
Contraindicated drug therapy (Methyldopa)?	s.CDT_M			
Contraindicated drug therapy (Thiazide and loop diuretics)?	s.CDT_T			
Contraindicated drug therapy (Parasympatholytics)?	s.CDT_P			
Contraindicated drug therapy (Zinc)?	s.CDT_Z			
Contraindicated drug therapy (Estrogen/hormone replacement therapy)?	s.CDT_E			
Contraindicated drug therapy (Insulin-sensitizing drugs)?	s.CDT_I			
Contraindicated drug therapy (Lipid-altering agents)?	s.CDT_L			
Fasting Blood Glucose?	s.FBG			
Fasting Blood Glucose (mg/dL)	s.FBG_VAL			
Symptoms of Hyperglycemia?	s.H_G			
Casual Plasma Glucose (mg/dL)	s.CPG			
Plasma Glucose during OGTT?	s.PG_OGTT			
Plasma Glucose after OGTT (mg/dL)	s.PG_OGTT_VAL			
Inclusion Criteria:	3.1 U_OU11_VAL			
Field Name:	Field ID (Short			
returnante.	form):			
AISA (Injury Level)	s.IL			
Injury Duration Greater than a year?	s.ID			
Age between 18 - 65 yrs old?	s.AGE			
Body Mass Index?	s.BMI			
Body Mass Index. Body Mass Index (Kg/Msq)	s.BMI_VAL			
	1			
<u> </u>				
	3.11.0_AVE			
	Field ID (Short			
riciu ivaille.	•			
Fasting Dislipidemia (HDL)? Fasting Dislipidemia HDL (mg/dL) Fasting Dislipidemia (Triglyceride)? Fasting Dislipidemia -Triglyceride (mg/dL) Impaired Fasting Glucose? Impaired Fasting Glucose (mg/dL) Patient Data Field Name:	s.FDL_HDL s.FDL_HDL_VA s.FDL_TG s.FDL_TG_VAL s.IFG s.IFG_VAL Field ID (Short form):			

Data Entry Date	s.DATE
Patient Code	s.ID
Height (Meters)	s.H
Body Mass (kg)	s.BM
Gender	s.G
Veteran	s.V

Anthropometric Report				
Field Name:	Field ID (Short			
	form):			
Data Entry Date	a.DATE			
Visit	a.V			
Body Mass (kg)	a.BM			
Body Composition:				
Lean Mass (%)	a.LM			
Fat Mass (%)	a.FM			

Blood Testing Report				
Field Name:	Field ID (Short			
	form):			
Data Entry Date	b.DATE			
Total Cholesterol (mg/dL)	b.TC			
High Density Lipoprotein	b.HDL			
(mg/dL)				
Low Density Lipoprotein	b.LDL			
(mg/dL)				
Triglycerides (mg/dL)	b.TG			
TG Response Curve	b.TGR			
Insulin Resistance	b.IR			
Ratios:				
Global CVD risk (TC:HDL)	b.TC_HDL			
Global CVD risk (LDL:HDL)	b.LDL_HDL			

Fitness Attributes Report				
Field Name:	Field ID (Short form):			
Data Entry Date	f.DATE			
Volume of Oxygen Consumption (VO2 - L/min)	f.VO2			
Total Energy Expenditure (TEE - kCal/min)	f.TEE			
Carbohydrate Oxidation (CHO - g/min)	f.CHO			
Fat Oxidation (FO - g/min)	f.FO			
Power Peak (W)	f.PP			
Power Mean (W)	f.PM			
1 repetition Maximum:				
Military Press (kg)	f.1RM_MP			
Horizontal Rows (kg)	f.1RM_HR			
Pec dec (kg)	f.1RM_PD			
Preacher Curls (kg)	f.1RM_PC			
Latissimus Pull-Downs (kg)	f.1RM_LP			
Seated Dips †Rickshaw↓ (kg)	f.1RM_SD			

Fitness Attributes Report				
Field Name:	Field ID (Short form):			
Data Entry Date	f.DATE			
Volume of Oxygen Consumption (VO2 - L/min)	f.VO2			
Total Energy Expenditure (TEE - kCal/min)	f.TEE			
Carbohydrate Oxidation (CHO - g/min)	f.CHO			
Fat Oxidation (FO - g/min)	f.FO			
Power Peak (W)	f.PP			
Power Mean (W)	f.PM			
1 repetition Maximum:				
Military Press (kg)	f.1RM_MP			
Horizontal Rows (kg)	f.1RM_HR			
Pec dec (kg)	f.1RM_PD			
Preacher Curls (kg)	f.1RM_PC			
Latissimus Pull-Downs (kg)	f.1RM_LP			
Seated Dips ↑Rickshaw↓ (kg)	f.1RM_SD			

DATA SAFETY MANAGEMENT BOARD (DSMB)

- The proposed trial is a multi-center study and participants may be at risk of injury.
- In accordance with institutional IRB (HRPO) directives we have empanelled a DSMB comprised of three (3) experts with distinguished medical and scientific credentials.

Sunil Sabharwal, M.D. is Chief of the SCI at the VA Boston Health Care System and Network SCI Service Line Director for VISN 1. He is an Assistant Professor of Physical Medicine and Rehabilitation at Harvard Medical School. Dr. Sabharwal has extensive clinical and research experience and expertise in SCI and its related medical complications. He serves on the SCI Committee of the American Board of Physical Medicine and Rehabilitation. He is Program Director for the SCI Fellowship at Harvard Medical School, and the National Hub-Site Director of the VA Fellowship in Advanced SCI Medicine. He is an active researcher in areas related to SCI and has co-authored manuscripts and book chapters in this field. Dr. Sabharwal is the recipient of several awards including the Outstanding Performance Award by the American Board of Physical Medicine and Rehabilitation and The Excellence Award by the American Paraplegia Society.

Jonathan Myers, Ph.D. is a VA Research Career Scientist, Rehabilitation Research & Development Service, VA Palo Alto Health Care System, Clinical Professor of Medicine at Stanford University, and a consultant to the Stanford Sports Medicine Program. He is a Fellow of the American College of Sports Medicine, American College of Cardiology, American Association of Cardiovascular and Pulmonary Rehabilitation, and the American Heart Association. Dr. Myers graduated from the University of California, Santa Barbara, and performed graduate studies at San Diego State University and the University of Southern California. He has been performing research, teaching, and writing in regard to exercise testing and training for over 20 years. His research interests include cardiopulmonary exercise testing, exercise training in chronic heart failure, epidemiology related to exercise test response and physical activity patterns, and cardiovascular health in spinal cord injury. His clinical, research, and teaching activities at Stanford and the VA include statistical and databasemanagement, which allow him to oversee research methods and hypothesis testing forthe DSMB.

Dr. Myers has published more than 300 articles on exercise physiology, exercise testing, and exercise training, and has coauthored with Dr. Victor Froelicher a leading textbook on, "Exercise and the Heart, Clinical Concepts". He has authored or co-authored guidelines on exercise testing and related topics for numerous organizations, including the AHA, American Thoracic Society, ACSM, and the European Working Group on Exercise Physiology and Rehabilitation. Presently, he manages day-to-day research activities in the Cardiology Department at the Palo Alto Veterans Affairs Medical Center, and is coordinator for the Cardiology Exercise Laboratory.

Randall E. Keyser, Ph.D. is Associate Professor in the Department of Global and Community Health at George Mason University, Washington DC. Dr. Keyser received his Ph.D. in exercise physiology and experimental medicine from the University of Toledo and post-doctoral experience in cardiovascular disease at Harper Hospital, Wayne State University School of Medicine. He subsequently served as Chief of Cardiovascular Physiology and Rehabilitation at Butterworth Hospital where he investigated the influence of active muscle mass on cardiac regulation during maximum and sub-maximal exercise in patients with cardiovascular disease. He held faculty research and teaching positions at both Michigan State and Grand Valley State Universities at that time. Dr. Keyser then led the development and implementation of the Ph.D. in Physical Rehabilitation Science Program at the University of Maryland School of Medicine, where he served as its Director. He also served as the Department of Physical Therapy and Rehabilitation Science, Director of Research and as the Director of the Medical School's Exercise and Applied Physiology Core Laboratory in its NIH funded General Clinical Research Center. Dr. Keyser is currently the Lead Associate Investigator and site Principal Investigator on a project funded intramurally by the NIH and in collaboration with INOVA Healthcare investigating mechanisms of impairment and exercise induced improvement in patients who have pulmonary hypertension. Dr. Keyser is a Fellow of the American College of Sports Medicine, an Associate Editor for Medicine and Science and Sports and Exercise, and a Clinical Scientist in the Department of Rehabilitation Medicine and at the National Institutes of Health, Clinical Center.

The DSMB will:

- a. Review all unanticipated problems involving risk to volunteers or others, serious adverse events, and all volunteer deaths associated with the protocol, and provide an unbiased written report of the event within 10 calendar days.
- b. Comment on the outcomes of the adverse event and relationship of the event to the protocol or test article.
- c. Indicate whether they concur with the details of the report provided by the PI on such protocols, events, or test articles.
- d. Generate reports for prompt forwarding to the HRPO for events determined by either the PI or the DSMB to be possibly or positively related to participation, or resulting in death.

In surpassing DOD mandates for study monitory the DSMB will:

- a. Assure that the study is being conducted according to high scientific and ethical standards.
- b. Assess study performance for recruitment, retention and follow-up, protocol adherence, and data quality and completeness; all to assist in successful and timely study completion.
- c. Review, consider, and approve (if proposed) protocol modifications.
- d. Advise the sponsor and the study investigators on necessary modification of study practices and procedures.
- e. Review study data, analyses, and findings in advance of publication or presentation.

DSMB meeting format:

The DSMB will formulate operating procedures in its first meeting, including types and formats of reports it will expect from the PI, and how its outputs will influence study policies and procedures. It will elect its own chair, and meet semi-annually to monitor cumulative safety data.

Communication of DSMB recommendations:

Should the DSMB determine that the study:

- a. Has answered the primary study question
- b. Is futile or will not reach a firm conclusion
- c. Is not being conducted according to high scientific or ethical standards OR
- d. Poses an unreasonable or unnecessary risk to study participants

It can recommend to the sponsor that the study protocol be terminated, temporarily suspended, or amended, as appropriate. DSMB reports will be included in the IRB-mandated continuing and final reports for all participating centers.

SUBJECT INFORMATION AND INCLUSION/EXCLUSION CRITERIA

Name:	-	
Code:		
D.O.B.		
Height:		
Weight:	P	

INCLUSION CRITERIA:						
Injury level	AIS A-C C5-L1					
Injury duration	> 1 year					
Age	18-65 years	0				
Gender	Male 80%	Female 20%				
Racial/Ethnic background	All					
Population	Military and civilian const	tuents				
ВМІ	≥ 20 kg/m²					
Fasting dyslipidemia	HDL-C ≥ 40 mg/dL OR T	G ≤ 150 mg/dL				
Impaired fasting glucose ≥ 100 mg/dL		а				

EXCLUSION CRITERIA:				
Structured exercise conditioning within 6 months of study entry				
Defined diet involving caloric restriction or nutrient modification				
Weight loss/gain of 5% within 6 months of study entry				
Surgery within 6 months of study entry				
Pressure ulcer within 3 months of study entry				
Upper limb pain that limits exercise				
Recurrent acute infection/illness requiring hospitalization of IV antibiotics				
Pregnancy				
Previous MI or cardiac surgery				

6 month history of glucose-lowering and/or lipid-lowering drug therapy				
Type I OR Type II diabetes				
Daily intake of vitamin supplementation exceeding 100% RDA				
Contraindicated disorder/condition: Traumatic brain injury Substance abuse/dependence Psychiatric condition				
Contraindicated drug therapy:				
 β-adrenergic antagonists Maintenance α-blockers Methyldopa Thiazide and loop diuretics Zinc Estrogen/hormone replacement therapy (excluding oral contraceptives) Insulin-sensitizing drugs Lipid-altering agents 				
Fasting blood glucose ≥ 126 mg/dL after a fast of 8+ hours OR				
Symptoms of hyperglycemia and casual plasma glucose ≥ 200 mg/dL				
OR 2-hour plasma glucose ≥ during an OGTT using a glucose load of 75g				

FOOD INTAKE LOG – THE MEDITERRANEAN-STYLE DIET

<u>BREAKFAST</u>						
Food Group	Food Item	Amount/Serving				
Fruit						
Vegetable						
Dairy (low fat)						
Protein-rich food						
Whole grain						
Oil						

<u>LUNCH</u>									
Food Group	Food Item	Amount/Serving							
Fruit									
Vegetable									
Dairy (low fat)									
Protein-rich food									
Whole grain									
Oil									

DINNER								
Food Group	Food Item	Amount/Serving						
Fruit								
Vegetable								
Dairy (low fat)								
Protein-rich food								
Whole grain								
Oil								

<u>SNACK</u>								
Food Group	Food Item	Amount/Serving						
Fruit								
Vegetable								
Dairy (low fat)								
Protein-rich food								
Whole grain								
Oil								

EXTENTION PHASE - MONTHLY INTERVENTION.				
Торіс				
Data Collection				
Review of self-monitoring records				
Review of homework				
Introduction of new topics*				
Completion of action plan				
Scheduling of next meeting				

^{*}only on bi-monthly face-to-face meeting with life-style coach.

LIFESTYLE BALANCE MANUAL



OBESITY/OVERWEIGHT IN PERSONS WITH EARLY AND CHRONIC SCI:

A RANDOMIZED MULTI-CENTER CONTROLLED LIFESTYLE INTERVENTION

VIFESTYLE BALANCE MANUA < PERSONAL NOTEBOOK



NAME:	
MY LIFEST	YLE COACH IS:
	ADDRESS:
	PHONE:

TABLE OF CONTENTS

l. II.	YOUR PERSONAL STUDY INFORMATION STUDY OVERVIEW	5 6
III.	DESCRIPTION OF STUDY	6
	a. Study participants	-
	b. Duration of study	
IV.	DESCRIPTION OF STUDY OUTCOME VARIABLE MEASUREMENTS	9
	a. Body mass	
	b. Body composition	
	c. Fitness testing	
	d. Dietary habits	
	e. Insulin resistance and risk of cardiovascular disease	
	f. Response of blood fats and body metabolism to food intake	
	g. Health related quality of life (HRQoL)	
٧.	PROCEDURES	11
	a. Initial visit and assessment	
	b. Exercise training sessions	
	c. Behavior and dietary training sessions	
	d. Core intervention training curriculum	
	e. Lifestyle coach	
VI.	SESSION OUTLINE FOR CORE INTERVENTION CURRICULUM	14
	a. 1A: Welcome to the lifestyle balance program	
	b. 1B: Getting started being active	
	c. 2 or 5: Move those muscles	
	d. 3 or 6: Being active: A way of life	
	e. 4 or 2: Be a fat detective	
	f. 5 or 3: Three ways to eat less fat	
	g. 6 or 4: Healthy eating	
	h. 7 or 8: Take charge of what's around you	
	i. 8 or 7: Tip the calorie balance	
	j. 9: Problem solving	
	k. 10: Four keys to healthy eating out	
	I. 11: Talk back to negative thoughts	
	m. 12: The slippery slope of lifestyle change	
	n. 13: Jump start your activity plan	
	o. 14: Make social cues work for you	
	p. 15: You can manage stressq. 16: Ways to stay motivated	
VII.	q. 16: Ways to stay motivated RISKS AND DISCOMFORTS OF STUDY PARTICIPANTS	19
v 11. / .	BENEFITS FOR STUDY PARTICIPANTS	19
'111.	a. Alternatives	19
	b. Costs	
	c. Incentives/payments to participants	
	d. Compensation for study-related injury	
	e. Voluntary participation/withdrawal from the study	
	6. Voluntary participation/withdrawar from the study	

	f. Confidentiality	
IX.	WHOM TO CONTACT FOR STUDY-RELATED QUESTIONS OR ISSUES	21
Χ.	WEIGHT MIRROR	22
XI.	AGREEMENT OF DECISION TO PARTICIPATE	23
XII.	APPENDIX	24
	a. Food intake log	
	b. Description of exercise maneuvers utilized in CRT	
	c. CRT training design	

PERSONAL DATA AND SCREENING ASSESSMENT

Code:	
D.O.B.	
Height:	
Weight:	

Injury level	AIS A-C C5-L1
Injury duration	> 1 year
Age	18-65
Gender	
Racial/Ethnic background	
Population	
ВМІ	≥ 20 kg/m²
Fasting dyslipidemia	HDL-C ≥ 40 mg/dL OR TG ≤ 150 mg/dL
Impaired fasting glucose	≥ 100 mg/dL

OVERVIEW

Body weight gain through addition of fat is commonplace after SCI, and is likely caused by physical deconditioning, loss of metabolically active muscle mass, reduced whole body energy expenditure, restricted choices for exercise conditioning, and a diet that is too high in calories and fat. Health risks posed by obesity are strongly associated with 15 conditions including: cardiometabolic syndrome, hypertension, diabetes, coronary artery disease, congestive heart failure, stroke, osteoarthritis, sleep apnea, depression, cancer, respiratory failure, disorders of coagulation, and degenerative joint disease. Irrespective of cause, weight gain following SCI brings about diminished work capacity, musculoskeletal decline, pain, accelerated cardiovascular disease (CVD), worsening of neurological status, and progressive life dissatisfaction. It is also disturbingly co-morbid with dyslipidemia, glucose intolerance, and insulin resistance, has wide-ranging effects on health and function, and is far more difficult to manage and reverse than obesity occurring in persons without disability.

TO ADDRESS THIS PROBLEM YOU ARE BEING ASKED TO PARTICIPATE IN A RESEARCH STUDY

because you have a spinal cord injury resulting in paraplegia or tetraplegia, have been injured for more than one year, and are 18-65 years old. The purpose of this study is to determine whether exercise alone, or the combination of exercise and diet with professional support, will reduce body weight and decrease your risk for developing obesity, and related cardiovascular disease and diabetes. This study will use methods from the National Institutes of Health Diabetes Prevention Program (DPP) trial, and modify the exercise programs to fit the needs and abilities of people with spinal cord injuries. The study methods will then examine whether this eighteen-month program (one year and a half) involving supervised and unsupervised treatment can lower your body weight, reduce your body fat, reduce your risk factors for developing heart disease and diabetes, and improve your quality of life. The U.S. Department of Defense is the sponsor of this study and is providing the funding for this study.

STUDY PARTICIPANTS:

You are one of eighty (80) individuals with spinal cord injury (SCI) who are expected to participate in this study. Sixty-four are expected to be men and 16 women.

You have qualified for this study because you have met ALL of the following screening characteristics:

- you have an SCI between C5 and L1 (the neck and the lower spine)
- you have been injured more than one year
- you are 18-65 years old
- you use a wheelchair as your primary means of mobility
- the relationship between your height and weight indicates you are overweight
- One or more of your fasting blood fat levels, and your fasting blood sugar, are outside of acceptable ranges

You are disqualified from participating, or may be disqualified, if ANY of the following are true or become true:

- you had a head injury along with your SCI
- you experience repeated infections that require antibiotics or hospitalization
- you have lost or gained 5% of your body weight within the past 6 months

- you have had surgery with the last 6 months
- you have had a pressure ulcer within the last 3 months
- you have arm, shoulder, or upper back pain that limits your ability to exercise
- you are currently taking antibiotics
- you have diabetes
- you have taken medications for diabetes, high blood pressure, or cholesterol within the past 6 months
- You are taking any of the medications that we will discuss with you, including high doses of vitamins and minerals
- You are unable or unwilling to eat the test meal for any reason. The test meal is explained in greater detail below and contains cooked eggs and cooked red meat
- You have undergone a structured exercise conditioning program for leisure or competition within the past 6 months

DURATION OF STUDY:

You will be enrolled in this study for approximately 21 months. During the initial 3 months you will be instructed to maintain your typical eating and activity habits. At the beginning of the 4th month you will be randomized (as by the flip of a coin) to one of two study groups. One study group (1) will undergo exercise, a test diet, and an educational program taught by the study investigators. The other study group (2) will undergo the same exercise program but maintain their usual diet. The study participants in this group will meet with the study investigators for the same amount of time as persons randomized to group 1, but not receive the same educational program. After 5 months of treatment you will work with a study coordinator to identify a type of exercise you would find appealing when continued in the home setting. Choices include resistance exercise (weight lifting) with elastic bands, boxing, or other exercise you can perform at home. You will then perform the selected exercise in the laboratory for your last month of supervised exercise, which will allow the Investigators to monitor your progress and make any suggestions for use of the equipment. At the end of the 6th study month you will continue the exercise at home for another 12 months.

The following table shows what the Investigators will be studying, and when. Each study activity and the time needed to accomplish it will be described. Treatments for group 1 (Exercise, Diet, and Behavior) and 2 (Exercise Only) will begin at study month 0. Thus, you will be studied for 3 months before treatments begin (-3 months).

		Outcome sampling time points (by month)									
Study outcome	-3	0	1	2	3	4	5	6	12	18	
Body mass	•	•	-		•		•	•	•	•	
Body composition by DXA		•						•		•	
Insulin resistance		•			•			•	•	•	
Caloric expenditure – intake		•						•	•	•	
Fitness • Endurance testing ○ Total energy use ○ Carbohydrate utilization ○ Fat utilization • Strength testing		•						•	•	•	

Power testing								
Cardiovascular disease risk	•	-		•		•	•	•
Post-prandial lipemia • ∆ TG response curve • Fat oxidation	•	•				•		•
HRQoL	-	•		•		•	•	•

In addition to the described studies, we will quickly test your strength each month during months 1-6 using methods that are described below. We will test your strength in this way so that we can determine the resistance used during the exercise training sessions as you become stronger.

DESCRIPTION OF STUDY OUTCOME VARIABLE MEASURMENTS

Body mass - To measure your body weight you will wheel your wheelchair on a scale where you and the wheelchair will be weighed. You will then transfer to a therapy mat and the chair will be weighed without you. The difference between the two measurements is your body weight.

Body composition - To measure the amount of muscle and fat your body contains you will undergo a scan. You will be assisted in a transfer to a machine, and will be asked to lie quietly while a series of low energy x-ray scans will be made from your head to toe. The scan will calculate how much muscle and fat is contained in various parts of your body. The whole body scan will require about 10 minutes.

Fitness tests - You will undergo three types of fitness tests for endurance, power, and strength.

Endurance and power testing - An arm exercise test will examine whether there are reasons that you should not undergo the exercise testing (such as risks of heart damage or abnormal responses to exercise) and determine your level of fitness. You will be prepared with electrode patches placed on your chest and stomach, and have a soft flexible mask placed over your nose and mouth. The mask will collect air that you breath out during exercise and allow the Investigators to determine how hard you are working. After preparation and instructions are completed you will position your wheelchair in front of an arm exercise machine and begin exercising at a low level. Every three minutes the resistance on the machine will increase making it harder to exercise. You will be instructed to work as hard and long as possible, but can stop the test at any time. The Investigators will be monitoring the rhythm of your heart and breathing responses while you exercise, and may stop the test at any time if they feel you have completed the test or your continued exercise may pose a hazard. After testing the Investigators will monitor your heart rhythm for 10 minutes and provide water and a towel.

A separate arm exercise test will determine how much power you can create with your arms. After preparation and instructions are completed you will position your wheelchair in front of an arm exercise machine and begin exercising at a low level. After about a minute of warm up you will be instructed to pedal as fast as you can without any resistance. Within 3 seconds, your pedaling will be resisted by weights placed on the flywheel. You will continue to pedal as fast as you can for 30 seconds. After 30 seconds you will stop, the test will be over, and you will be provided water and a towel.

Strength testing - To determine the resistance levels assigned for your exercise session the Investigators will measure your maximum strength on a weight-lifting machine adapted for use by persons in a wheelchair. Testing will be performed using six weight-lifting maneuvers: The initial test for each station will be set at light weight. You will be instructed to perform eight repetitions of each maneuver at this weight, with each repetition lasting six seconds (3 seconds lifting, 3 seconds lowering). If eight repetitions are completed in controlled fashion the weight will be increased and the exercise repeated. You will continue to lift until you cannot complete 8 repetitions in a controlled manner using good lifting form.

Dietary habits - After providing instructions on measuring and recording of foods you eat, we will give you a <u>food scale</u>, <u>measuring cup</u>, <u>pen</u>, <u>notebook</u>, and an <u>intake form</u> to take home to write down what you eat for two days. After two days you will return the record for review, receive addition instructions if needed, and then write down what you eat for another two days, returning the notebook and materials to us at the end of the two days. The information you provide will be entered in a computer and analyzed for how many calories you eat and the nutrients in your food. If you are randomized to Group 1 you will be taught to change your diet. If you are randomized to group 2 you will keep eating like you always have.

Insulin resistance and risk of cardiovascular disease - To minimize the amount of blood we will take from you, the fasting blood sample for insulin, glucose (sugar), and lipids (fats, like cholesterol) will be measured on samples taken before you eat your meal. As there is no meal testing scheduled for months 3 and 12, we will instruct you to come to the Lois Pope Life Center in the fasted state and we'll take one sample of blood (15 ml = 3 teaspoons).

Response of blood fats and body metabolism to food intake - To test how your body digests a meal, you will arrive at the testing center on the first day of testing during the 8 – 10 day assessment period. You will restrict your intake of beverages containing alcohol and caffeine (such as cola and coffee) the day before fasting and fast overnight, but you will be allowed to drink water in the morning. To obtain blood samples a flexible plastic catheter (tube) will be placed in a vein near the surface of your forearm. A blood sample (3 teaspoons) will be drawn from the tube so that no additional needle sticks of your arm will be needed. A soft flexible mask will be placed over your nose and mouth. The mask will collect air that you breathe out while you sit still for 15 minutes. This allows the Investigators to determine how much energy your body uses while you are sitting still. Then, the mask will be removed and you will then be given a McDonald's breakfast meal consisting of an egg McMuffin, hash brown potatoes, and a small bottle of an orange soda that contains sugar. You will be allowed 15 minutes to consume the meal, after which the test will start. Blood samples (15 ml = 3 teaspoons each) will be taken at the start of the test, and at 30 minutes, 60 minutes (1 hour), 120 minutes (2 hours), 180 minutes (3 hours), and 240 minutes (4 hours) after eating the breakfast food. After the 240 minute (4 hour) sample you will be given a McDonald's lunch containing a Quarter Pounder with cheese, French fries, and a soda. Additional blood samples will then be taken at 300 minutes (5 hours), and 360 minutes (6 hours). In addition to the blood sampling, the soft flexible mask will again be placed over your nose and mouth at each of these time points (0, 30, 60, 120, 180, 240, 300, and 360 minutes) which will allow the Investigators to determine your metabolic responses to food intake. Between measurements you will be allowed to read, watch television, or nap, but will be asked to not exert yourself. You may not eat any other foods or snacks until the end of the test, but may drink plain water. You may bring any materials you wish to occupy yourself. At the conclusion of the test the catheter will be removed and pressure applied to stop any bleeding. The total amount of blood taken will be 24 teaspoons (120 ml), which is about one-quarter of a pint of blood. After your blood has been analyzed in the laboratory the leftover volumes will be destroyed.

Health related quality of life (HRQoL) - At six time-points of the study you will take four paper and pencil tests to see how you are feeling about life and your health. Some of the questions will ask you about your feelings about the relationship between your health and the quality of your life, some will ask you about how much support you need from those with which you come in contact and how you feel about that, and some will ask you if you have been sad, depressed and nervous.

PROCEDURES

Initial visit and assessment - If you are given clearance to participate by the study physician you will undergo a series of assessments. All of the assessments will be performed 3 months before you begin exercise training. Some assessments provide baseline data, and some are used for both assessment and data collection.

If it is found during the initial exercise test that the exercise may pose a risk to your heart you may be excused for the study. The same is true if the resistance exercise causes pain, or the test of your sugar shows that you have diabetes. If you have a mild form of diabetes you may still be enrolled in the study, although if it doesn't improve by the time of the 3 month study sampling, you may be released from the study and referred for needed medical treatment of the condition.

During the first 3 study months you will keep your diet and exercise activities unchanged. Once this part of the study is finished, all study participants will undergo exercise conditioning and those randomized to Group 1 will begin the diet and behavioral training sessions.

EXERCISE TRAINING SESSIONS:

1 hour/session – 3 x weekly – 24 weeks

Each of your exercise training sessions is to be performed in the clinic (initial 6 months) and will last 45-60 minutes and employ resistance training (weight lifting) and high-speed, low resistance activities (arm cranking). You will perform 10 repetitions of lifting. Every time you complete two resistance exercises you will perform arm exercise for two minutes on a stationary machine. You will rest 10 seconds between each set of repetitions, and will complete three cycles of the exercises. At the end of each month we will retest your strength and change the weight you lift to match your change in strength. Sessions will be on non-consecutive days within a week (Monday-Wednesday-Friday).

BEHAVIOR AND DIETARY TRAINING SESSIONS:

1 hour/session – Once weekly – 16 weeks

If you have been assigned to Group 1, you will participate in 16 educational sessions that will focus on behavioral control of your body weight. If you have someone who does your food shopping and cooking they are welcome to attend the sessions. The sessions will include information about ways to eat, changing your diet to one that is healthier, and what to do if you feel like overeating. The diet being used for Group 1 will include lean meats and fish, healthy fruit and vegetables, and products with olives and olive oil. For education sessions 7, 8, and 10 the two groups will receive different types of information.

The topics of the sessions are listed in the following table:

		CORE INTERVENTION TRAINING CURRICULUM.
	Session	Topic
	1	Introduction to lifestyle intervention. Explain study goals.
	2	Introduce self-monitoring of weight at home.
	3	Teach 3 ways to eat less fat.
Focus is on	4	Educate about healthy eating. Recommend alternate foods.
diet and	5	Introduce physical activity modules.
exercise	6	Tailor physical activity regimen to needs of the individual.
goals and education	7	-Teach principles of energy balance between calories and exerciseTeach principles of health maintenance from exercise.
	8	-Introduce principles of stimulus control as a method to prevent unhealthy eatingIntroduce principles of stimulus control as a method to maintain exercise adherence.
	9	Present five-step model of problem solving.
	10	Introduce basic skills for eating and exercising away from home. Introduce basic skills for exercising away from home.
Focus is on psychosocial	11	Practice identifying negative thoughts and how to counter them.
and behavioral	12	Introduce concept that slips are part of lifestyle change and provide tips for behavioral change maintenance.
strategies	13	Introduce principles of aerobic fitness and coping with boredom.
	14	Provide strategies for managing social cues, both stressful and supportive.
	15	Summarize stress management principles presented over the course of the intervention.
	16	Focus on enhancing motivation and maintaining behavioral change post-lifestyle intervention.

LIFESTYLE COACH:

At the beginning of the study you will be teamed with a Lifestyle Coach, who will help you to modify your behaviors and assume a healthier lifestyle. The Lifestyle Coach may attend some of your training sessions, and might contact you if you need assistance. You may also call this individual if you are in need of additional support.

As part of the study you will be contacted every 1-2 weeks to see how you are managing your exercise and diet. Contacts will be made through a Viterion system, which is an electronic box that links with your regular telephone cable. The software on the Viterion will ask you a series of questions, most of which can be answered as 'yes' or 'no'. You will simply answer these questions and the information will be transmitted to a team specialist. If you are not keeping up with your exercise or you need additional personal support, you will receive a call from your Lifestyle Coach, who will offer assistance and try to work through any study problems you may be experiencing.

SESSION OUTLINE FOR CORE INTERVENTION CURRICULUM

Session 1A:

Welcome to the Lifestyle Balance Program

Objectives:

In this session, you will:

- Meet the lifestyle coach and study team.
- Review the Standard Healthy Lifestyle Guidelines, if not presented at the time you receive your study group assignment.
- Be given the Lifestyle Balance notebook.
- Discuss your initial reaction to being assigned to the Lifestyle Balance group.
- Receive an overview of the Lifestyle Balance Program.
- Learn the two Lifestyle Balance goals and why they are important.
 Discuss key aspects of the coach-participant relationship

Choose to focus either on the weight loss or the physical activity goal first.

Session 1B:

Getting Started Losing Weight

Objectives:

In this session, as you have chosen to focus on the weight loss goal first, you will:

- Learn the reason for self-monitoring foods eaten and the basic principles of self-monitoring.
- Be assigned self-monitoring of foods eaten and circling of high-fat foods; practice this.

You will receive weighing and measuring tools.

Session 2:

Be a Fat Detective

Objectives

In this session, you will:

- Begin to graph weight and be assigned self-monitoring of weight.
- Learn the reason for basic principles of self-monitoring fat grams.
- Receive your fat gram goal.
- Practice finding foods in the Fat Counter and figuring out the number of fat grams in foods.

Learn to calculate a running fat gram total for the day.

Session 3:

Three Ways to Eat Less Fat

Objectives:

In this session, you will:

- Review self-monitoring skills, and learn in more detail how to weigh and measure foods, by guessing the amounts of selected high-fat foods, actually measuring the amounts, and then calculating the fat grams.
- Learn three ways to eat less fat.
- Make a plan to eat less fat.

Session 4:

Healthy Eating

Objectives:

In this session, you will:

- Discuss how eating less fat fits into the overall context of healthy eating.
- Review the Food Guide Pyramid and its recommendations, including to lower fat.
- Compare your eating pattern to the Food Guide Pyramid.
- Review more examples of ways to eat lower-fat foods instead of high-fat foods.

Be introduced to the importance of eating more grains, vegetables, and fruits.

Session 5:

Move Those Muscles

Objectives:

In this session, you will:

- Receive the Lifestyle Balance activity goal.
- Discuss why the activity goal is important.
- Discuss current level of physical activity.
- Be encouraged to participate in the Lifestyle Balance activity sessions.
- Identify other activities equivalent to brisk walking that you enjoy.

You will develop an activity plan for the coming week that includes the Lifestyle Balance activity sessions and other moderate activities that you enjoy.

Session 6:

Being Active: A Way of Life

Objectives:

In this session, you will:

- Begin to graph activity.
- Discuss time as a barrier to activity.
- Learn two different ways to find the time to be active.
- Discuss lifestyle activity.
- Discuss ways to prevent injury and receive handouts on how to do some simple stretches and when to stop exercising.
- Develop an activity plan for the coming week (for most participants, this will be a weekly total of 90 minutes).

Session 7:

Tip the Calorie Balance

Objectives:

In this session, you will:

- Discuss how healthy eating and being active are related in terms of calorie balance.
- Discuss how calorie balance relates to weight loss.
- Review your progress so far in terms of a) changes made in fat/calorie intake and activity, and b) weight change. Discuss how this relates to calorie balance.
- Develop an activity plan for the coming week.

If weight loss is less than what is expected, you will make a plan for the coming week to either self-monitor calories or follow a low-calorie meal plan, or both.

Session 8:

Take Charge of What's Around You

Objectives:

In this session, you will:

- Learn about food and activity cues and ways to change them.
- Mentally search the participant's home, work place, and where the participant shops for food, looking for problem food cues and discussing ways to change them.
- Learn ways to add positive cues for activity and get rid of cues for inactivity.
- Develop an activity plan for the coming week (150 minutes per week).

Session 9:

Problem Solving

Objectives:

In this session, you will:

- Learn the five steps to problem solving.
- Practice the steps using a problem you are experiencing now with eating less fat/calories or being more active.

Session 10:

Four Keys to Healthy Eating Out

Objectives:

In this session, you will:

- Learn four basic principles for healthy eating out: planning ahead, assertion, stimulus control, and healthy food choices.
- Identify specific examples of how to apply these principles at the type of restaurant you go too often.
- Practice making a meal selection from an appropriate menu.
- Practice out loud how to ask for a menu substitution.

Session 11:

Talk Back to Negative Thoughts

Objectives:

In this session, you will:

- Recognize that everyone has negative thoughts and identify examples of them.
- Learn how to stop negative thoughts and talk back to them with positive ones.
- Practice stopping negative thoughts and talking back to them with positive ones.

Session 12:

The Slippery Slope of Lifestyle Change

Objectives:

In this session, you will:

- Review your progress since Session 7 or 8 ("Tip the Calorie Balance").
- Identify some things that cause you to slip from healthy eating or being active.
- Discuss what to do after a slip to "get back on track again."

Session 13:

Jump Start Your Activity Plan

Objectives:

In this session, you will:

- Discuss ways to add interest and variety to your activity plans.
- Learn the definition of "aerobic fitness."
- Learn the F.I.T.T. Principles (frequency, intensity, time, and type of activity) as related to heart (aerobic) fitness.

Session 14:

Make Social Cues Work for You

Objectives:

In this session, you will:

- Review examples of problem social cues and helpful social cues.
- Discuss ways to change problem social cues and add helpful ones.
- Review strategies for coping with social events such as parties, vacations, visitors, and holidays.
- Make an action plan to change a problem social cue and add a helpful one.

Session 15:

You Can Manage Stress

Objectives:

In this session, you will:

- Discuss how to prevent stress and cope with unavoidable stress.
- Discuss how the intervention curriculum and objectives can be a source of stress and how to manage that stress.

Session 16:

Ways to Stay Motivated

Objectives:

In this session, you will:

- Receive a certificate of participation.
- Review your progress since Session 1, and if not at goal, develop a plan to attain your goal.
- Discuss the importance of motivation and ways to stay motivated.

RISKS AND DISCOMFORTS OF STUDY PARTICIPATION:

- The risks of blood drawing include: fainting, the occurrence of temporary discomfort and/or bruise at the site of puncture; rarely, infection or the formation of a small clot or swelling to the vein and surrounding area may occur. There may be slight discomfort in your arm or hand during the inserting of the catheter into the vein. Occasionally, a small accumulation of blood (hematoma) may form at the point of insertion of the catheter. This may result in a small lump that will disappear. Occasionally, a small amount of bleeding may occur around the catheter site. On rare occasions, a local infection may occur around the catheter site.
- You will be undergoing a series of assessments to test your strength, endurance, and power. You will also perform multiple weekly sessions of exercise including both strength and endurance exercises. During endurance testing and the exercise session you will wear a flexible mask over your nose and mouth to collect the air you exhale, which will allow the investigators to measure how hard you are working. The mask placed over the mouth and nose may feel confining, although the air flowing through it will not be restricted in any way.
- It is likely that you will feel tired after the exercise sessions. During intense arm cranking exercise you may injure your hands, arms, or shoulders, which may make your daily activities more difficult to perform.
- There is a risk of complications involving the heart. In exercise testing to exhaustion, 1 in 3000 persons sustains symptoms that require them to been seen by a physician or to be transported to a hospital. One in 30,000 persons sustains permanent heart damage or dies.
- After eating the morning meal you will not be served lunch. You may find yourself becoming hungry later in the day.
- The amount of radiation from the low energy x-ray scan of the whole body (DXA) is roughly equal to the amount of radiation experienced in one day's sunlight exposure, and so is not thought to be dangerous.
- In rare cases the tape used to affix the EKG electrodes to your chest can cause an allergic reaction. This normally goes away within several hours after they are removed.
- Completing the questionnaires may make you feel nervous or upset.

In addition, there may be uncommon or previously unknown risks that might occur. You should report any problems to the research staff. You have the right to ask any questions about the potential and/or known hazards of this study at any time. You will be asked to tell the study doctor about any possible side effects you might have at any time during the study.

BENEFITS:

No direct benefit can be promised by taking part in this study. However, it is likely that you will become more fit from undergoing exercise conditioning. It is possible that the diet being tested may cause you to lose body weight.

ALTERNATIVES:

You have the alternative not to participate in this study. You can decide to stop participating in this study at any time. Not participating in this study will not affect your medical care. You can perform exercise and undergo diet without being part of this study.

COSTS:

You will not have to pay for the study procedures. However, you will be responsible for costs associated with your transportation to the medical center, and costs for parking if you need to park your vehicle.

INCENTIVES/PAYMENTS TO PARTICIPANTS:

You will be paid \$750 for your participation in the study. If you are a non-UM employee, you must complete a W-9 form in order to receive payment for participation. This information will not be linked to any of the study data and will only be used for payment purposes. You will receive \$250 of the payment after completing the supervised clinical program (6 months), another \$250 after completing half of the extension program (another 6 months), and the balance (\$250) after the study is completed (another 6 months). Payment will be made in the form of a check, which you should receive about 2-3 weeks after your paperwork is submitted for payment.

COMPENSATION FOR STUDY-RELATED INJURY:

You may be exposed to risk of injury from participation in this study. If injury occurs, treatment will in most cases be available. If you have insurance, your insurance company may or may not pay for these costs. If you do not have insurance, or if your insurance company refuses to pay, you will be expected to pay. Funds to compensate for pain, expenses, lost wages and other damages caused by injury are not routinely available.

VOLUNTARY PARTICIPATION/WITHDRAWAL FROM THE STUDY:

You participation in this study is voluntary. You may refuse to participate, or withdraw from the study at any time, without penalty or loss of benefits to which you are otherwise entitled. This will not affect the medical care you receive from the study doctor or UM/Jackson Memorial Hospital. You must tell the study doctor if you wish to stop taking part in the study. Your participation in this study may be discontinued, without your consent, at any time by the study doctor, if he/she believes that participation in the study is no longer in your best interest. The Institutional Review Board (IRB), regulatory authorities, or the sponsor may also discontinue your participation in the study.

You can contact the study doctor at:

Mark S. Nash, Ph.D., FACSM
Department of Neurological Surgery
University of Miami Miller School of Medicine
Lois Pope Life Center
1095 NW 14th Terrace, R-48
Miami, FL 33136
304 243-3628 (Office)
305 243-6946 (24 hour page operator)

If you cancel your permission after you have started in the study, the study staff and the study doctor will stop collecting your health information. Although they will stop collecting new information about you they may need to use the information they have already collected to evaluate the study results. If you start the study and then you cancel your permission, you will not be able to continue to participate in the study. This is because the study staff and/or the study doctor would not be able to collect the information needed to evaluate the study findings.

CONFIDENTIALITY:

By signing this consent, you authorize the Investigator(s) and his/her/their staff to access your medical records and associated information as may be necessary for purposes of this study. This information will also be shared with the Sponsor (U.S. Department of Defense) of this study, and persons working with the Sponsor to oversee the study.

Your records and results will not be identified as pertaining to you in any publication without your expressed permission.

The Investigators and their collaborators and staff will consider your records confidential to the extent permitted by law. The Food and Drug Administration (FDA), Department of Health and Human Services (DHHS), and U.S. Department of Defense may review these research records. Your records may also be reviewed for audit purposes by authorized University of Miami employees or other agents who will be bound by the same provisions of confidentiality.

Your paper records will be maintained in a locked file cabinet, placed within a locked office, which can only be accessed by a locked corridor at the Lois Pope Life Center. Electronic records will be stored on a computer at the Office of Research Information Management of the University of Miami, which is accessed by a password known to the Principal Investigator and his research staff, and to university computer maintenance personnel who are required to maintain the confidentiality of this information. The study site personnel may use your information to notify you of appointments, send you appointment reminders, or schedule additional appointments.

WHOM TO CONTACT:

If at any time you have any questions about the study, you may contact Mark S. Nash, Ph.D. at 305-243-3628.

In case of study-related injury, please contact Alberto Martinez-Arizala, M.D. at 305-368-0250 (24- hour pager).

If you have any questions relating to your rights as a research subject, please contact **the University of Miami's HUMAN SUBJECTS RESEARCH OFFICE (HSRO)**, at <u>305-243-3195</u>.

WEIGHT MIRROR

- As a component of the Behavioral Intervention, the Internet-based freeware, Weight Mirror, will be used to create a 'virtual image' of you which is 7% lighter than your actual weight at the onset of the study.
- Visualization of weight loss, in this manner, will be used as a motivational tool.
- A photograph will be taken of you at the onset of the study, and uploaded to the Weight Mirror program for virtual image creation.
- The original photograph will be used as a reference along with the virtual image.
- NEW photographs will be updated at 6, 12, and 18 months as a visual tool to monitor your progress.
- http://makeovr.com/weightmirror/

AGREEMENT OF DECISION TO PARTICIPATE

You will receive a copy of this signed informed consent form.

I have read this consent, which is printed in English (a language which I read and understand). This study has been explained to my satisfaction and all of my questions relating to the study procedures, risks and discomforts, and side effects have been answered. If I have any further questions regarding this study, or in the event of a study-related injury, I should contact the appropriate person named above. Based on this information, I voluntarily agree to take part in this study.

Signature of participant	Date	
Printed name of participant		
Signature of person obtaining consent	Date	
Printed name of person obtaining consent		

FOOD INTAKE LOG – THE MEDITERRANEAN-STYLE DIET

S	M	Т	W	Th	F	Sat

BREAKFAST			
Food Group	Food Item	Amount/Serving	
Fruit			
Vegetable			
Dairy (low fat)			
Protein-rich food			
Whole grain			
Oil			

<u>LUNCH</u>		
Food Group	Food Item	Amount/Serving
Fruit		
Vegetable		
Dairy (low fat)		
Protein-rich food		
Whole grain		
Oil		

DINNER			
Food Group	Food Item	Amount/Serving	
Fruit			
Vegetable			
Dairy (low fat)			
Protein-rich food			
Whole grain			
Oil			

SNACK			
Food Group	Food Item	Amount/Serving	
Fruit			
Vegetable			
Dairy (low fat)			
Protein-rich food			
Whole grain			

DESCRIPTION OF EXERCISE MANEUVERS UTILIZED IN CRT.

Exercise Maneuver	Description	
Military Press	Shoulder abduction with scapular elevation and upward rotation starting from the fully adducted and depressed position.	
Horizontal rows	Shoulder horizontal abduction with scapular adduction starting from a position of maximum forward reach.	
Pec dec	Should horizontal adduction while in external rotation to the midline, from the maximum tolerated horizontal abduction in external rotation.	
Preacher curls	Elbow flexion supported on an inclined pad from the fully extended position.	
Latissimus pull-downs	Shoulder adduction with scapular downward rotation and depression starting from the maximal upward reach position.	
Seated dips ("Rickshaw")	Shoulder flexion, scapular depression, and elbow extension while maintaining arms as near the body as possible, from the fullest allowed point of shoulder joint extension, scapular elevation, and elbow flexion.	


CRT training session design:

- Each training session will be preceded by a 2-minute warm-up on a Vita-glide® arm ergometer.
- Resistance exercises will be performed in pairs (2 maneuvers in succession) each incorporating 10 repetitions of each maneuver lasting six seconds (3 seconds concentric, 3 seconds eccentric).
- Two minutes of endurance exercise is then interposed using a Vita-glide[®] arm ergometer at a cadence of 50 rpm without applied resistance
- Two more resistance maneuvers are performed.
- These activities are alternated until the participant has rotated through each resistance station three times.



Modifications to CRT for participants with tetraplegia:

- Adaptations to work-out for persons with tetraplegia as high as the C5 level.
- Resistance maneuver order is altered to reduce time needed for changing the resistance stations.
- Resistance and endurance exercises are performed in contiguous time blocks order of exercise (i.e. resistance and endurance) are alternated on each training day.
- Each training session will be preceded by a 10-minute warm-up on a Vita-glide® arm ergometer.
- Each resistance station will be performed twice only.



LIFESTYLE COACH MANUAL



OBESITY/OVERWEIGHT IN PERSONS WITH EARLY AND CHRONIC SCI:

A RANDOMIZED MULTI-CENTER CONTROLLED LIFESTYLE INTERVENTION

BEHAVIORAL INTERVENTION- TIMELINE AND PROTOCOL

General Principles:

- 16-session protocol aimed at behavior modification through: <u>education</u>, <u>stress management</u>, problem solving skills training, and cognitive restructuring.
- Delivered by a Lifestyle Coach selected with consideration to gender, injury level, and military status.
- 16-session core curriculum training will be <u>scheduled within the 24-week core intervention time</u> frame.
- Individual sessions will be 30-60 minutes in duration.
- Following core curriculum training participants will be contacted monthly for the duration of the extension period.
 - Face-to-face contact with the life-style coach will occur bi-monthly.
 - Off month contact will be via the **TeleHealth** system.
- A Lifestyle Manual will be provided for each participant.

		CORE INTERVENTION TRAINING CURRICULUM.		
	Session	Topic		
Focus is on diet and exercise goals and education	1	Introduction to lifestyle intervention. Explain study goals.		
	2	Introduce self-monitoring of weight at home.		
	3	Teach 3 ways to eat less fat.		
	4	Educate about healthy eating. Recommend alternate foods.		
	5	Introduce physical activity modules.		
	6	Tailor physical activity regimen to needs of the individual.		
	7	-Teach principles of energy balance between calories and exerciseTeach principles of health maintenance from exercise.		
	8	-Introduce principles of stimulus control as a method to prevent unhealthy eatingIntroduce principles of stimulus control as a method to maintain exercise adherence.		
Focus is on psychosocial and behavioral strategies	9	Present five-step model of problem solving.		
	10	Introduce basic skills for eating and exercising away from home. Introduce basic skills for exercising away from home.		
	11	Practice identifying negative thoughts and how to counter them.		
	12	Introduce concept that slips are part of lifestyle change and provide tips for behavioral change maintenance.		
	13	Introduce principles of aerobic fitness and coping with boredom.		
	14	Provide strategies for managing social cues, both stressful and supportive.		
	15	Summarize stress management principles presented over the course of the intervention.		
	16	Focus on enhancing motivation and maintaining behavioral change post-lifestyle intervention.		

Session 1A: Welcome to the Lifestyle Balance Program

Objectives:

In this session, the participant will:

- Meet the lifestyle coach and study team.
- Review the Standard Healthy Lifestyle Guidelines, if not presented at randomization.
- Be given the Lifestyle Balance notebook.
- Discuss the participant's initial reaction to being assigned to the Lifestyle Balance group.
- Receive an overview of the Lifestyle Balance Program.
- Learn the two Lifestyle Balance goals and why they are important.
- Discuss key aspects of the coach-participant relationship and sign a related agreement.
- Choose to focus either on the weight loss or the physical activity goal first.

To Do Before the Session:

Get materials ready:

- Keeping Track book (or two, if the next session is scheduled more than 7 days later).
- Pages for participant notebook.
- Video or photographs of local study team members, if not present in person.
- Measuring cups, spoons, and scale (for participants who focus on weight loss first).
- Map to the supervised activity sessions (for participants who focus on activity first).

Invite family member to attend (if, during the run-in period, it was determined that a family member's attendance would enhance adherence).

On the Lifestyle Balance Update page, pencil in tentative appointment dates (schedule sessions 1-8 for one week apart, 9-16 for either one or two weeks apart). Insert this page in to the inside front pocket of the participant's notebook. Also, keep a copy of the Lifestyle Balance Update page in your notes for each participant.

Fill in the activity session schedule on page 1 of Getting Started Being Active.

Introduce yourself and the other members of the local study team.

Greet the participant. Also welcome family member or other support person if present.

Hello. I'm delighted to meet you. My name is []. As you know, you've been assigned to the group in the SCI Weight Loss Program that will be making lifestyle changes to try to prevent diabetes. The lifestyle changes will be to lose weight through healthy eating and to be more physically active. We've called this group the

"Lifestyle Balance Program" because we'll be helping you reach a healthy balance between what you eat and how active you are.

I will be meeting with you often during the next several years, so we will get to know each other very well. I'm looking forward to working with you as a team to make our time together a success. There are many people on the study team; we're all resources for you.

Introduce the study team members, or use a video or photographs to introduce them if not present. Explain the role of each member of the team, and stress that during the upcoming years of the study, all of the members of the team will be available to support the participant.

Review the Standard Healthy Lifestyle Guidelines, if not presented at randomization.

At this point, I want to quickly go over some standard guidelines for a healthy lifestyle that all participants in the study receive. We give all participants this brochure [show the participant the Koop brochure], which is a good summary of the guidelines, and we talk with all participants about how to be more active [turn to pages 3-10; do not review them, however], eat a healthy diet [turn to pages 11-19], and reach and maintain a healthy weight [turn to pages 20-27]. Because you're in the lifestyle change group, we will go over these topics in great detail in the coming weeks, so I won't review them now. But this brochure is for you to take home as are source. Other members of your family might enjoy reading it, too.

We also talk with all participants about smoking and alcohol. Do you now smoke cigarettes?

Give the participant the Lifestyle Balance Notebook.

Here is the notebook we'll use throughout the study. It's yours to keep. At every session I'll give you some handouts to put into the notebook and we'll go over them together. Feel free to write notes or questions on the handouts, and take the notebook home. Just be sure to bring it with you to every session. Here is my name, address, and phone number for your records [give other team members' phone numbers, as appropriate].

It's very important that we stay in touch. Feel free to call me or stop in at the clinic whenever you have questions or need to talk. It's also important to call if you cannot come to a session.

Discuss the participant's initial reactions to being assigned to the Lifestyle Balance Program.

Some people who have been assigned to the Lifestyle Balance Program wanted to be in this group from the beginning; some hoped they would be assigned to another group in the study.

What do you think about being in the Lifestyle Balance Program?

Are there some things about this group that seem good to you, and some things you're not so excited about?

The participant may express disappointment about not being randomized to another arm of the study, fears of failing at the lifestyle intervention, memories of past failures at weight loss efforts, and so on. Recognize concerns, promote confidence that the participant can succeed, and give support.

If the participant is very negative, help him or her to identify *some* positive things about being assigned to this approach. Stress that the Lifestyle Balance Program is "state-of-the-art." It has been carefully designed based on many research studies about the best ways to help people change.

Complete the work sheet "Remember Your Purpose" with the participant.

Emphasize the positive aspects of the intervention, relating them whenever possible to issues of personal value to the participant, and encouraging the participant to provide specific details, in images or words (such as the names of people) that can be recalled later as a source of motivation. Examples:

- Has the real potential to prevent diabetes.
- No drugs, no drug side effects.
- Will reduce his or her risk of heart disease and stroke.
- Will help him or her look and feel better, have more energy.
- Make her or his family and friends proud.
- Set a good example for children, spouse, friends, and community.
- Will contribute to scientific research findings that will then improve health care practices for the community.

Explain that you may review this work sheet with the participant later in the program as a source of motivation.

Receive an overview of the Lifestyle Balance Program.

As I said earlier, the Lifestyle Balance goals will be to:

- 1. Lose weight through healthy eating, and
- 2. Be more physically active.

We strongly believe that making these lifestyle changes and keeping them up over time will prevent diabetes in people like you who are at risk of diabetes.

The Lifestyle Balance program has been carefully designed. It is based on many research studies of the best ways to help people change.

In this program we will help you:

 Learn the facts about healthy eating and being active. Our staff is experts in nutrition, exercise, and helping people develop healthy habits. We will give you the most up-to-date and accurate information.

But knowing the facts, or what to change, isn't enough. You also need to know **how to change.** So we will help you:

- Learn what makes it hard for you to eat healthy and be active.
 - And learn how to change these things so they work for you, not against you.

For example, you'll learn how to:

Find the time to be active.

[Review the rest of the items on the work sheet.]

We will also give you the **long-term support** you need to stick with the changes you make. We will be your "coaches."

Review the Lifestyle Balance Goals.

These are Lifestyle Balance goals:

- 1. Lose 7% of your weight through healthy eating. Your goal will be to weight xxx pounds or less.
- 2. **Do 2-1/2 hours of brisk, physical activity each week** (this would be like doing brisk exercise for 30 minutes on five days of the week).

We will help you to reach these goals one step at a time and keep them up over time.

We'll go over each of these goals in detail, and exactly what they mean for you, as we go along. You may also have your own specific goals you want to reach, but these are the goals for the study as a whole. I will do everything I can to help you reach the study goals, and so will the rest of the study team.

Refer to the Manual of Operations for how to respond to participants who have their own personal goals, for example, who want to lose less or more weight, who are already very active, or who wish to do less than 2-1/2 hours of activity. Briefly address their concerns, then move onto the study goals. For example:

- If the participant wants to lose less weight or be less active than the study goal: "We'll work toward this goal slowly, one step at a time. It's a safe and reasonable goal for you, and I'm very confident that you can do it."
- If the participant wants to lose more weight or be more active than the study goal: "Let's work toward this goal first. When you reach this goal, we'll talk about going further."

Discuss the rationale for the goals.

The Lifestyle Balance goals are safe and can be reached.

We will help you reach the goals by making:

- Gradual (made one step at a time),
- Healthy, and
- Reasonable changes in your eating and activity.

Nothing extreme. For example, you won't need to do very vigorous exercise, although you can if you want. "Being active" doesn't mean you need to be a marathon runner. We will just gradually increase your general activity and help you develop a more active lifestyle.

Reaching the Lifestyle Balance goals:

1. May prevent diabetes.

Research has shown that leaner and more active people are less likely to get diabetes. Also, moderate weight loss and physical activity have been shown to improve the body's use of insulin (the hormone that regulates the amount of sugar in your blood). This can reduce the chance of getting diabetes.

We believe that lifestyle changes can indeed prevent diabetes, if you make these changes and keep them up over time.

That's why you and I will work together to do everything we can to help you lose weight and be more active.

- 2. Reaching the Lifestyle Balance goals will also help you look and feel better and be more healthy in general. Research has shown that losing weight and being active can:
- Relieve tension, help you relax and sleep.
- Give you more energy, make it easier to get around (for example, if you're more active on a regular basis, your joints will be more flexible and you'll be less likely to injure your back).

Many of you may have health problems like high blood pressure or high blood cholesterol. Research has shown that losing weight and/or being active can:

- Lower blood pressure.
- Lower blood levels of LDL or "bad" cholesterol (the kind linked to the risk of having a heart attack or stroke).
- Raise blood levels of HDL or "good" cholesterol (the kind that reduces your risk of heart attack or stroke).

3. In addition, reaching the Lifestyle Balance goals will set a good example for your family, friends, and community.

Many of us live in a family or a culture that practices high-fat eating and inactivity. You will face a challenge as you work at doing things differently. But you will also set a good example of what it's like to live a more healthy lifestyle, which can be inspiring and encouraging to everyone around you.

I know that losing weight and being more active takes a lot of effort. **Changing behavior takes work.** It takes dedication and hanging in there and doing what needs to be done every step of the way.

We are here to help. I'll be meeting with you often, and I will do everything I can over the next four years to help you reach and stick with your Lifestyle Balance goals. I am confident that you can do it!

Discuss key aspects of the lifestyle coach-participant relationship.

It is very important that we work together throughout the study as a **team**. I will count on you to:

- Come to sessions and bring your Lifestyle Balance notebook.
 Call 24 hours ahead if you must miss a meeting. For example, call before Monday afternoon if you must miss a Tuesday afternoon appointment.
- Do your best to reach your eating and activity goals. That includes doing home activities to practice what you learn.
- Keep track of your eating and activity 7 days a week. I'll talk with you more about this in a few minutes. Be honest. Don't try to "please" me. I will count on you to write down what you are really eating, and how active you really are, not what you think I want to hear or what would make me happy.
- **Keep track of your weight at home.** We will also weigh you here at each session. By weighing yourself at home, you will be able to see the pattern of your weight from day to day and see how your changes in eating and activity affect your weight.
- Let me know if you have any problems. Ask questions when you don't understand something. I am here to help and I need to know when you're having any difficulties. There's no such thing as a "stupid" question--it's *smart* to speak up when you have a question.

Some participants, because of their cultural heritage or personal history, may consider it rude to ask questions or to bring up difficulties. This is true, for example, of many Hispanics. With these participants in particular, be sure to express your acceptance and appreciation when they voice their questions and concerns.

- Stay willing and open to change. Always "hang in there."
 - We will sometimes run into problems, and I will count on you to hang in there and give it your best until we solve the problems together. This is a "can do" study. You can count on me to:
- Go over your records of what you eat and your activity.
 Notice what you are doing well and what can be improved.

Noticing what you're doing **well** is one of my most important jobs. I will encourage you and build you up and appreciate your efforts.

Answer your questions.

It's important that you feel free to ask me any questions you have, and I will get the answers for you. Please remember that the staff are experts, and our job is to make our expertise available to you in any way we can.

Be honest.

We will both need to "say it like it is." I will count on you to be honest about how you are doing. And you can count on me to tell the truth about how I think you are doing and what I think needs to be done to solve any of the problems we run into.

- Stand by you during hard times, and
- Believe you can reach your eating and activity goals. We all need someone to believe in us when we are making changes for the better. I know you can do it, and when you get discouraged, I will be here to believe in you. Always "hang in there" for you, and support and help you continually.

Is there anything else you'd like me to do to help you? (Write any appropriate suggestions that the participant makes on the work sheet.)

Let's sign this as a way of remembering how we agree to work together.

Sign the agreement and have the participant sign it as well.

We want to be sure this program works for you. No two people are alike. So at different times during the study, you'll be able to choose *when* you want to focus on a certain topic, depending on what will be most helpful to you.

Overview the session topics.

This page shows you the topics for Sessions 1 through 16. As we've said before, you are welcome to invite a family member or friend to any or all of the sessions.

Session 1B: Getting Started Losing Weight

Objectives:

In this session, the participant who has chosen to focus on the weight loss goal first will:

- Learn the reason for self-monitoring foods eaten and the basic principles of self-monitoring.
- Be assigned self-monitoring of foods eaten and circling of high-fat foods; practice this.
- Receive weighing and measuring tools.

Review the reason for self-monitoring foods eaten and the basic principles of self monitoring.

You've decided to start with the weight loss goal. To help you lose weight, our goal is to help you to **eat healthy**. And healthy eating involves **eating less fat**.

This is because eating too much fat is fattening (makes us fat) and is related to heart disease and diabetes. (We'll go over this in more detail next week.)

The first step to eating less fat is to figure out how much fat you are eating now. To do this, I want you to write down everything you eat and drink every day. This is something we're going to do throughout the first 24 weeks of the study. It's the most important part of changing your behavior.

For right now, I just want you to write down what you ate, like you did during the run-in.

Keeping track of what you eat will help you and I see, in black and white:

- What foods you eat,
- How much you eat,
- When and where you eat, and
- How your eating habits change over time.

Your Keeping Track records will be the very basis for our working together. You and I will be the only ones to see them, so **spelling is NOT important.**

You can make up **abbreviations** or use your own shorthand if that makes it easier and faster for you to keep track, just so we both know what you mean.

Note: The use of abbreviations may also help those participants who have difficulty spelling feel less self-conscious.

What IS important is to:

- Be honest. That means to write down what you really eat, not just what you think will please yourself or me.
- Also, be accurate. It's best to write down what you eat as soon as possible after you eat it, because it's easy to forget. For example, count the number of slices of cheese you eat and write down the kind of cheese.
- And be complete. Include everything. The butter on the toast, the cream in the coffee, and the mayonnaise on the sandwich.

It may seem hard to write down all of your foods, especially at first. And it does take some time. But it's worth its weight in gold. Being aware of what you are eating is the first step toward changing your eating habits.

Assign self-monitoring of foods eaten and circling of high-fat foods.

To get you started I want you to do several things during the coming week. They're listed on this part of the work sheet called "To do next week." At every session you'll get a list of one or two things to do during the week. There are square boxes beside each item [indicate boxes] so you can put a check beside each one after you do it. That way you'll have a record of what you still need to do before the next session.

For this week, I want you to:

Write down everything you eat and drink every day.

Use this "Keeping Track" book. Give the participant a Keeping Track book and indicate where in the book to record food intake.

Write down the time you eat something, the amount, and the name of the food or drink and a description. **Skip the other columns for now** [indicate the grams of fat and calories columns]. Use one line for each food. And **skip activity for now**.

• Circle some of the foods or beverages you think are highest in fat. Over time you will learn exactly what foods are high in fat. For now, just guess what some of the foods are. The idea is get you thinking about fat and looking for some of the high-fat foods in your meals and snacks.

Note: You do not want the participant to return with a book more than half filled with circled foods, which would be discouraging. This should be a positive beginning experience.

- Finally, be sure to bring your completed Keeping Track books and your
 - Lifestyle Balance notebook back with you to every meeting.

Have the participant practice self-monitoring foods eaten and circling high-fat foods.

Let's take a minute to **practice Keeping Track on this page.** Think about a few of the foods you ate earlier today or yesterday. What was the first thing you ate? When did you eat it? Write the time here, the amount here, and the food here. Just skip the other columns.

Have the participant demonstrate. Be sure the participant understands what to do. Do you think that food is high in fat? Just guess. If so, circle it.

Continue with several additional foods. Point out, as you go along, examples of accuracy (e.g., give brand name and type of food); honesty (e.g., include nibbles or very large amounts); completeness (e.g.; include % fat of milk); and the use of abbreviations.

Just skip the section for physical activity.

Any questions?

Give the participant weighing and measuring tools.

If you want to, you can start to measure the amount of food you eat using these.

Get out the measuring tools.

Here are some **measuring cups and spoons** for you to start to use, just to get an idea of the amount of different foods you usually eat. We'll talk in more detail about measuring in the coming weeks.

For now, you might want to pour your breakfast cereal into the bowl you typically use, just as usual, and then measure the cereal before you eat it. Or put the amount of margarine you usually spread on toast onto the knife and measure it using the measuring spoons before you spread it. You can also use a glass measuring cup, if you have one at home, for liquids and a ruler for measuring things like pizza, pieces of pie, and cookies. This **scale** is for weighing meats and cheese (briefly demonstrate how to use it).

As I said, you don't need to measure amounts this week, unless you want to.

Any questions?

Discuss appointment schedule.

We will meet *every week* for the first 8 sessions. On this "Lifestyle Balance Update" page, which we'll keep in the front of your notebook, I've used a pencil to write down some possible appointments for this same time and this same day of the week. Is this a good time for us to keep meeting?

If not, make changes to the penciled-in dates and on your copy of the Lifestyle Balance Update.

For sessions 9 through 16, we'll meet [explain the frequency that your clinic has decided to hold these sessions, whether every week or every other week.] And then, after session16, we'll meet once every month or two months.

Session 2: Be a Fat Detective

Objectives

In this session participants will:

- Begin to graph weight and be assigned self-monitoring of weight.
- Learn the reason for and basic principles of self-monitoring fat grams.
- Receive the participant's fat gram goal.
- Practice finding foods in the Fat Counter and figuring out the number of fat grams in foods.
- Learn to calculate a running fat gram total for the day.
- Learn to use the Fat Bank (optional).
- If this is Session 4: Receive weighing and measuring tools. Also, develop an activity plan for the coming week (for most participants, a weekly total of 120 minutes).

To Do Before the Session

Review the participant's self-monitoring records from the run-in period, noting specific examples and general types of high-fat foods consumed.

Get the participant's "How Am I Doing?" graph for weight. The graph should show the participant's weight goal and expected rate of weight loss from randomization weight to the goal.

Using the participant's randomization weight, determine the participant's fat/calorie goals. Refer to the Manual of Operations.

Get materials ready:

- Measuring cups, spoons, ruler, and scale.
- Fat Counter.
- Keeping Track book.
- Pages for the participant notebook.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities.

Review the participant's Keeping Track for food intake. Notice many good things, and make only one suggestion for improvement.

Were you able to write down anything this week about your eating? What did you learn by Keeping Track? What difficulties did you have?

If the participant has not self-monitored, ask, "Tell me a little about that." Do your best to uncover some of the barriers that prevented the participant from Keeping Track without making him or her defensive. Problem solve with the participant to address the barriers.

Take a minute to page through the completed Keeping Track book, if available, from front to back. Comment briefly, as described below. (Also, keep the record until the next session or Xerox it. After the session, do a more careful review, make written comments, and return to the participant at the next session.)

Be positive and nonjudgmental. Emphasize what an important learning tool this will be throughout the study. Praise all efforts to keep track, no matter how small, and any level of accuracy or completeness. For example, praise any and all of the following efforts. The participant was able to [this list is for your reference, not to be reviewed with participants]:

- Record anything at all.
- Record something each day.
- Record throughout the day, each day.
- Note time of day.
- Describe kinds of foods (cuts of meat; parts of poultry; label information from packaged foods)
- Describe methods of food preparation: baked, broiled, steamed, stir-fried, fried, barbecued, etc.
- List additions to foods at the table: butter, margarine, cream, sugar etc.
- Give simple details about portion size: counts; cups; bowls; spoonfuls.
- Give actual weights and measures of portion size: package weight ounces, measuring spoons and cups, ruler measurements, food scale measurements.

Examples:

- "Great! I see here that you wrote down eating 13 cheese crackers with your soup."
- "It's really useful that you noted adding 2 teaspoons of butter to your beans."

Point out no more than one area for improvement, preferably starting with the most simple.

Example:

"I see you were able to record all weekdays. Fantastic! In the coming weeks it will be useful for you to try and record on weekends too so we can learn about how your eating and exercise might be different then."

Weigh the participant. Introduce the How Am I Doing? Graph for weight and self monitoring weight at home.

Today's session is called "Be a Fat Detective" because we'll talk about how to become more aware of the amount of fat you eat and how that can help you lose weight through healthy eating.

Today's session is called "Be a Fat Detective" because we'll be talking about how to become more aware of the amount of fat you eat and how that can help you lose weight through healthy eating.

But before we talk about fat, let's begin today to **keep track of your weight** and your progress toward your weight loss goal.

In the first session we said that one of the study goals was to lose 7% of your weight, which means that, since your **starting weight was xxx pounds**, your **goal is to weigh xxx pounds**. Let's see what you weigh today.

Weigh the participant. See instructions in the Manual of Operations.

To keep track of your weight, we'll do two things. First, at every session we'll mark your weight on this graph, called "How Am I Doing?"

Insert the "How Am I Doing?" graph for weight into the front of the participant's notebook.

Here is your "starting weight," what you weighed when you first joined the study, and here is your goal weight. This line shows what a steady and gradual weight loss might look like for you. Of course, most people's weight goes up and down from week to week, and yours will probably do that, too, sometimes above this line, sometimes below it. Many people lose weight faster at first and then the rate levels off. We won't pay as much attention to each weight but rather to the pattern over time. We want you to stay under this line as much as possible and reach your goal weight by Week 24, or six months from now. That will be in *[name the month and mark on the graph at 24 weeks]*. After that we will help you to stay under your goal weight for four years. Maintaining your weight loss will be very important which is why we will teach you not only how to lose weight, but also how to keep it off!

Let's mark your weight for today on the graph.

Have the participant mark it on the graph. Provide help as needed.

When you weigh yourself at at the center record your weight here...

Indicate the weight column on the back of the Keeping Track book, and circle the day(s)on which you want the participants to weigh themselves. See Manual of Operations for guidelines.

Introduce the rationale for and the basic principles of self-monitoring fat.

Now let's move on to the topic for today.

To help you lose weight, our goal will be to help you **eat healthy**. And **healthy eating involves eating less fat**, for several reasons.

First of all, eating too much fat is "fattening" (makes us fat). So by eating less fat, you can lose weight.

In fact, fat is the most fattening of all the things we eat. Fat contains more than twice the calories (9 calories per gram) than the same amount of carbohydrate (starch or sugar) or protein (4 calories per gram). So **even small amounts of high fat foods are high in calories.**

Review the example on the worksheet (a lot of calories in a small amount of peanuts versus fewer calories in a large amount of popcorn) and/or other examples that are relevant to the participant's eating pattern.

• Fat is also related to heart disease and diabetes. Research has shown that eating a lot of fat can increase your cholesterol level. Cholesterol is one measure of the amount of fat in your blood. The higher your cholesterol, the greater your chance of having a heart attack. There is also some evidence that eating a lot of fat may increase your chances of getting diabetes.

For participants who want more information:

The recent Surgeon General, C. Everett Koop, MD, had this to say about the importance of eating healthy: "If you are among the two out of three Americans who do not smoke or drink excessively, your choice of diet can influence your long-term prospects more than any other action you may take." In other words, healthy eating is one of the most important steps you can take to improve your health.

And in his recent report to the nation, the Surgeon General named eating less fat as our country's number one dietary priority, more important than sodium, sugar, or additives. In fact, all of these important national organizations recommend eating less fat: the National Heart, Lung, and Blood Institute, the American Heart Association, the American Diabetes Association, the American Dietetic Association, and the American Cancer Society.

What kind of foods do you eat that are high in fat?

Let's look at some of the high-fat foods you circled in your Keeping Track. [Write on the work sheet a few of the foods that the participant correctly circled as high in fat.]

What kind of foods do you eat that are high in fat? [If the participant doesn't mention any high-fat foods, briefly look with the participant a this or her self-monitoring records from the run-in period. Write on the work sheet some of the high-fat foods noted.]

Make some general points about the food groups or types of food that tend to be high in fat, such as:

- 1. Meats (Meats contain both fat that you can see and fat that you can't see.)
- 2. Dairy foods (whole milk, regular cheese, ice cream) (Many Americans get most of their fat from meats and dairy products, including cheese.)
- 3. Snacks (such as potato chips)
- 4. Butter, margarine (Many people add fat to foods to flavor them.)
- 5. Gravy, mayonnaise
- 6. Baked goods (such as cookies, cake, muffins)
- 7. Fat added in cooking (oil, lard, shortening) such as deep-fat frying (fried chicken, French fries, doughnuts).

Keep in mind that the purpose of this list is **not** to give the participant detailed information about where fat is found in foods. Rather, the purpose is to begin to show them that many different foods that they eat are high in fat and to provide a rationale for self-monitoring. The facts about where fat is found in foods should come later as a byproduct of their own discovery through self-monitoring.

These are the kinds of foods you will have to watch out for as you become a "fat detective." They are also the kind of foods that are widely available, tempting to many of us, and they may even be traditional foods in your family or culture.

Many people aren't aware that most of the fat we eat (70% of it, in fact) is hidden in foods.

For example, fat is hidden in:

- The marbling of meats,
- Baked products,
- Sauces, and
- Batter coatings on deep fried foods.

Here's an example. [Review the example on the worksheet.] That's a lot of fat, a total of22 teaspoons or about 1 entire stick of butter or margarine.

The best way to learn how much fat is in food is to keep track of the amount of fat you eat every day.

You will need to adapt the following section depending on the participant's literacy level, willingness to self-monitor, and comprehension of the self-monitoring process. If this is Session2, some of the following will be a review of points made at the last session; when possible, make these points using examples from the abbreviated self-monitoring the participant did during the previous week.

The first step is to:

1. Write down everything you eat and drink in your Keeping Track books.

This is something we're going to do throughout the first 24 weeks of the study. It is the most important part of changing your behavior.

Keeping track of what you eat will help you and I see, in black and white:

- What foods you eat,
- How much you eat.
- When and where you eat, and
- How your eating habits change over time.

Your Keeping Track records will be the very basis for our working together. You and I will be the only ones to see them, so **spelling is NOT important.** You can make up **abbreviations** or use your own shorthand if that makes it easier and faster for you to keep track, just so we both know what you mean.

Note: The use of abbreviations may also help those participants who have difficulty spelling feel less self-conscious.

What IS important is to:

- **Be honest.** That means to **write down what you really eat**, not just what you think will please yourself or me.
- Also, be accurate. It's best to write down what you eat as soon as possible after you eat it, because it's easy to forget. For example, count the number of slices of cheese you eat and write down the kind of cheese. Measure portions and read labels (we'll talk in more detail about these things next week).
- And be complete. Include everything. The butter on the toast, the cream in the coffee, and the mayonnaise on the sandwich.

It may seem hard to write down all of your foods, especially at first. And it does take some time. But it's worth its weight in gold. Being aware of what you are eating is the first step toward changing your eating habits.

2. Figure out how much fat is in every food and write it down.

To do this, you will need to:

- 1. Figure out the amount of the food you ate.
- 2. Look up each food in the Fat Counter, which is a book I'll give you that lists foods and the grams of fat in each one.
- 3. Compare the amount of food YOU ate with the amount in the Fat Counter to see how much fat you ate. And third,

3. Add up the fat grams you eat during the day.

I'll show you how to do each of these things in just a minute.

Give the fat gram goal.

Everyone in the Lifestyle Balance Program gets a fat gram goal or "budget." It is based on body size and the amount of calories needed to lose weight. So everyone has a different goal.

Your fat gram goal or "budget" is to stay under xx grams of fat each day. You can think of it as a budget because you need to stay *under* it every day. [Fill in the blank with the participant's fat gram goal (refer to the Manual of Operations).]

A gram is the way fat in food is measured. A gram is a unit of weight. One paper clip weighs about 1 gram. [Note: Be careful not to go into too much detail here because some participants may be easily confused by the differences between grams of weight and grams of fat.]

We don't expect you to stay under your fat gram goal right away or be able to stay under it every day. It may be hard to reach your fat gram goal at first. For now, just try to **get as close to your goal as you can.** During the next few weeks, we will teach you how shop for food and cook and serve it so that it is easier for you to reach your goal. Overtime we'll work together so that you can consistently stay *under* your fat gram goal.

Give the participant the Fat Counter. Demonstrate and practice how to use it and food labels to figure out how much fat the participant eats. [If this is Session 4, also give the participant measuring tools.]

This is a Keeping Track of Fat "practice page." Let's write down some of the foods you ate yesterday and figure out the grams of fat in those foods.

Write on the work sheet a variety of foods that the participant ate yesterday. If possible, include both highand low-fat foods and several foods with portion sizes that might require some calculation on the part of the participant. Show the participant how to look each food up in the Counter and calculate the number of fat grams in the amount that the participant ate.

Exactly how you do this will vary from participant to participant. The key is not to overwhelm those participants who may find calculations difficult and confusing. Assure these participants that you will continue to help them with this in the upcoming sessions and that the **important thing for now is to begin looking foods up in the Counter and getting an idea of the amount of fat in different foods and in various serving sizes.**

As you look foods up in the Counter, give the participant the weighing and measuring tools and make the following points:

Here are some measuring cups and spoons for you to start to use, just to get an idea of the amount of food you usually eat. Next week we'll go over measuring in more detail and practice it together.

For now, you might want to pour your breakfast cereal into the bowl you typically use, just as usual, and then measure the cereal before you eat it. Or put the amount of margarine you usually spread on toast onto the knife and measure it using the measuring spoons before you spread it. The glass measuring cup is for liquids. This scale is for weighing meats and cheese (briefly demonstrate how to use it). The ruler is for measuring things like pizza, pieces of pie, and cookies.

Here are some things to keep in mind when you use the Fat Counter.

If you can't find a food:

- Look for one that is the most like that food. (Don't assume that a food doesn't contain fat because it's not listed in the Fat Counter.) For example, use nut bread for zucchini bread.
- Write the name of the food in the back of your Fat Counter. There is a section there for listing additional foods. Then ask me about it next week, and I will help you find the fat grams.
- If you are having trouble figuring the grams of fat:
- Just write down the food and the amount you ate. I will help you figure the fat grams when you come in.

If you make a recipe:

• For many recipes, you can simply write down how much of each ingredient you ate. For example, in a stew, write down the amount of each ingredient that was in the amount you ate. For example, how much beef you ate, how much carrots, and so on. Include any fat that you used in cooking.

If you cook from recipes often, bring in some favorite recipes next week. I will help you count the grams of fat in them.

An optional handout is available on counting fat grams in more complicated recipes. We think that this handout should be saved for a later session, and at this point it would be more appropriate to ask the participant to bring in any recipes he or she uses often and help the participant estimate the fat grams. Remember that the participant is self-monitoring, not recording dietary data for nutrient analyses, and the point is to learn to distinguish high fat from lower-fat foods and make dietary changes toward the fat gram goal.

If you do use the handout at some point, use it to demonstrate how to count the fat grams in one of the participant's own recipes, rather than alone.

The bottom line for this week is to just get started and do your best. If you run into any problems, I'll help you with them next week.

If you eat a packaged food:

- Look on the label for the fat grams. (Even if it is listed in the Fat Counter, the grams on the label are more accurate.) First, find the Nutrition Facts on the label, and look at the serving size. Is this the amount you ate? And look at the total fat grams per serving.
- What if you eat a larger serving than is listed on the label? You will be eating more fat grams than are listed on the label.

Review the sample label on the work sheet. Be sure that the participant understands that the serving size on a label may be very different from what most of us consider a serving.

Demonstrate and practice how to add up fat grams during the day.

Some participants may be confused and overwhelmed at this point because of difficulties with calculations. Do **not** review adding up fat grams with these participants until the beginning of the next session. Instead, simply use the "Adding up the fat grams" worksheet to practice again how to look up fat grams and calculate the number of fat grams in the amount eaten by the participant. As before, tailor this to the participant's skill level.

The final step in keeping track of fat is to add up the fat grams you eat during the day.

There are two ways you can do this in your Keeping Track.

[Turn to Adding Up the Fat Grams work sheet.] Imagine that this is your Keeping Track.

Let's write in some of the foods you ate last week, the amounts you ate, and the grams of fat. In the Grams of Fat column, you can put a slash mark after the number of grams of fat and write down a "running total" (keep adding up the grams of fat throughout the day).

Demonstrate or have the participant calculate several running totals.

A running total is like a subtotal or running balance in a checkbook. The purpose of keeping a running total is so you know just how much fat you've eaten as you go along. You can use this to plan what foods you choose for the rest of the day. For example, "What should I have for lunch? Well, I've eaten x grams of fat so far. My fat gram goal is x grams. So I'd better eat less than x grams of fat for lunch to stay under my fat goal for the day." This is like using a budget to manage how much money you spend.

Another way to add up the fat grams is to use what we call the Fat Bank, these columns that look like rulers. The left column is the Fat Budget. The right is Over Budget.

I'll show you how to use it.

Have the participant do as much of the following as possible. Provide help as needed.

- a. Your fat goal is x grams. Find that number on the Fat Budget column and put an arrow beside it. Cross through all of the notches above your goal.
- b. Then fill in or cross through one notch for each gram of fat you eat. Start at your fat budget and go DOWN.

Demonstrate or have the participant cross through the notches for the breakfast foods.

You can easily see about how much fat you have left for the day in your budget.

- c. If you cross through all of the notches in the Fat Budget column, start at the bottom of the Over Budget column and go UP. This will let you see how much over your fat gram goal you are.
- d. Write the total fat grams for each day on the back of your Keeping Track booklet (show the participant where the totals should go). This will help us both to see at a glance how you've done during the entire week.

Have the participant complete the grams of fat, running total, and Fat Bank columns for the rest of the foods on the sample. Also, show the participant where to transfer the total fat grams for the day to the back of the Keeping Track book. Again, be careful not to overwhelm the participant.

Changing the way we eat is a gradual process and it will take time. I don't expect you to be perfect. During the next few months you will learn many different ways to help you eat less fat. For now, I want you to be the best fat detective you can be, looking for fat everywhere. And just do your best to come as close to your fat gram goal as you can.

Do you have any questions?

Participants should leave this session aware that:

- 1. We are more interested in their efforts to be honest and complete about their eating habits than to present us with picture-perfect Keeping Track records, and
- 2. We consider self-monitoring a very important tool and expect everyone to do some monitoring.

Assign home activity.

For next week:

- Keep track of your weight.
 - Weigh yourself at home every at this time of day.
 - Record your weight on the back of the Keeping Track book.
- Keep track of what you eat and drink.
 - Write down everything you eat and drink in your Keeping Track books.
 - Do this every day, as soon as possible after you eat.
 - Be honest.
 - Measure portions as much as you can and start reading labels.
 - And be sure to include everything you eat.

Use the Fat Counter to figure out how much fat is in what you ate, and write it down in your Keeping Track books. Keep a running fat gram total throughout the day. Try using the Fat Bank, too. Come as close to your fat gram goal as you can.

If this is Session 4:

Keep track of your physical activity, as you have been. And be a little more active this week-- your goal is (for most participants, it will be 120minutes).

Session 3: Three Ways to Eat Less Fat

Objectives:

In this session, the participant will:

- Review self-monitoring skills, and learn in more detail how to weigh and measure foods, by estimating the amounts of selected high-fat foods, actually measuring the amounts, and then calculating the fat grams.
- Learn three ways to eat less fat.
- Make a plan to eat less fat.
- If this is Session 5: Develop an activity plan for the coming week (for most participants, a weekly total of 150 minutes).

To Do Before the Session

Get materials ready:

- Measuring cups and spoons, glass measuring cup, scale, and ruler.
- Fat Counter.
- Pages for participant notebook.
- Optional handouts that are appropriate for a specific participant (e.g., the blank "Menu Make-Over" work sheet).
- Food models or actual foods for weighing and measuring demonstration. Include a selection of common high-fat foods, plus enough food models of teaspoons of fat (1teaspoon = 4 grams of fat)-or test tubes filled with measured amounts of shortening to show graphically the fat content of the foods. If possible, choose actual foods that you know the participant eats often. If this isn't possible, try to use food models that weigh close to what the actual food would weigh to avoid confusing the participant (for example, regarding the weight of various portion sizes of meats). For the actual foods, weigh or measure them in advance. For the food models, tape the amounts on the bottom. Some foods that may be suitable:

To weigh on the scale:

- 3 oz (after cooked) regular (25% fat) hamburger patty (keep frozen) to weigh on scale. 19 grams of fat (equivalent to 5 teaspoons of fat).
- 4 ounces cheddar cheese, thinly sliced by a deli (keep refrigerated). 28 grams of fat(equivalent to 7 teaspoons of fat).

To measure in metal or plastic measuring cup, teaspoon, tablespoon:

- 3 teaspoons of soft margarine in a tub (keep refrigerated). 12 grams of fat (equivalent to 3 teaspoons).
- 4 tablespoons of oil in the bottom of a frying pan, plus same amount in a small jar or bowl. (Ask the participant to guess the amount in the pan first, then bring out the jar or bowl of oil for the participant to measure with a tablespoon). 48 grams of fat (equivalent to 12 teaspoons of fat).

- 1-3/4 cups macaroni and cheese made from a mix (keep refrigerated). 34 grams of fat (equivalent to 8 teaspoons).
- 3 cups of "butter-flavored" movie popcorn. 29 grams of fat (equivalent to 7teaspoons of fat).

To measure in the glass measuring cup:

1-1/2 cups of whole milk in a large cereal bowl (keep refrigerated). 12 grams of fat(equivalent to 3 teaspoons of fat).

Weigh the participant. Mark weight on the How Am I Doing? Graph for weight.

If the participant has lost weight, congratulate him or her, but don't go overboard. Stress the fact that he or she must already be making some changes in **behavior**.

If the participant has not lost weight, mention it but stress that little by little as she or he makes behavior changes, the numbers on the scale will change.

Check if the participant weighed himself or herself at home. Discuss the fact that the two scales may differ. Patterns of change should be similar on both (if gain weight on clinic scale, home scale should show a weight gain, also).

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. [If this is session 5, graph activity, also.]

Were you able to write down anything this week about your eating?
What did you learn by Keeping Track? What difficulties did you have?
Were you surprised by the amount of fat in some foods?
How did using the Fat Counter go?
Were you able to keep a running total of fat grams or use the Fat Bank?
How close did you come to your fat gram goal?

Refer to the script for the 'Be a Fat Detective" for guidelines on how to review the Keeping Track records.

Review self-monitoring skills using the Fat Counter, weighing and measuring tools, and actual foods or food models.

We've given you measuring cups and spoons and a scale because **weighing and measuring foods is important**. Today we're going to start with something a little more "hands-on" than we've done so far and practice weighing and measuring together. First, let me go over some details about how to use the cups and scale and so on. You may be doing these things already.

Metal or plastic measuring cups and spoons

Use these for solid foods like margarine or mashed potatoes. Fill the cup or spoon and then level it off before you record the amount.

Demonstrate how to level.

Leveling can make a big difference. For example, even two extra tablespoons of granola on top of a cup that hasn't been leveled will add about 3 grams of fat.

Glass measuring cup (demonstrate this, although the study does not provide one)

Use a glass measuring cup, if you have one at home, for liquids like milk or soup. Pour the liquid in the cup, then read the line at eye level. If you read it from above, your eyes can fool you.

Demonstrate measuring liquids and reading the amount from eye level. Use any liquid. Water is fine.

Scale

The best way to measure meat and cheese is on a scale. Even a small amount can make a big difference in fat. Scales can measure very small amounts.

Demonstrate the use of the scale by weighing an actual food or food model. Have the participant weigh another food or food model. Make sure the participant can use the scale and read the results.

It's important to **weigh meats after they are cooked**. They lose about a quarter of their weight in cooking. So 4 ounces of raw meat weighs about 3 ounces when it's cooked. Three ounces of meat is about the size of a deck of cards or your palm, minus the fingers.

When you weigh cheese, you'll notice that one slice might look like another but not weigh the same. For prepackaged slices, you can check the label for the weight.

Most people are surprised when they begin to weigh and measure foods. Our eyes can play tricks on us.

Here are some common high-fat foods that someone might easily eat in a day.

Show the participant food models or actual foods for common high-fat foods. Review the instructions on the work sheet and have the participant complete the chart except for the column "Teaspoons of Fat." If possible, use some actual foods that the participant eats often and observe the participant using the

weighing and measuring tools so you can check her or his technique. Note: It may be helpful to repeat this activity at various points during the intervention, particularly after the Progress Review during Session 7 or 8, 12, and 16, as a way to review measuring skills and demonstrate the importance of accurate portion estimation.

Were you surprised by the actual amounts? Even small mistakes in estimating amounts can make a big difference in the fat grams.

Eventually you will get better at judging food amounts by looking. For now, weigh and measure foods as often as you can.

Last week we talked about the fact that most of the fat we eat is hidden in foods (70%, in fact). For example, fat is hidden in:

- The marbling of meats,
- Baked products,
- Sauces, and
- Batter coatings on deep fried foods.

Let me show you what the fat in these foods would look like if we could see it as teaspoons of butter, margarine, or oil. [Fill in the last column of the worksheet and if possible, illustrate using food models of teaspoons of butter or test tubes of measured amounts of shortening.] That's a lot of fat, a total of x grams and x pats (or x sticks) of butter or margarine altogether [note: one stick of butter or margarine = 1/2 cup or 24teaspoons]. Pretty amazing.

Introduce the three ways to eat less fat.

Many different kinds of foods are high in fat, but there are only three basic ways to eat less fat.

- 1. **Eat high-fat foods less often.** [Review the example on the work sheet.]
- 2. **Eat smaller amounts of high-fat foods**. Cutting back even a little can make a big difference. [Review the example.]

3. Eat lower-fat foods instead.

In the coming months, you'll discover a number of ways to "eat lower-fat foods instead." Here are a few examples of the difference you can make. [Review the examples on the work sheet, including the warning about the calorie content of low-fat or fat-free products. Use other or additional examples if they would be more relevant to the participant's eating pattern.]

Review the "menu make-over."

These menus show examples of small changes that make a big difference in fat grams saved. These are examples of the different ways to eat less fat, not menus for you to follow.

You will make your own food choices to reach your fat gram goal.

Review the examples on the worksheet. Mention that potato chips appear in both menus, and explain that there are no "good" or "bad" foods (the participant can eat any food in a small amount now and then and still reach his or her fat gram goal).

A blank "Menu Make-Over" work sheet is available if at this or other sessions the participant would benefit from recording personal examples of high-fat menus and corresponding make-overs.

Assign home activity.

Let's focus now on what you can do next week.

- Keep track of your weight and what you eat. Keep a running fat gram total throughout the day, and try to stay under your fat goal (budget). [If this is Session 5] And continue to keep track of your physical activity. This week be a little more active, for a total for the week of. [Fill in the blank. For most participants, the goal will be 150 minutes.]
- Make a plan to eat less fat and follow it.

Let's make the plan right now using this chart. First, write down 5 foods you eat that are high in fat. These should be foods that you eat often (not, for example, birthday cake that you eat only rarely). Now circle one of these foods and pick one of the three ways to eat less fat from that food.

Complete the rest of the work sheet with the participant, and assign the questions at the bottom as part of the home activity. Stress that the plan to eat less fat should be specific and realistic.

Session 4: Healthy Eating

Objectives:

In this session, the participant will:

- Discuss how eating less fat fits into the overall context of healthy eating.
- Review the Food Guide Pyramid and its recommendations, including to lower fat.
- Compare the participant's eating pattern to the Food Guide Pyramid.
- Review more examples of ways to eat lower-fat foods instead of high-fat foods.
- Be introduced to the importance of eating more grains, vegetables, and fruits.

To Do Before the Session

Get materials ready:

- Keeping Track book.
- Pages for participant notebook.
- Poster of Food Guide Pyramid.
- Optional handouts that may be appropriate for a specific participant (for example, one on low-fat recipe substitutions for participants who cook from recipes often).
- Individual samples of low-fat foods to taste (optional).

Weigh the participant. Mark weight on the How Am I Doing? Graph for weight.

If the participant has lost weight, congratulate him or her, but don't go overboard. Stress the fact that he or she must already be making some changes in **behavior**.

If the participant has not lost weight, mention it but stress that little by little as she or he makes behavior changes, the numbers on the scale will change.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. [If this is Session 6, graph activity.]

If this is Session 6:

Were you able to follow your activity plan from last week?

Discuss any barriers and problem solve with the participant. Graph on the How Am I Doing? Graph for activity.

What did you learn by Keeping Track last week? What difficulties did you have? Were you surprised by the amount of fat in some foods?

How did using the Fat Counter go? Did you keep a running total for fat grams? Did you follow your plan to eat less fat? How close did you come to your fat goal?

Refer to the script for the 'Be a Fat Detective" for guidelines on how to review the Keeping Track records.

Discuss how eating less fat fits into the overall context of healthy eating. Introduce the Food Guide Pyramid.

In the past few weeks, we've talked quite a bit about eating less fat. **Eating less fat is essential to losing weight. It's also one important part of healthy eating in general.** Today we're going to talk about some of the *other* parts of healthy eating. We'll look at your overall eating pattern to see how healthy it is and how you might improve it.

What exactly is "healthy" eating?

One part of healthy eating is the way you eat.

- A regular pattern of meals is important. Try to eat 3 meals each day. This will keep you from getting too hungry and losing control.
- Eat slowly. You will digest your food better if you take small bites and chew your food well. Also, you'll be more aware of what you are eating and more aware of when you are full. Try pausing between bites, putting down your utensils, and enjoying the taste of your food and the company who may be present.
- Don't worry about cleaning your plate. The greatest waste of food is to eat more than you want or need. Practice serving yourself smaller portions to begin with.

Another part of healthy eating is what you eat. One way to define what's included in a healthy eating pattern is by using the Food Guide Pyramid. Have you heard of the Food Pyramid? [Tailor the following discussion based on what the participant already knows about the Food Pyramid.]

The Food Pyramid is a **general guide to healthy eating** that's based on the latest findings about nutrition and health.

Turn to the Food Pyramid work sheet and point out the base of the pyramid.

The pyramid image is used because at the bottom is the **foundation**, the largest part of the structure, what the rest of the eating pattern is built on.

The foundation of the Food Pyramid is grains, or the **bread, cereal, rice, and pasta group**. These foods should be the main part of your diet. A healthy eating pattern includes **6 to 11 servings** from this group. A generation ago, many families built their meals around meat: the "meat and potatoes"

eating style. Now we know that most Americans eat too much fat and protein, and much of it comes from big servings of meat.

So in the Food Pyramid, the foundation is not meat, but rather breads, cereals, and other grain foods.

After naming the group and stating the recommended number of servings, ask the participant the following questions for every group except fats, oils, and sweets. As you do so, write on the work sheet a few examples of low-fat choices for each group, including serving size.

If possible, use example foods mentioned by the participant. Keep the discussion simple and tailor it to the individual (use examples that match the participant's eating preferences and ethnic background). A Food Pyramid handout on the next page will provide more details for participants who want them about the types of foods and serving sizes in each group. Ethnic variations are available. Do not review the entire Food Pyramid if it would be overwhelming to the participant.

- 1. What are some low-fat foods that would fit into this group? What do you think would be considered one serving of these foods?
- 2. Can you think of any high-fat foods that would be in this group? These would be the foods for you to avoid.
- 3. For the breads and cereals group: Many people think bread and potatoes and other starchy foods are high in fat, but actually it is the fat added to them in cooking or at the table that makes them high in fat. Potatoes are a good example: plain potatoes are low in fat, but by adding butter or sour cream, they become high in fat.
- 4. For the meats group: Nuts are included in this group (for example, peanut butter). All nuts are very high in fat. And many meats are high in fat, too. Americans tend to eat too much meat. We used to think we needed to eat a lot of meat to get enough protein, but now we know that Americans tend to eat too much protein. The Food Guide Pyramid recommends only two to three servings from the meat group and the portion size for a serving of meat is only 2 to 3 ounces. (Use a food model to illustrate this.) The meats group also includes dried beans. Have you tried dried beans, like kidney beans in chili? Unlike most meats, dried beans are high in protein but low in fat, unless you cook or serve them with added fat.
- 5. For the milk group: Some people have trouble drinking milk because it gives them gas, bloating, and diarrhea. Is that a problem for you? If so, milk products that are lactose-free may help you get rid of these problems.
- 6. The smallest part of the Pyramid is at the top, fats, **sweets**, **and alcohol**. These foods should be eaten **only in small amounts**. In general they don't provide vitamins and minerals, and they are high in calories, "empty" calories. {Remember that fat contains 9calories per gram and alcohol contains 7 calories per gram, compared to carbohydrates and protein at 4 calories per gram. Small

amounts of sweets won't add many calories, but many sweets, like cakes and chocolate, are also high in fat.)

- a. What are some lower-fat alternatives for foods in this group?
- b. What are some of the high-fat foods to avoid?

Have the participant compare his or her eating pattern to the Food Pyramid recommendations.

Let's look at one or two days from your Keeping Track book and compare what you ate to the guidelines given on the Food Pyramid. [Turn to Rate Your Plate page.] Let's start with breakfast and look at how many breads, cereals, rice, and pasta you had.

Move on throughout the day's record, and check off on the Rate Your Plate chart each serving from the food groups. Don't worry about being precise. This is not a self-monitoring record but a general guide to healthy eating. Clarify in simple terms any questions that come up regarding serving sizes.

- Consider one fat serving to be: one teaspoon of butter, margarine, oil, or regular mayonnaise; 1 tablespoon of cream cheese or salad dressing; or 10 peanuts.
- Consider one sweets serving to be: ½ cup of ice cream, 1 small cupcake or piece of cake, or 2 small cookies.
- If the participant drinks alcohol, explain that a) the recommendation is that if you choose to drink alcohol, do so in moderation, and b) alcoholic beverages are high in calories.
- Consider one serving to be one can (12 fluid ounces) of beer (150 calories), one glass (5fluid ounces) of dry wine (115 calories), or 1.5 fluid ounces (one "shot") of liquor (105calories). Mixers, such as tonic or a regular soft drink, add more calories.

Continue with a second day if appropriate.

What could you do to better match the Pyramid?

It looks like you could eat more [vegetables]. Let's think about tomorrow. If you want to eat 3 to 5 servings of vegetables, how could you do it?

Write example food choices and amounts on the work sheet, total the servings, and compare to the goal number of servings. E.g., 2 servings of salad with nonfat salad dressing for lunch, 1cooked vegetable and 1 serving salad with nonfat salad dressing for dinner = 4 servings. **Emphasize the importance of increasing grains, vegetables, and fruit.** It is not necessary to complete the rows for every food group.

Provide more examples of ways to "eat lower-fat foods instead."

Last week we talked about the three ways to eat less fat, one of which is to "eat lower-fat foods instead." The Food Pyramid and "eating lower-fat foods instead" work together. Here are some

examples. [Review the guidelines on the work sheet, highlighting those that are particularly relevant to the participant and reviewing examples from all of the Food Pyramid groups.]

Do you **cook from recipes?** Or does your spouse? What are some examples?

If the participant does a *great deal* of cooking from recipes, review the guidelines on the optional handout, **Build a Better Recipe**, highlighting those that are particularly relevant to the participant. If the participant only uses recipes occasionally, save the optional handout for a later session because this session is so full of information.

If the participant wants help in lowering the fat in a favorite recipe, have the participant bring the recipe to the next session and modify the recipe with the participant at that time.

Don't review recipe substitutions or modifications at all if the participant seldom cooks from recipes.

For some participants, recipe modification may be helpful as a small part of several future sessions, and it may be important to include other family members who cook for the participant. Regardless, remember that this is an early session and don't try to do too much at this point. Demonstrations of low-fat cooking can be done in future sessions during the maintenance phase of the trial.

Assign home activity.

For next week, I want you to:

- Continue to Keep Track of what you eat [if this is Session 6, also assign Keeping Track of activity.]
- For this week only, we're adding one more simple form, the same one we used today to Rate Your Plate. Use the two pages after this one to go over your Keeping Track records and compare what you ate to the Food Pyramid. [Review the instructions on the forms.]

Completing the Keeping Track booklet is much more important than completing the Rate Your Plate form. If the participant seems very reluctant to complete the Rate Your Plate forms, mention that you can complete them together at the next session and that the priority is to Keep Track.

Also, answer these questions before our next meeting:

- Did you make any changes during the week to better match the Food Pyramid? If yes, what were they?
- What problems did you have? How did you solve them?

Any questions?

Session 5: Move Those Muscles

Objectives:

In this session, the participant will:

- Receive the Lifestyle Balance activity goal.
- Discuss why the activity goal is important.
- Discuss current level of physical activity.
- Be encouraged to participate in the Lifestyle Balance activity sessions.
- Identify other activities equivalent to brisk exercise that the participant enjoys.
- Discuss the importance of wearing appropriate clothing.
- Develop an activity plan for the coming week (for most participants, this will be a total for the week
 of 150 minutes of activity) that includes the Lifestyle Balance activity sessions and other moderate
 activities that the participant enjoys.

To Do Before the Session

Get materials ready:

- Keeping Track book.
- Pages for participant notebook.
- Schedule and map for the supervised activity sessions.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities.

Were you able to come to the Lifestyle Balance activity sessions last week? Were you able to do something active on 3 to 4 days during the week?

Be positive and nonjudgmental. Praise all efforts to be more active, no matter how small. If the participant did not attend the sessions and/or did not do at least some activity during the week, ask, "Tell me a little about that." Do your best to uncover some of the barriers that prevented the participant from attending or being active without making him or her defensive. Problem solve with the participant to address any barriers. Stress again the important reasons for attending the activity sessions, particularly at the beginning of the study, and for taking steps to be active to some degree on a regular basis.

If this is Session 5 (the last session was "Healthy Eating"):

How did Keeping Track go last week? Did you "Rate Your Plate?" Did you make any changes during the week to better match the Food Pyramid? If yes, what were they? What problems did you have? How did you solve them?

Review and comment on the participant's self-monitoring records. If the participant did not complete the "Rate Your Plate" form, complete the form for one or two days with the participant. Praise all improvements, no matter how small. Problem solve with the participant to address any barriers.

Weigh the participant and graph.

Introduce the Lifestyle Balance activity goal.

So far you've focused on losing weight through healthy eating. This week and next week we'll focus on the other goal of the Lifestyle Balance program: being more active.

The Lifestyle Balance activity goal is to **do a total of 2-1/2 hours of physical activity each week.** This will burn about **700 calories per week**.

Assess participant's current level of activity.

Now, before we can make an activity plan for you, I need to know **how active you are now.**

The purpose of the following discussion is to get a general idea of how active the participant is and to get the participant talking about his or her personal preferences and experiences with physical activity. Record the participant's answers on the work sheet, and make notations of pertinent details in the participant's progress notes so that you will be able to understand the situations (cues) that promote or derail a participant's physical activity. For example, if a participant has been able to exercise regularly in the past, primarily by doing it at lunch with a coworker, then this valuable piece of information can be highlighted from the start and the participant can be helped to arrange his/her environment accordingly.

- Do you do any kind of regular physical activity that lasts at least 10-15minutes? (Examples: work out at a health club, etc.) Where do you do these activities? With whom?
- How many times each week do you do these activities? And when you do, for how long are you usually active?
- Have you done any activities in the past that you no longer do? Why did you stop? Have you thought about starting to do them again?

If the participant names one or more activities, use them as a starting point when planning for next week.

What do you like or dislike about being active or being inactive? (Record.)

Provide the rationale for the activity goal.

I want to be sure you understand why being more active is so important. Being more active will:

Help you feel and look better. Being active can:

- Improve your mood,
- Counter depression and anxiety,
- Give you more energy,
- Help reduce stress,
- Be a way to meet new friends,
- Help you sleep better,
- Improve your self-esteem (help you to feel better about yourself in general),
- Improve your muscle tone and body measurements.

Many people report that they simply **feel good** when they're more active, and they really miss it if they've been active for a while and then stop.

- Regular physical activity will make you more physically fit. It will:
 - Strengthen your heart, lungs, bones and muscles,
 - Make your joints more flexible,
 - Reduce pain and injuries.
 - Make it easier for you to do your daily work, like carrying groceries,
 - Make it easier for you to play with your children or grandchildren.
 - Help you lose weight and keep it off.
 - Research has shown that the best way to lose weight is to eat a healthy diet and be more active. A combination of both is also the best way to keep weight off.

In addition to helping you lose weight, be more fit, and feel better in general,

Physical activity will lower your risk for heart disease, some kinds of cancer, and may help prevent diabetes.

Being more active:

- Raises HDL cholesterol (the good cholesterol),
- Lowers triglycerides, and
- Lowers blood pressure if it is elevated.
- Being more active also lowers blood sugar by making the body more sensitive to insulin. This
 reduces the risk of diabetes.

Describe the Lifestyle Balance activity sessions.

It's not easy to start being more active. We are here to help. Some things that can help you are to:

Come to the Lifestyle Balance activity sessions!

List other activities that the participant enjoys that can be counted toward the activity goal.

It will also help if you plan activities you LIKE to do.

After all, the point is to make physical activity a regular part of your lifestyle, and that will never happen unless you enjoy the activities you do. Exercise should be intense **enough to breathe** heavier than usual and to consider that you are working hard, but not so fast that you can't carry on a conversation or have trouble breathing.)

Many kinds of activity are good,. What other activities might you like to do?

Write on the work sheet **only the activities the participant should count toward the activity goal,** that is, those that are equivalent to brisk exercise, as indicated in the Lifestyle Intervention.

<u>Manual of Operations</u>. Don't review the list of activities in the Manual of Operations with participants, but use it as your own reference only.

From time to time, the activities you like may change. Just let me know, and we can make changes to this list.

Develop an activity plan for the coming week.

Now let's make a plan for next week.

During the week I want you to be active for.

Fill in the blank on the work sheet with the total number of minutes of activity per week (for most participants, this should be **60 minutes**).

For example, you could do xx minutes of activity on 3 different days of the week. We'll gradually increase this over the next three weeks until you're up to 2 ½ hours of new activity per week.

- Include a friend or family member if you would like. Some people like to be active alone, as a time to do something special for themselves. But many people find it helpful to be active with someone else. Is there anyone you would like to invite to exercise with you?
- Include the Lifestyle Balance activity sessions.
- And remember to plan activities you LIKE to do.

Okay. Let's write down the activities you will do on which days of the week. How many minutes will you do them? It should be for at least 10 minutes.

Also, keep track of your physical activity every day [or, if this is Session 5, keep track of your weight, eating, and activity]. Use your Keeping Track books. Keeping track will help us both to know how you are doing from week to week.

Show the participant where in the Keeping Track book to self-monitor activity. If this is Session 2, you have already shown the participant how and where to self-monitor activity, so the following will be somewhat redundant.

Write down what the activity was and how long you did it. Also, if you're exercising and know the distance in miles, write that down too if you want to. Use one line for each time you're active, even if it's the same kind of activity. For example, if you go around the block at 8:00 in the morning and again at 7:00 in the evening, write both down separately.

It's also important to **record only the amount of time you were actually** *doing* **the activity.** By that I mean don't include the time when you may have been taking a short break. For example, if you exercised and after 10 minutes you ran into a friend and stopped to talk for 5 minutes before exercising for 10 more minutes, you should only write down 20 minutes of exercise, not 25 minutes. The same is true for when you go swimming. If you are in the water for 60 minutes but only swim laps for 10 of those minutes, then you were only active for 10 minutes and that is what you should write in your Keeping Track.

Session 6: Being Active: A Way of Life

The script for this session is written as if the participant has been relatively sedentary before this time. Use your judgment to change your presentation of the session for those participants who have already been fairly active.

Objectives:

In this session, the participant will:

- Begin to graph activity.
- Discuss time as a barrier to activity.
- Learn two different ways to find the time to be active.
- Discuss lifestyle activity.
- Discuss ways to prevent injury and receive handouts on how to do some simple stretches and when to stop exercising.
- Develop an activity plan for the coming week (for most participants, this will be a weekly total of 90 minutes).

To Do Before the Session

Get materials ready:

- Keeping Track book.
- Pages for participant notebook, including individualized How Am I Doing? graph for activity.

Weigh the participant. Graph the weight in the participant's notebook.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities.

Last week we made a plan for your physical activity. How did it go?

Review the participant's Keeping Track records for activity. Praise any physical activity that was done, whether or not the participant reached his or her weekly goal.

If this is Session 6: Also review the participant's dietary self-monitoring and progress toward fat and/or calorie goals and weight loss.

Did you attend any of the activity sessions?

Emphasize again the importance of these sessions, especially at the beginning of the program. If the participant did not attend, try to uncover and address anything that got in the way.

Did you have any trouble Keeping Track of your activity? [If "yes," review.]

Graph participant's activity.

Every week we'll **mark your activity on this graph** [show the participant the How Am I Doing? graph for activity]. We'll use the graph to see your progress over time and how you are doing compared to your activity goals.

Mark the participant's recorded activity from last week on the graph, or if possible, have the participant do so.

Discuss barriers to activity.

It's important that we try to **solve any problems you're having following your activity plan.** Let's take last week. Did anything get in the way of your plan for activity?

Discuss whatever problems the participant brings up and brainstorm possible solutions. Consider any additional difficulties, such as upcoming cold weather, that the participant may face in the next few weeks and make plans to cope with these. Keep the examples relevant to the present or very near future. Examples:

Problem: Children.

Solution(s): Get a baby sitter or other family member to watch them.

Include the children in the activity (e.g., going for a exercise).

Problem: Hot weather.

Solution(s): Exercise early or late in the day when it is cooler.

Exercise indoors

Problem: Cold weather or rain.
Solution(s): Wear appropriate clothing.

Optional participant handouts are available on various barriers to activity, such as cold or hot weather. Give the participant only those that are relevant at this time.

Discuss time as a barrier.

One of the most common problems is lack of time. Everyone's busy these days.

But you can find the time to be active.

Here are two different ways.

Set aside one block of time for planned activity every day.
Make being active a predictable part of your daily routine, like taking a shower may be a predictable part of your morning.

Use an example that is particularly relevant to the participant's lifestyle. For example, businesspeople may relate to an example of making a "standing appointment" for physical activity. Mothers may relate to an example of planning time to read a bedtime story every night to a child.

When can you set aside 20 to30 minutes to do an activity you like? Are you a morning person? Or would you enjoy getting out for exercise during lunch? How about after dinner? [Complete the work sheet.]

Some people can't find one big block of time to be active. Either their schedules vary a lot from day to day, or they're so busy that there isn't a 20-30 minute period that's free on most days. For some people, this might be the case during certain seasons of the year, for example, during the fall when after-school schedules begin to get hectic for their kids.

In these situations, it's usually easier to use a different approach.

Be on the lookout during the day for 10 to 15 minutes of free time. Use the time to be active. For example, you might be able to take a 10-minute break between meetings at work and go for exercise. Then later, take another 10-minutes to exercise after lunch. In the evening, take 10-minute exercise before you pick your son up from soccer practice. By the end of the day you've done 30 minutes of activity.

In a way, you really can't "plan" for these times, but you can think ahead about when to be on the lookout for them. Or seize the moment! Sometimes all the best planning in the world falls apart. There's still the "spontaneous approach." On some days you might look at the work or housekeeping you have ahead of you and realize, "I'm not going to finish all of this today, no matter what I do." So plan your exercise and JUST GO!

Can you think of any times during the day when you have 10 or 15 free minutes? [Complete work sheet.]

Discuss lifestyle activity.

We've been talking about the kind of activity you will be recording in your Keeping Track books, whether you do it in one block of time or at several times during the day. Another important kind of activity is called "lifestyle activity." It involves making active choices throughout the day. It's hard to record this kind of activity, so we aren't asking you to write it down in your Keeping Track books. But it is just as important as what you do record.

An example of an inactive choice is when you shop, park your car as close as you can to the entrance to the store. An active choice is to park your car further away and wheel. This may only take a minute or so to do, but every minute of activity has an impact on your overall health and it adds up to a "more active you."

Our parents, and especially our grandparents, didn't have a choice about being active throughout the day. They were active because they had to be. There weren't elevators in every building. They had no car or only one car for the entire family. They had no phone or only one phone and so they ran up or down the stairs to answer it. They did the dishes and laundry by hand. It was simply their way of life. By contrast, most of us now have so many conveniences that our lives are almost guaranteed to be inactive unless we **consciously make active choices.**

What are some active choices you could make during the day? What are some inactive choices you could limit?

Add examples to the chart. Possibilities include:

- Wheel to a nearby store rather than driving.
- Go for a 2-minute exercise session during TV commercials (especially food commercials!).
- Do stretching exercises while watching TV.

Turn inactive time into active time.

Many people say they have no time exercise but they watch several hours of television in the evening. **Try cutting your TV time in half and turn it into exercise time.** Or be active while you watch TV. Lift weights, or exercise with your arms.

At first, you may think of exercise as a way to relax after along day. But when you get used to it, you'll discover that exercise is a great way to relax and unwind, and you may feel much more rested and refreshed than you would have had you spent that time on the couch in front of the TV.

Discuss ways to prevent injury and give the participant some handouts on simple stretches and when to stop exercising.

Build up your activity slowly. Start and end each session slowly. Exercise at a less intense pace is
a fine way to warm up and cool down. If you want, you can also do some simple stretches like
those on these handouts.

These handouts also tell you what to do if you get a cramp or a muscle strain or pull and when to stop exercising. So look the handouts over at home and we can discuss any questions you have at the next session.

Note: Don't review these handouts during the session. Most participants will simply be wheeling as their form of physical activity, so it is not necessary to emphasize stretching. Just suggest that they start and end their exercise at a slower pace. For those participants who begin doing more intense activity later on, review these handouts at that time.

If a participant starts doing stretches, make sure they do not include stretching time in their 21/2-hour goal.

Develop an activity plan for the week.

Now let's make an activity plan for next week.

• The goal is to do a little more than last week, for a weekly total of. [Fill in the blank on the worksheet. For most participants the goal will be **90 minutes** of activity per week.]

Try setting aside one block of time, or plan to use several 10-15 minute periods during the day. Include the activity sessions, and be sure to plan activities you LIKE to do. [Complete the chart.]

 Also, keep track of your physical activity every day. [If this is Session 6, assign weight and dietary self-monitoring also.]

Record only the time when you are **doing** the activity. (That is, don't include breaks.) And **don't** record activities that last less than 10 minutes. [Give the participant a Keeping Track book.]

Include lifestyle activity throughout the day. You won't record this, but it is still very important. What active choices do you plan to make during the week?[Record on the blank line.]

Next week we'll talk about the lifestyle activity you did.

Any questions?

Session 7: Tip the Calorie Balance

Objectives:

In this session, the participant will:

- Discuss how healthy eating and being active are related in terms of calorie balance.
- Discuss how calorie balance relates to weight loss.
- Review the participant's progress so far in terms of a) changes made in fat/calorie intake and activity, and b) weight change. Discuss how this relates to calorie balance.
- Develop an activity plan for the coming week.
- If weight loss is less than what is expected, make a plan for the coming week to either self-monitor calories or follow a low-calorie meal plan, or both.

To Do Before the Session

Review some of the participant's past Keeping Track records. Make brief notes of some of the positive changes the participant has made to eat less fat and be more active.

For participants who have not lost weight as expected or have gained weight:

Determine the participant's daily calorie goal (refer to the Manual of Operations).

Make sure the participant's How Am I Doing? graphs for weight and activity are up to date.

Have materials ready:

- Keeping Track book.
- Pages for participant notebook.
- Meal plans appropriate for the participant's calorie goal. Tailor to the participant's food preferences as much as possible before the session.

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity? (Graph activity.)

If this is Session 8 (the last session was "Take Charge of What's Around You"):

Were you able to get rid of the problem food cue and add the positive cue for being more active? What problems did you have? What could you do differently next week?

If this is Session 7 (the last session was "Being Active: A Way of Life"):

Were you able to make the active lifestyle choices you had planned?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Explain how healthy eating and being active are related in terms of calorie balance.

Everything we've covered so far fits together. It fits together because of what's called the "calorie balance." That's what we'll talk about today.

We've said many times that the Lifestyle Balance Program involves **two kinds of lifestyle changes:**

- 1. Healthy eating. This includes eating less fat and more grains, vegetables, and fruits, and
- 2. Being active.

These changes are important in and of themselves. They may prevent diabetes and lower your risk of other diseases. They are also important because they're **both related to weight loss** and that's because of what's called **"calorie balance."**

Calorie balance is the balance between the calories (or energy) you take in by eating and the calories (or energy) you use up by being active.

When you eat **food**, you take in calories or energy.

- Calories in food come from fat, carbohydrates (starches, sugar), protein, or alcohol. Other
 ingredients in food, like vitamins, minerals, and fiber, don't have calories. (For example, green
 leafy vegetables are mostly vitamins, minerals, and fiber--and they have very few calories).
- The number of calories in any food you eat depends on what's in that food. Fat is the most concentrated in calories, with 9 calories per gram. That's more than twice the number of calories in starches, sugars, or proteins, and even more than alcohol. So foods that are high in fat are high in calories. That's one important reason why our emphasis has been on eating less fat.

For example, many people think of meats as being "pure protein" but actually most meats contain protein plus a lot of fat, which is where most of the calories in meats come from.

Calories also measure the energy you **use up**.

- You use calories for just staying alive (like breathing) and by any activity you do.
- The number of calories you use in a certain activity depends on several things, including the type of activity, the amount of time you are active, and how much you weigh (basically, the amount of energy used is determined by the amount of weight carried and the distance over which you carry it. When you wheel for a distance of a mile, for example, you are carrying a lot of weight (your body) over a long distance (1 mile).

If the participant is doing a different type of planned activity, check with the exercise physiologist on staff to convert minutes or distance into calories.

Explain how calorie balance is related to weight loss.

Your weight is determined by the balance between food (calories in) and activity (calories out).

Let's look at four ways the calorie balance can work.

- 1. Your weight can **stay the same**. In this case, "calories in" from food equal "calories out" from activity. Food and activity are at about the same level on both sides of the scale.
- 2. Second, you can **gain weight**. In this case, "calories in" from food are higher than "calories out" from activity. Either calories have increased or activity has decreased or both. The balance has tipped this way [indicate direction of balance].
- 3. Third, you can **lose weight.** "Calories in" from food are lighter than "calories out" from activity. You've eaten less food (by less I mean fewer calories, not less in volume--remember, we said early in the program that you can actually eat more food for the same number of calories by eating lower-fat foods), or you've done more activity, or both. The best way to lose weight is to do **both** at the same time and **really tip the balance** this way [indicate direction].
- 4. And finally, you can reach a **new balance at a new weight.** You have developed new food habits and new activity habits and they are balanced again. This is what happens when you lose weight and keep it off. You've reached a new balance over time.

The important thing to **remember** is that:

- Food and activity work together to determine how much you weigh.
- To lose weight, it's best to eat less and be more active. That way, you are changing both sides of the energy balance at once. By TIPPING the balance, you can lose the weight you want.
- Then, over time, you can reach a new balance at a new, lower weight. We will help you to make the changes part of your lifestyle, so you will keep the weight off.

Explain calorie requirements for weight loss.

How much do you need to tip the balance in order to lose weight?

The number of calories you need to eat, or the amount of activity you need to do, varies from person to person. But in general, there is a formula we can use. It's based on two facts:

- 1 pound of body fat stores about 3,500 calories, and
- Slow, steady weight loss (1 to 2 pounds or so a week) is the best way to lose body fat. (Quick losses of large amounts of weight can mean that water or muscle are being lost rather than fat, and that's unhealthy.)

So to lose 1 pound in a week, you need to tip your energy balance by 3,500 calories in the week. Or 500 calories each day for 7 days. Or to lose 1-1/2 pounds in a week, you need to tip your energy balance by 5,250 calories in the week. Or 750 calories each day for 7 days. For a 2-pound weight loss per week, you need to tip the balance by 7,000 calories in the week, or 1,000 per day.

Again, for weight loss, the best way to tip the balance is to change both food **and** activity.

Review the participant's progress so far in terms of a) changes made in fat/calorie intake and activity, and b) weight change. Discuss how this relates to calorie balance.

Now let's take a minute to review some of the **changes you've made so far** on both sides of the balance.

 First, what changes have you made to be more active? We've talked about increasing both planned activity, the kind you've been recording in your Keeping Track books, and lifestyle activity, like taking the stairs instead of an elevator.

Briefly record on the work sheet some of the changes made by the participant. Praise and encourage the maintenance of these changes.

What changes have you made to eat less fat (and fewer calories)? We've focused on eating less fat because fat is the most concentrated source of calories.

Briefly record on the work sheet some of the changes made by the participant. Praise and encourage the maintenance of these changes.

Have these changes tipped the calorie balance?

The answer is in how the scale has responded.

- At the start of the Lifestyle Balance program, you weighed ... (refer to the How Am I Doing? graph for weight at randomization visit and record that weight on the work-sheet
- Your weight now is... (record on work sheet).

• And we expected your weight by this time would be ... (record the weight indicated on the graph by the expected weight loss line at this week).

So you have ...

Check one of the three boxes on the work sheet. Be as positive as possible, stressing the accomplishments the participant has made so far, no matter how small, and express your confidence in the participant's future success.

- Stayed at the same weight, or gained weight.
 - To lose weight, you need to try something else to tip the calorie balance. We'll work together to find out what will work better for you.
- Lost some weight, but not as much as expected.
 - Good. You've made some progress.
 - To lose more weight, you need to try something else to tip the calorie balance *further*.
- Lost as much weight as expected (or more).
 - Great! You've tipped the calorie balance.
 - If you keep tipping the balance, you will keep losing weight.

Develop an activity plan for the coming week.

For next week:

Continue to keep track of your weight, eating, and activity.
 Be active for

Fill in the blank on the work sheet, depending on how active the participant has been until this point. For most participants, *if this is Session 8,* the goal should be **150 minutes** per week; *if this is Session 7,* the goal should be **120 minutes** per week.

By doing more activity, you will use more calories.

As before, try setting aside one block of time each day, or look for 10 to 15 minutes that open up during the day and use them to be active. Include the Lifestyle Balance activity sessions. And plan other activities you LIKE to do. [Complete the chart.]

• Make active lifestyle choices throughout the day. As we've said before, every minute of activity is helpful. So keep moving as much as you can.
What are some of the active choices you plan to make this week? [Fill in the blank.]

If weight loss has not been as expected, make a plan for the coming week to either self-monitor calories or follow a low-calorie meal plan, or both.

The following is a requirement for participants who have not lost as much weight as expected. It is an option for successful participants who want to lose more weight or express an interest in learning more about the calorie content of foods.

- And to tip the calorie balance further, one of two things will be helpful:
 - Keep track of calories every day, just like you've done for fat grams.

Sometimes it isn't enough to just look at fat grams. You may be eating some foods that are relatively low in fat but still high in calories. (For example, many of the new fat-free frozen desserts and cookies are just as high (or higher) in calories than the original versions because of added sugar.) Or you may be eating large enough portions of some foods that the calories are adding up. By keeping track of calories, you'll learn which foods are higher in calories and find ways to save calories. So this week, we want you to look up the calories in every food you eat, just like you've been looking up the fat grams.

Try to stay under calories each day. You should lose weight if you eat that number of calories. Also,

- Watch out for the foods that are high in calories.
- Be sure to record everything.
- And watch portion sizes.

Or it might be most helpful for you to:

Follow a meal plan for calories per day.

A meal plan is a model or good example of what to eat. A meal plan will:

- Show you exactly what foods and amounts to eat. You won't be faced with a lot of decisions and temptations about food.
- A meal plan will also **make it easier for you to record what you eat.** In fact, if you follow the meal plan *exactly*, you won't need to record anything.

Which do you think would be most helpful, keeping track of calories or following a meal plan? Or would you like to try both?

Check the box or boxes on the work sheet.

If applicable, give the participant the appropriate meal plans. Tailor the meal plan to suit the participant's food preferences, and answer any questions or concerns the participant has regarding following the meal plans as closely as possible for the coming week. Present the meal plan as a flexible model from which the participant can develop an individualized eating style, rather than as

- a rigid prescription. (See How to Use the Lifestyle Balance Meal Plans for further information on how to introduce the meal plans to participants.)
- With some participants, you may need to practice calorie monitoring using an example and/or briefly double-check and correct portion estimation skills using food models.

For the rest of the study, we'll keep working together to bring you closer to your weight loss and activity goals. **We'll keep trying to tip the calorie balance and see how the scales respond.**Over time, you'll reach a new balance at your goal weight and then we'll work together to help you maintain that weight.

Note: The following explanation is for only those participants who express interest in how their calorie goal has been calculated. Do not give this text to participants.

Question: How did you determine the number of calories I should be eating to lose weight?

Answer: The number of calories you need for weight loss depends on many things, including how active you are, how old you are, and so on. But we can make a good guess and then see how the scale responds. We like to begin by estimating what you are when you entered the

program.

1. Estimate of what you ate when you started:

Starting weight x 12 = calories/day (estimate)

- 2. A slow, steady weight loss of 1 to 2 pounds per week is the best goal.
- To lose 1 pound, you must eat 3,500 calories less. If you want to lose 1 pound in 1week, you would need to eat 500 fewer calories each day for 7 days.
- To lose 2 pounds, you must eat 7,000 calories less. If you want to lose 2 pounds in1 week, you would need to eat 1,000 fewer calories each day for 7 days.

We recommend that heavier people aim to lose 2 pounds per week, and that thinner people lose 1 pound per week. No one should eat fewer than 1,000 calories/day.

3.	Estimated calories at start: calories/day for maintenance
To I	ose 1 pound per week, subtract 500 to get calories/day.
To I	ose 2 pounds per week, subtract 1000 to get calories/day.

So you	ır daily	calorie go	al for weight loss	s is
--------	----------	------------	--------------------	------

Session 8: Take Charge of What's Around You

Objectives:

In this session, the participant will:

- Learn about food and activity cues and ways to change them.
- Mentally search the participant's home, work place, and where the participant shops forfood, looking for problem food cues and discussing ways to change them.
- Learn ways to add positive cues for activity and get rid of cues for inactivity.
- Develop an activity plan for the coming week (150 minutes per week).

To Do Before the Session:

Get materials ready:

- Keeping Track book.
- Pages for participant notebook.
- Optional handouts that may be appropriate for specific participants (for example, the "Am I Really Hungry?" sign to post on the refrigerator door).

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity? (Graph activity.)

Did you "Rate Your Plate?" Did you make any changes during the week to improve the way you eat (eat more slowly, follow a regular pattern of meals/snacks)? Did you make any changes to better match the Food Pyramid? If yes, what were they? What problems did you have? How did you solve them?

If the participant did not complete the "Rate Your Plate" form, complete the form for one or two days with the participant.

Were you able to make the active lifestyle choices you had planned? Keep track of calories and stay under your calorie goal and/or follow the meal plan (*if applicable*)? Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Introduce the concept of eating and activity cues.

Today we're going to talk about **taking charge of what's around you**, or **how to make what's around you support your Lifestyle Balance goals** to lose weight by healthy eating and to be more active.

First, we'll talk about cues for eating, and later, go on to activity cues.

What "cues" you (or makes you want) to eat?

- Of course, one reason we eat is because of hunger. But what about those times when you have an "appetite" or desire to eat without physically being hungry?
- You might eat because of what you're thinking or feeling. For example, you might eat some ice cream because you feel lonely, bored, or happy.
- You might eat because of what other people say and do. You might eat chips at a party because a friend offers them to you.
- Or you might eat because of the sight or smell of food, or
- Certain activities that make you think about food (like watching TV or reading magazines). This
 is what we'll focus on today. In later meetings we'll talk about eating in response to thoughts,
 feelings, or what other people say and do.

The **sight of food** is one of the most powerful food cues. For example, you may see a carton of ice cream in the freezer and soon you'll be eating ice cream, even though you're not hungry. The **activity of watching TV** is also a powerful food cue for many people. You may turn on the TV and find yourself eating potato chips, even though you're not hungry.

Another example is **eating popcorn at the movies**. Do you eat popcorn when you go to the movies?

If not, probe for another example that is relevant for the participant, such as eating hot dogs at a sporting event or buying cookies after passing a bakery. Use the example in the discussions that follow.

Why do you eat popcorn in that situation? Do you think it's because you're hungry? Most likely, it's because eating popcorn at the movies is a **habit** for you.

When you respond to a food cue in the same way over and over again, you build a habit. The food cue becomes paired with the way you respond, and your response becomes more and more automatic.

Let's say that since childhood, you've gone to the movies many, many times, and you've eaten many boxes of popcorn there. Now you find yourself eating popcorn whenever you go to the movies, even though you're not hungry. You responded to the cue (going to the movies) in the

same way (buying popcorn), over and over again. Buying popcorn became a habit. And since it's a habit, it may be hard for you to sit through a movie and not have popcorn.

Food cues and eating habits are not harmful by themselves. But they can be a problem if they get in the way of your efforts to eat less fat and calories.

Discuss two ways to change problem food cues and habits.

How can you change problem food cues and habits?

- 1. One of the best things you can do is to stay away from the food cue. Or keep it out of sight. For example, you may not be willing to stop going to the movies, but you can stay away from the concession stand. If you keep going to the movies and don't let yourself have popcorn, slowly you will stop thinking about popcorn. The connection between the movies and the popcorn will have been broken.
- 2. Or you can build a new, healthier habit. Practice responding to the cue in a healthier way. An excellent way to support yourself as you do this is to add a new cue that helps you lead a healthier life. For example, you might take a package of sugar-free gum with you when you go to the movies. When you enter the theater, take out a piece of gum. After a while, you will connect going to the movies with chewing gum.

It's important to remember that **it takes time to break an old habit or build a new one.** Change doesn't happen overnight. If you wanted to stop eating popcorn at the movies, you would need to see a lot of movies without popcorn. Eventually, you will enjoy the movie and forget about the popcorn.

Note: Some participants will find it hard to accept the idea that cues in the environment make them want to eat certain things. Try to find some ways (for example, as in the bullets below) to show the participant that there are many food cues around us all the time and that this phenomenon is so common that we are usually unaware of how powerful it is.

These ideas are powerful, and they work. Also, they're nothing new. People use them every day, sometimes very consciously and sometimes without even thinking about it. Some examples:

- Food companies deliver samples of new breakfast cereals right to your door by mail. They know that if they can get the food into your house, you'll eat it.
- For generations, mothers have put leftover snacks in the front of the refrigerator so their teenagers are more likely to eat them before the foods spoil.
- Supermarkets put new products on the shelves that are the easiest to see and reach.

In this session, we want to help you learn to make changes in what's around you to encourage healthy eating and being more active.

Identify specific food cues at home that are a problem for the participant. Discuss ways to change them.

Let's talk about some of the problem food cues in your life and some ways you can change them.

Note: A few common food cues are listed at the top of the second work sheet. Do not turn to this yet.

Let's start with **where you live.** Imagine that we've just opened the front door. We have a video camera, and we start taking a video of what's in the room. Which room would it be? Do you see any actual food in the room? Do you see anything else that might make you think about eating, like a TV or a comfortable chair? What is a change you could make to stay away from that cue or to build a new, healthier habit?

Move from room to room ("Are there other rooms that are a problem for you?"), asking for cues and discussing possible ways to either stay away from the cue or to build a new, healthier habit. If the participant has no response, refer to previous Keeping Track records and/or turn the page in the participant's notebook to the list of common problem food cues and ask if one or two of the examples apply to the participant (possible solutions are given below). Don't give too many examples. Some will undoubtedly come up at future sessions and can be addressed in detail at that time. The purpose of discussing specific examples is to make the "remember" points that follow of relevance to the participant.

Living room (or bedroom)

Cue: TV (or computer, telephone).

Solution(s): One way to break the connection between eating and the TV is to make it a rule

never eat while watching TV (or on the computer or phone).

Keep an exercise band near the TV.

Keep a pack of sugar-free gum near the TV (or computer). Allow yourself only gum while

watching TV (or working on the computer).

Cue: Candy dishes (for serving candy, chips, and nuts) on an end table.

Solution(s): Don't buy the candy, chips, or nuts.

If you must buy these foods, hide them. Keep them out of sight.

Kitchen

Cue: High-fat/calorie foods, **especially those that are ready to eat**. In the freezer (e.g.

ice cream), refrigerator (e.g., cheese, lunch meats, whole milk, pie), kitchen

cupboards (e.g., cookies, chips), or on counter tops (e.g., cookie jar, food

packages).

Solution(s): Stop buying these foods altogether.

Store them out of sight, in a brown bag or other unattractive, opaque container.

Make them hard to reach.

Keep lower-fat/calorie choices easy to reach, in sight, and ready to eat.

Examples: Fresh fruits, raw vegetables (already washed and prepared), non fat dips,

pretzels, low-fat popcorn, diet drinks.

Limit high-fat/calorie choices to those that require preparation.

Cue: Foods you are cooking or leftovers, on the stove or counter.

Solution(s): Make it a rule not to eat while cooking.

Taste foods only once, then rinse your mouth with water or a breath mint immediately.

Rinse off any utensils used in food preparation immediately after each use.

Ask someone else to taste the food. Put leftovers away **before** meals.

Ask someone else to put the leftovers away.

Put leftovers in individual serving containers right away, and freeze them for future meals.

Dinner Table

Cue: Serving dishes or packages of food on the table during meals.

Solution: Serve foods from the kitchen.

Store food only in the kitchen. Put packages away immediately after use.

Cue: Large dinner plates (or large glasses, bowls, serving spoons and forks).

Solution(s): Serve yourself small portions using a smaller plate or bowl. Or ask someone who is

supportive to do so. Spread the food attractively over the plate.

Cue: Leftovers on plates.

Solution(s): Remove your plate from the table as soon as you're finished.

Don't eat the food that your children leave on their plates.

Identify specific food cues at work that are a problem for the participant. Discuss ways to change them.

Let's do the same thing with **where you work.** Are there any things on your way to work, around you at work, or on your way home that have become paired with eating high-fat/calorie foods?

Cue: Fast-food restaurant (or bakery, hot dog stand, candy store, etc.) on the way to or from

work.

Solution(s): Take a different way to work.

Make it a rule to never eat in the car.

Cue: High-fat/calorie foods in public areas (doughnuts or high-fat coffee creamers near the

coffee pot, candy on secretary's desk, etc.).

Solution(s): Stay away from those areas.

Buy or make your own coffee in a different place. Bring a low-fat/calorie snack to share with co-workers.

See if there's a way to keep these foods out of sight (other co-workers may appreciate it,

too).

Cue: High-fat/calorie foods on your desk, in your desk drawer, or in your locker.

Solution(s): Don't bring high-fat/calorie foods to work. Keep low-fat/calorie snacks like apples, raw

carrots, pretzels, low-fat popcorn, or diet beverages on hand instead.

Make it a rule not to eat at your desk.

Cue: Vending machines.

Solution(s): Stay away from the vending machines.

Bring a low-fat/calorie snack from home. Or buy juice or pretzels, if available in the machine. Ask a friend to go get them for you, so you won't be tempted by the other

foods.

The important thing to **remember**, whether you are at home or at work, is:

1. Keep high-fat/calorie foods out of your house and work place. Or keep them out of sight. Out of sight is out of mind.

Keep lower-fat/calorie choices easy to reach, in sight, and ready to eat.

Examples: Fresh fruits, raw vegetables (already washed and prepared), non fat dips, pretzels, low-fat popcorn, diet drinks.

Limit your eating to one place. Where do you eat most of your meals at home? Limit all eating to this place. When you are hungry, go to this place to eat. This will help you to distinguish between hunger and other cues to eat.

At work, a particular table in the cafeteria or kitchen area may be a good choice. Do not eat at your desk or computer. This is an open invitation to become distracted from eating.

3. When you eat, limit other activities. The rule is simple: No TV, driving, or talking on the phone while you are eating. Focus on enjoying the meal. In the future, these other activities will not cue you to eat.

Identify specific food cues while shopping for food that are a problem for the participant. Discuss ways to change them.

Finally, let's take the video camera to **where you shop for food.** Move around the store as you usually do. What do you see that's a problem for you?

You don't have as much control over what foods are in the grocery store as you do over what foods are in your house. But you do have some control. Here are some tips:

- Make a shopping list ahead of time. Make it a rule not to buy anything that's not on the list.
- Don't go shopping when you're hungry. Have a low-fat/calorie meal or snack first.
- Avoid sections in the store that are tempting to you, if possible. For example, go down a different aisle to avoid the bakery.
- Ask the grocery store manager to order low-fat/calorie foods that you want to buy. Remember, that is their business, to please you, the customer.
- Don't be a slave to coupons. Only use the coupons that are for low-fat/calorie foods, not for high-fat foods.

Identify specific positive cues for activity that the participant could add to his or her home.

Now let's turn to **physical activity.** For most people, there are many things around them that lead to being inactive. For example, after dinner, you may automatically position yourself in front of the TV. This is because the end of dinner and TV have been paired together many times in the past. But remember, you do have a choice. You could just as easily choose to exercise after dinner.

If you have been inactive, you probably have many cues around you that are associated with inactivity and few that would cue you to be active. To be active regularly, it's important to add positive activity cues to your life. Over time, the cues will become paired with being active, and you will develop new activity habits that will become more and more automatic.

What are some positive activity cues that you could add to your life? Let's pick up our imaginary video again, and start with where you live. What could you add to the living room that would prompt you to be active?

Move from **room to room**. Mention a few examples from the handout and add some that are particularly relevant to the participant.

In the living room or bedroom:

- Keep exercise equipment in sight, not in the closet.
- Hang an activity calendar and graph of your activity in a visible place.
- Keep an exercise band near the TV. (Why not make TV a positive cue?)
- Hang a photo or poster of people being active or of outdoor scenes in a visible place.
- Subscribe to a health or exercise magazine. Keep it in a visible place.
- Buy a home exercise video and leave it on the coffee table or on the TV.
- Put a note on the TV reminding you that a half hour of TV time could be used for exercise instead.

In the kitchen:

Post motivational photos, outdoor scenes, or reminders to be active on the refrigerator.

In the bathroom:

Post a reminder on the mirror before breakfast.

Identify positive cues for activity that the participant could add to his or her work place.

What are some positive activity cues that you could add to your work place? Let's pick up our imaginary video again. [Mention a few examples from the handout and add some that are particularly relevant to the participant.]

- Put your exercise band in a visible place in your office.
- Put a note on your office door reminding yourself to exercise during your lunch break before eating.
- Set an alarm on your watch to remind you to exercise.
- Make a regular, daily appointment with yourself to be active. Write it in your date book. Keep your appointments with yourself--they are as important as your other appointments.
 - Emphasize two cues that can prompt activity either at home or work.
- Set up a **regular "date" to be active with a friend or family member.** When she or he arrives at 7:00 for exercise, you'll probably go even if you don't feel very energetic.
- Use a timer or alarm on your watch to remind you to be active.

Discuss some ways to remove cues for inactivity.

Another approach is to remove the cues for being inactive.

- Watch less TV. Keep the TV behind closed doors in a cabinet. Or get rid of your TV. Or be active
 while you watch TV (for example, use your exercise band or system).
- **Don't leave things in a pile around the house.** They remind you to keep leaving more things there, rather than putting them away. Take separate trips to put them away instead.

In summary, it takes time to break old habits and build new, healthier ones, but it can be done. One of the most important steps you can take is to get rid of problem cues and add new ones that will help you lead a healthier life. You can make food and activity cues work FOR you, not against you.

Assign home activity.

Here is what I want you to do next week. First, get rid of one problem food cue in your life. Let's make a plan for that. (Ask the participant the questions on the work sheet and fill in the blanks). Also, add one positive cue for being more active. (Ask the participant the questions on the work sheet and fill in the blanks). What problems do you think you might have in trying to make these changes? How will you deal with them?

As always, keep track of your weight, eating and activity and do your best to reach your goals (specify goals on cover of Keeping Track books).

Finally, answer these questions before you come in to the next meeting ("Did you follow your plan?" and so on). We'll talk about how you did when you come in next week.

Any questions?

Session 9: Problem Solving

Objectives:

In this session, the participant will:

- Learn the five steps to problem solving.
- Practice the steps using a problem the participant is experiencing now with eating less fat/calories or being more active.

To Do Before the Session

Have materials ready:

- Keeping Track book.
- Pages for participant notebook.

Weigh the participant.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Review Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity?

Graph physical activity.

Were you able to get rid of the problem food cue and add the positive cue for being more active? What problems did you have? What could you do differently next week?

Were you able to make the active lifestyle choices you had planned? Keep track of calories and stay under your calorie goal and/or follow the meal plan (if applicable)?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Introduce the upcoming sessions and the problem solving process.

In the first eight sessions of the Lifestyle Balance program, you learned *how* to eat healthy and be more active. Healthy eating and being active will help you lose weight and be healthier in general. We also hope it will reduce your chance of developing diabetes.

But healthy eating and being more active means changing your habits, and making the changes a permanent part of your lifestyle. Many things can get in the way of changing habits. That's what we'll focus on in the next several sessions. We will discuss:

- Negative thoughts,
- Slips and your reactions to slips (a slip is when you don't follow your eating or activity plan),
- Stress, and
- What people say and do (or "social cues").

All of these things can get in the way of healthy eating and being more active.

What are some examples of things that get in the way for you?

Name several problems that the participant has already discussed at earlier meetings, if possible. E.g., You wanted to go out for exercise, but it was too cold. You wanted to eat less fat, but your children wanted you to buy potato chips.

It's inevitable that problems like these will come up.

But problems can be solved. Today we're going to talk about the *process* of problem solving. This is the process that you and I will be working on together throughout the study.

Explain the five steps to problem solving.

In general, there are five steps to solving problems.

1. The first step is to describe the problem in detail. Be specific.

For example, instead of defining the problem as "I eat more fat than I should," be specific about the kinds of foods you eat that are high in fat--maybe high-fat desserts or red meats. Be specific about when you eat them, and describe these situations in detail. For example, you may eat high-fat desserts when you go to your mother's house and she offers them to you.

Also, **look at what led up to the problem**. Many problems involve a chain of actions: one action leads to another and then another and eventually this leads to inactivity or overeating. This is called an **"action (or behavior) chain."**

Try to see the steps (or "links") in the action chain, including:

Things around you that cue (or prompt) you to eat or to be inactive.
We've talked about food and activity cues before. Examples are a bakery near where you work, television watching, or a carton of ice cream in your freezer.

- People in your life who don't support your efforts to lose weight and be more active. Examples are a co-worker who offers you doughnuts every morning, children who insist that you deep-fry chicken rather than baking it, or a spouse who wants you to watch TV in the evening rather than exercise.
- Thoughts or feelings that get in your way. Examples are defeating thoughts like, "I'll never be
 disciplined enough to exercise every night." Or feelings of boredom, stress, loneliness, or anger
 that lead to overeating.

Here is an example of an action chain [refer to the diagram]:

Sarah is a busy woman with a job and a family. Yesterday she was extremely busy at work and she didn't eat lunch because she didn't have time to go out. In the afternoon, her boss was very critical and demanding, and Sarah felt stressed and anxious. At the end of the day, Sarah came home tired, upset, and hungry. She went right to the kitchen. She immediately saw a package of cookies on the kitchen counter, and before she knew it, she ate a fair number of the cookies.

It may seem complicated to look at a problem in this much detail. But actually, it makes problem solving much, much simpler.

- You see that the real problem may not be the last step (eating the cookies)but rather all of the things that led up to it (like not eating lunch and soon).
- Uncovering the action chain will help you to find the "weakest links" in the chain to break. There's a saying that a chain is only as strong as its weakest link. By naming all of the links in the chain, you will be able to find the weakest ones, the places where you can make a change most easily.
- 2. Step 2 is to brainstorm your options. What are all of the possible solutions to the problem? "Brainstorming" means to create a storm of ideas in your brain. Let the ideas pour out, no matter how crazy they may seem. Anything goes. The more ideas the better. And it's actually helpful to include some crazy, extreme ideas because it helps open your mind and stir up your creative juices.

By brainstorming, **you'll see that you aren't at all powerless to change your situation.** You have many options. Here are some possible ones for Sarah [refer to work sheet].

3. Third, **pick an option to try.** Weigh the pros and cons of each option, and choose one (or it might be a combination of several) that is **very likely to work** and that **you can do**. In other words, be realistic. You should be confident that you will succeed.

It's also helpful to try to break as many links as you can, as early as you can in the chain.

For example, it will be much easier for Sarah to control her eating in the evening if she eats some lunch and doesn't arrive home hungry. It will be easier for Sarah to avoid eating too many cookies if she doesn't buy the cookies in the first place. Another reason to try to break an action chain as early as possible is that **you will have more links to work with.**

If eating lunch doesn't help Sarah and she still arrives home tired, upset, and hungry, she can still choose low-calorie snacks like fruit when she gets home.

Let's say that Sarah chooses the option of packing a quick bag lunch.

- 4. Fourth, **make a positive action plan.** This is where you spell out exactly:
- What you will do,
- When you will do it, and
- What you need to do first.
- Also, make a plan for any roadblocks that might come up.
- And build in steps that will make success more likely. For example:

Will it help you to involve someone else?

Can you do anything to make it more fun and enjoyable?

Will it help if you:

Write your plan down and post it on your refrigerator or calendar? Tell your plan to someone else, so you're committed to following it? Join an exercise class or club so you're more committed? Make a date with someone to exercise?

Sometimes if you build in a step to get yourself over the first "hump," then everything begins to snowball and the rest is much easier. For example, here is Sarah's action plan [review work sheet].

5. The fifth step of problem-solving is to **try it and see how it goes**. Did it work? If not, what went wrong? Use what you have learned to problem solve again and make a new action plan. Remember, **problem solving is a process**. **Don't give up**. It often takes many tries to find a solution.

Review another example if you think it would be helpful. Use one that is tailored to the individual (for instance, an example of the food preferences of the family getting in the way of the participant's goals).

Now let's apply this process to you.

Have the participant practice the steps using a problem he or she is experiencing now.

For next week, I want you to work on solving a particular problem. Think of a problem that you're having now with eating less fat/calories or being more active.

Complete the **Lifestyle Balance Problem Solver** work sheet with the participant.

For ne	xt week:
:	Keep track of your weight, eating, and activity. Follow your action plan. And answer the questions on the work sheet.
	,

Session 10: Four Keys to Healthy Eating Out

Objectives:

In this session, the participant will:

- Learn four basic principles for healthy eating out: planning ahead, assertion, stimulus control, and healthy food choices.
- Identify specific examples of how to apply these principles at the type of restaurant the participant frequents.
- Practice making a meal selection from an appropriate menu.
- Practice out loud how to ask for a menu substitution.

To Do Before the Session:

- If possible, have the participant bring in menus from the restaurants he or she frequents.
- Get materials ready:
- Sample menus from local restaurants.
- Keeping Track book.
- Pages for participant notebook.
- Optional handouts that are appropriate for the participant (for example, booklets on the nutrient content of fast foods).

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity? Try your action plan? What did you learn from the problem solving process?

Graph physical activity.

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Introduce the four keys to healthy eating out.

Today we're going to talk about eating out. What kinds of places do you eat out at?

Tailor the rest of the session to one or two of the places where the participant eats out most often. If the participant doesn't name several places or is not specific enough, prompt for a few of the following

examples: fast-food restaurants, other restaurants, church or community centers, cafeterias, friend's homes, snack bars or vending machines, in an airplane.

Do you find it difficult to stay under your fat gram goal when you eat out at these places? What is difficult for you?

There are four basic keys to healthy eating out. [First, indicate each of the major headings on the work sheet, as scripted below. Later you will come back to the specific points under each heading.]

- 1. First, **plan ahead.** Having a plan will help you to anticipate difficult situations and handle them more easily. You won't run into so many surprises.
- 2. Second, **ask for what you want.** Be firm and friendly. We'll talk in a minute about how to do this so you won't offend anyone.
- 3. Third, **take charge of what's around you**. Take steps to make what's around you **support** you in your efforts to eat healthy. Get rid of the things that get in the way, if you can.
- 4. And finally, choose foods carefully.

Help the participant identify specific examples of how to apply the four principles.

Let's use one of the places where you eat out as an example.

What are some ways you can **plan ahead** for eating out at?

Follow along on the work sheet as you discuss each of the four keys to healthy eating out as they apply to that type of restaurant. Use some of the examples given below, but don't try to be exhaustive. Rather, choose those examples that relate to the specific difficulties faced by the participant. You may want to jot down on the work sheet a few strategies that are particularly relevant.

When you review **how to ask for what you want**, use the following script:

Many people find it hard at first to ask a waiter or waitress for something special. With practice, it gets easier. Here are some tips:

Begin with "I", not "You."

"I would like," "I need," "I will have." Using "I" statements shows that you take responsibility for your own feelings and desires. "I would like my chicken broiled with lemon juice instead of gravy," or "I would like tossed salad instead of coleslaw, please."

"You should have," "you said," "you don't understand." Using "you" often puts others on the defensive. "You didn't put the salad dressing on the side!" Better: I asked to have the salad dressing on the side, please."

- Use a firm and friendly tone of voice that can be heard.
- Look the person in the eye.

Eye contact says a lot. Avoiding eye contact often means you don't believe what you are saying.

Repeat your needs until you are heard. Keep your voice calm.

Sometimes it may take several tries before you are understood. If you need to repeat yourself, keep your voice low but firm. A loud voice can be threatening to others.

Wishy-washy "Oh, well. I guess they couldn't broil the fish."

Threatening "You said you would broil my fish!"

Firm & friendly "This looks very nice. But I asked for my fish to be broiled, not fried. Would you

have some broiled for me, please?"

When you review the fourth principle, **choose foods carefully**, have the participant:

- Practice making a meal selection from an appropriate local menu.
- Practice out loud how they would ask for a menu substitution.

Refer to menus from local restaurants and the "What's on the menu?" and "Fast food can be lower in fat" handouts for examples. It's important to role play aloud at this point to give the participant practice actually choosing words that are comfortable for him or her. At some point you may want to go to a restaurant with the participant and by ordering first, you can model how to make healthy meal selections and ask for menu substitutions. Participants may also need encouragement to ask family members to support them when they are at a restaurant, for example, to ask a spouse to say, "I'm glad you ordered milk for your coffee," instead of, "Are you sure you don't want cream?"

At fast-food restaurants

1. Plan ahead.

- Pick a restaurant carefully. Most fast-food restaurants now serve some low-fat foods, such as grilled chicken and salads with low-fat dressing.
- Plan what you will order without looking up at the menu. Menus can tempt you to order what you don't want.

2. Ask for what you want. Be firm and friendly.

- For example, "May I have my coffee with a little low-fat milk rather than cream, please?" "Please leave the mayo off my burger."
- Ask how much is usually served. For example, "How many ounces is the hamburger, please?"

3. Take charge of what's around you.

Be the first in your group to order. You won't be tempted by what or how much others order and they may follow your good example.

4. Choose foods carefully.

- Try grilled chicken sandwiches without special sauces or a salad with low-calorie dressing.
- Stay away from French fries. If you must have them, order a regular size (not a double) and Don't finish them all.
- If you must have a hamburger, order a regular size, without cheese, not a double or a cheeseburger.

At other restaurants (not fast-food)

1. Plan ahead.

- Pick the restaurant carefully. Go to one with low-fat choices. Call ahead to see what is on the menu. Stay away from "all you can eat" buffets, brunches, and happy hours.
- Eat less calories and fat during other meals that day or for a few days in advance.
- Have a little something to eat before you go to the restaurant so you're not too hungry when you get there. Eat fruit, some low-fat crackers, or drink water before you go out.
- Plan what to order without looking at the menu. Looking at the menu can tempt you to order more than you want.
- Don't drink alcohol before the meal. It may make it harder for you to follow your good intentions. Try tomato juice, club soda, or mineral water, instead.

2. Ask for what you want. Be firm and friendly. Remember, you are paying for the meal. You have the right to ask for special services. And most restaurants want to make you happy.

Ask for the foods you want:

- Ask for food substitutions. For example, catsup or mustard instead of mayonnaise on a sandwich. A tossed salad instead of coleslaw. Baked potato instead of French fries.
- Can foods be prepared in a different way? For example, ask that the fish be broiled and seasoned with lemon juice, not butter; ask that butter, margarine, and sauces be left off the vegetables.
- Don't be afraid to ask for foods that aren't on the menu. Many restaurants will prepare grilled meats, fish, and chicken without added fat or sauces, fresh fruit salads, and steamed vegetable platters with rice, even if they're not on the menu. Or look for foods on a different part of the menu (for example, if fresh fruit is on the breakfast menu, it may well be available as a dessert for dinner).

Ask for the amounts you want:

- Ask how much is usually served. For example, "How many ounces is the hamburger, please?"
- Ask for salad dressings, gravy, sauces, or spreads "on the side." For example, ask for dry toast
 with margarine on the side. Then use only a small amount. Or order salad dressing on the
 side, then limit the amount you use. (One idea is to dip your fork into the dressing before each
 bite.)
- Ask for less cheese or no cheese.

- Split a main dish or dessert with someone. Or order an appetizer as a main dish.
- Order a smaller size (appetizer, senior citizen's or children's portion, cup of soup).
- Before or after the meal, have the amount you don't want to eat put in a container or "doggie bag" to take home.

3. Take charge of what's around you.

- Be the first to order. You won't be tempted by what others order, and they may follow your good example.
- Keep foods off the table that you don't want to eat.
 - a. When a waiter or waitress brings rolls, chips, or other complimentary foods, say "No, thank you," and hand the food back right away.
 - b. When you order something, ask that half of it be put in a doggie bag **before** it's brought to the table. Then have it brought to you with the check.
- Ask that your plate be removed as soon as you are finished. You won't be tempted to eat more than you want while others finish their meals.
- Remove table tents from the table that advertise high-fat/calorie foods such as desserts.

4. Choose foods carefully.

- You can tell a lot from the words on a menu. Watch out for these high-fat words; look for these low-fat words, instead. [Refer to handout.]
- Watch out for sauces on meats, vegetables, and so on. Ask that these foods be served without the sauce.
- Think about how much food you really need. Do you need an appetizer? Bread? Make some compromises. "I'd rather have dessert so I'll skip the appetizer."
- Trim visible fat off meat.
- Take skin off chicken.

At another person's home or community center/potluck dinners

1. Plan ahead.

- Bring something from home for yourself and others. Examples: fruit salad, vegetable salad with low-calorie dressing.
- Talk to the host or hostess before you go, if you are comfortable doing so(particularly if you eat at their home often). Ask for their support in your efforts to lose weight.
- Eat a little something before you go, so you aren't too hungry when you arrive.

2. Ask for what you want. Be firm and friendly.

Say "No, thank you. That looks lovely, though," when offered a food you'd rather not eat.

3. Take charge of what's around you.

At buffets or cocktail parties, stay away from the buffet or appetizer table. Choose a small plate, and after serving yourself, sit at a table far away.

4. Choose foods carefully.

- Take only a small amount of high-fat/calorie foods, just enough to taste.
- Look at everything on the buffet before serving yourself. Then choose only 3 or 4of your favorite foods, instead of trying a little of everything.

Airplanes

1. Plan ahead.

 Order a special menu ahead. Call 24 hours before departure. Many airlines have low-fat and vegetarian menus available.

2. Take charge of what's around you.

Say "No, thank you," smile, and hand the peanuts right back to the flight attendant.

Banquets, Conferences

1. Plan ahead.

- Ask what is on the menu. Is anything prepared without fat?
- Order a special menu ahead. Even if the choices are limited, many caterers will prepare a steamed vegetable plate with rice and fruit salad upon request.

Assign home activity.

Describe a problem you have when you eat out. [Record on the work sheet.] Choose one of the four keys to healthy eating out that is likely to help you solve the problem and that you can do. Make a positive action plan. [Complete the work sheet with the participant.]

For next week:

- Keep track of your weight, eating and activity.
- **Try your action plan.** And before you come to the next session, answer the two questions on the bottom of the work sheet (Did it work? If not, what went wrong?).
- For participants who eat out often, ask the participant to collect menus for restaurants the participant frequents and bring them in to the next session.

Any questions?

Session 11: Talk Back to Negative Thoughts

Objectives:

In this session, the participant will:

- Recognize that everyone has negative thoughts and identify examples of them.
- Learn how to stop negative thoughts and talk back to them with positive ones.
- Practice stopping negative thoughts and talking back to them with positive ones.

To Do Before the Session:

Get materials ready:

- Keeping Track book.
- Pages for participant notebook.
- Optional handouts that are appropriate for the participant (for example, a Stop! Sign prop to hold up when you hear the participant expressing a negative thought).

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity? Try your action plan? What did you learn last week about healthy eating out?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Graph physical activity.

If the participant has brought in restaurant menus, help the participant practice ordering from the menus.

Help the participant identify examples of negative thoughts.

Today we're going to talk about stopping negative thoughts.

Everyone has negative thoughts at times. These negative thoughts can lead you to overeat or be inactive. Then afterwards you may feel even worse about yourself. A vicious cycle of self-defeat can result.

For example, suppose you came home after a hard day at work. You think to yourself, "I'm tired of working so hard. I'm sick of being in this study. I can never eat what I want." This negative thought might lead you to eat some potato chips. And then you think, "I did it again. I'll never lose weight." Next, you're discouraged and go on to eat more of them.

Sometimes we aren't aware we are having negative thoughts. Negative thinking becomes such a habit for most of us that we tend to believe and act on our negative thoughts without even hearing them.

The goal of this session is to help you hear your negative thoughts and teach you to talk back to them.

Here are some common examples of negative thoughts.

Review each category and the example(s) on the work sheet, then ask a question or two to get the participant thinking about his or her own experience with negative thoughts.

1. Good or Bad Thoughts.

These thoughts divide the world into:

- Good and bad foods:
- Seeing yourself as a success or failure;
- Being on or off the program.

Sometimes this is called "all or nothing" or "light bulb" thinking (either on or off) with nothing in between.

Example: "Look at what I did. I ate that cake. I'll never be able to succeed."

- Do you have some foods you consider "good," and some foods you consider "bad?"
- What happens when you eat a little of what you consider to be a "bad" food?
- Can you think of some problems with considering a food "bad?"

2. Excuses (or Rationalizations)

These thoughts **blame something or someone else for our problems.** We act as if they have so much power that we have no choice but to overeat or be inactive.

We don't mean to go off the program, but we "can't help it."

Example: "I don't have the will power."

"I have to buy these cookies just in case company drops in."

Can you think of a time when you bought some high-fat/calorie food "for someone else"? Did they really need the food, or do you think you used them as an excuse to buy the food for yourself?

3. Should Thoughts.

These thoughts **expect perfection.** Of course, no one is perfect, so SHOULD thoughts are a **set-up for disappointment**. They also **lead to anger and resentment** because "should" assumes that someone is standing over us, forcing us to do what we don't want to do.

Example: "I should have eaten less of that dessert."

- What kind of things do you think you "should" or "should not" do to lose weight and be more active?
- What do you expect yourself to do perfectly (for example, self-monitoring)? What happens when you expect perfection of yourself? How do you feel? How does it affect your future decisions and choices?

4. Not As Good As Thoughts.

These thoughts compare us to someone else and then blame ourselves for not measuring up.

Example: "Mary lost two pounds this week, and I only lose one."

- Do you compare yourself to someone else? Who?
- How does comparing yourself to that person affect you? How does it make you feel? How does it affect your decisions and choices about eating and being active?

5. Give Up Thoughts.

These thoughts defeat us. They often follow the other kinds of negative thoughts.

Example: "This program is too hard. I might as well give up."

Do you ever want something good to eat and think, "I'm sick of this Lifestyle Balance program"?

Explain how to talk back to a negative thought.

Once you are aware of a negative thought, you can "talk back to it." Here's how:

- First, catch yourself having the negative thought. Ask yourself, "Is this thought moving me forward or bringing me down?" As soon as you're aware of a negative thought, say to yourself, "I'm doing it to myself."
- 2. Then **imagine shouting "STOP!" to yourself.** Picture a **huge, red stop sign.** [You may want to hold up the STOP! sign prop at this point.] The stop sign is so big that it takes up all the room in your mind. This should startle you and get rid of the negative thought.
- 3. Talk back with a positive thought. No matter how effectively you've stopped a negative thought, it will probably return again in a similar situation because it has become a habit for you. So it's important to begin to build a new habit: positive thinking. After you stop a negative thought, talk back to it with a positive one.

Review the categories and the examples on the work sheet, making the following points.

- Good or Bad: Talk back with Work Toward Balance.
 Don't expect perfection of yourself, but don't indulge yourself either. Work toward an overall balance.
- Excuses: Talk back with It's Worth a Try.
 Instead of looking for something or someone else to blame, why not give yourself a chance?
 Try something. You just might succeed.
- Should: Talk back with It's My Choice.
 You are in charge of your eating and activity. No one else is responsible for your choices or standing over you with unrealistic expectations.
- Not As Good As: Talk back with Everyone's Different.
- Give Up: Talk back with One Step at a Time.
 Problem solving is a process. It takes time to make life-long changes. Learn from what doesn't work and try another option. Learning is always a success.

Now let's **practice** stopping negative thoughts and talking back with positive thoughts. Look back over the kinds of negative thoughts we've discussed. What kind are most familiar to you? For example, do you tend to make excuses or are you more likely to compare yourself to someone else? What are some examples? Write examples of negative thoughts on the work sheet. If the participant doesn't name examples, use several from the previous pages.

Now let's take them one at a time. First, say the negative thought out loud. Then say "Stop!" And then talk back to it out loud with a positive thought.

Use the remaining time in the session to actually role-play this with the participant. Use a stop sign prop if you find it helpful. Record the positive thoughts on the work sheet.

This session may be an appropriate time to review with participants the work sheet "Remember Your Purpose" (Session 1) on which they recorded their personal reasons for joining the study and so on. Details from this work sheet may provide images and words for the participant to use in talking back to negative thoughts with positive ones. Any imagery that is significant to the participant may help make the process of "talking back" more meaningful and fun; for example, a participant might find it enjoyable to imagine a devil on one shoulder and an angel on the other, and to see the task of positive thinking as, "letting the angel talk."

Assign home activity.

For next week:

- Keep track of your eating and activity.
- Catch yourself thinking negative thoughts. Write them in your Keeping Track books.
- Practice stopping them and talking back to them with positive thoughts.

Next week we'll talk about how you did.

Any questions?

During this session, some participants may raise problems outside the expertise of the Lifestyle Coach, such as a significant clinical depression, anxiety, or a clinical eating disorder.

Session 12: The Slippery Slope of Lifestyle Change

Objectives:

In this session, the participant will:

- Review the participant's progress since Session 7 or 8 ("Tip the Calorie Balance").
- Identify some things that cause the participant to slip from healthy eating or being active.
- Discuss what to do after a slip to "get back on your feet again."

To Do Before the Session

Review the participant's progress. Note any plans that were made to improve weight loss and activity level, which strategies were used, and which were successful or unsuccessful. If the participant is not currently at goal for weight loss and/or activity, refer to the Tool Box for ideas of additional strategies required or optional for particular problems.

If you have copies of some of the participant's past Keeping Track records, review them as well. Note some of the positive changes the participant has made.

Make sure the participant's How Am I Doing? graphs for weight and activity are up to date.

Have materials ready:

- Keeping Track book.
- Pages for the participant notebook.
- Meal plans appropriate for the participant's calorie goal. Tailor to the participant's food preferences as much as possible before the session.

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity? What negative thoughts did you catch yourself thinking? Were you able to stop them and talk back with positive thoughts?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Graph physical activity.

Review the participant's progress since Session 7 or 8, and if not at goal, develop an action plan to improve progress in reaching weight loss and activity goals.

Today we're going to talk about what are called "slips," or times when you don't follow your plans for healthy eating or being active.

Let's use skiing as an example. Everyone who learns to ski knows that they will "slip" and fall down. It's a natural part of learning to ski. What a skiing instructor does is to help beginning skiers anticipate when they might fall down and show them how to get up again. That's what we'll do today--talk about when you might "slip" from your eating and activity plans, and how you can get back on track again after you slip.

Note: Throughout this session, try to use analogies in addition to skiing that are meaningful to the participant. (For example, one analogy is how we handle fires. First, we try to identify high-risk situations in which fires are likely to occur. Second, we try to take steps to avoid these situations if we can. Third, in case a fire does occur, we plan ahead for a way to put out the fire and/or escape.

We make a plan that is as simple and easy to remember as possible so that we are more likely to follow it while under stress.) You will also want to use a meaningful analogy for how the participant has developed other skills by making mistakes and learning from them, such as learning to drive a car, bake a cake, and so on.

Before we talk about slips, we'll take some time to review your progress

What are some of the major changes you've made to be more active? Include both what you do to reach your goal (that is, those activities you record) and what you do to be more active in general What changes have you made to eat less fat (and fewer calories)? Briefly record on the work sheet some of the changes made by the participant. Praise and encourage the maintenance of these changes.

Have you reached your weight goal? Your activity goal?

Refer to the How Am I Doing? graphs for weight and activity, and check yes or no on the worksheet.

If the participant is **at goal** for weight loss and activity, praise the progress made.

If the participant is **not at goal** for weight loss or activity, praise whatever progress has been made. Encourage the participant to improve, and develop a related plan using the work sheet. **Follow the guidelines in the Tool Box as to which strategies are required to address particular problems identified.** For example, some participants may need to be given meal plans at a lower calorie level.

Define slips.

Now let's move on to the topic for today, "slips."

Slips are times when you don't follow your plans for healthy eating or being active.

Slips are:

- A normal part of lifestyle change. Just like falling down is a normal part of skiing. If you are going to ski, you are going to fall. All skiers will fall. And everyone who sets out to lose weight and be more active will have slips.
- To be expected. If you haven't already had some slips, you most certainly will have them in the future. Slips are inevitable.

Does this sound discouraging? Well, it doesn't have to be. Because **slips don't hurt your progress**. What hurts your progress is the way you *react* to slips. So today we'll talk about the best way to react to slips when they happen.

Identify some things that cause the participant to slip from healthy eating or being active.

Different people have different things that cause them to slip. For example, moods or feelings cause many people to slip from healthy eating.

Some of us tend to overeat when we're **happy**. Imagine that:

Your family is celebrating. Maybe it's a holiday, a birthday, or a vacation. There is plenty of everyone's favorite foods, from appetizers to desserts. And for years, your family's custom has been to "take it easy," have fun and just relax during these times. What would this situation be like for you? Would you tend to slip in this kind of situation?

Some of us are more vulnerable to overeating when we're **bored**. Imagine that:

You're at home alone, watching a favorite TV program. You're feeling okay, pretty relaxed, but a little bored. A commercial comes on at the end of the program, and you find yourself wandering into the kitchen. What would this be like for you?

Other people overeat when **upset**. Imagine that:

You are settling down for a relaxing evening at home. Someone in your family starts to talk about something that's been part of an **ongoing argument** between the two of you. You both get angry and he or she stomps out of the house, slamming the door. You head for the kitchen. **What would this situation be like for you?**

Or here's another example:

You're **behind on a project at work.** The boss has been looking in on you every10 minutes and glaring at you impatiently. You feel pressured and very tense. You go get yourself a cup of coffee and see a delicious snack that someone brought in that morning. **What would this be like for you?**

Which is the *most* difficult for you in terms of slipping from healthy eating: feeling happy, bored, or upset? [Record on the work sheet.] Are there other things that cause you to slip from healthy eating?

Give the participant time to name a few examples. Record on the work sheet.

What things cause you to slip from being active?

Have the participant name several examples, such as vacations, holidays, feelings or moods, cold or hot weather.

The situations that lead to slips differ from person to person. For example, you may tend to eat when you're bored, whereas someone else may get involved in a hobby. Or when you are at a party, you may be so busy talking and laughing that you forget to eat, whereas someone else may find the goodies are just too tempting. What causes you to slip is learned. It is a habit.

The way you react to slips is also a habit. You can learn a new way to react to slips that will get you back on your feet again.

Discuss what to do after a slip to get back on your feet again.

First, remember two things:

- Slips are normal and to be expected.99.99% of all people who are on their way to losing weight and being more active have slips. But a slip doesn't need to lead to giving up completely. Slips can and should be useful learning experiences.
- No one time of overeating or not being active, no matter how extreme, will ruin everything. You won't gain more than a few pounds of weight even after the biggest eating binge imaginable--unless you stay off track and keep overeating time and time again. The slip is not the problem. The problem occurs if you don't get back on your feet again and keep going toward your goals.

So after you have a slip:

1. Talk back to negative thoughts with positive thoughts.

The negative thoughts that come after a slip can be your worst enemy. They can lead to feeling discouraged, guilty and angry and undermine your ability to handle the slip effectively. Talk back to the negative thoughts with positive ones. "I am not a failure because I have slipped. I can get back on my feet again."

2. Next, ask yourself what happened.

Use the opportunity to look closely at the situation and ask yourself what happened. Was it a special occasion? If so, is it likely to happen again soon? Did you overeat because you were lonely, bored, or depressed? Did you eat because of social pressure? Did you skip activity because you were too busy with other things, or because of work and family pressures? Use these questions to review the situation and think about it objectively. **Learn from the slip.**

Then you can plan a strategy for handling the situation better next time. Can you avoid this situation in the future (for example, by not sitting near the food or by not wheeling past the candy machine)? If you can't avoid it, can you manage it in a better way (for example, by making sure you have low-calorie foods available at home)?

3. Regain control the very next time you can.

Do **not** tell yourself, "Well, I blew it for the day," and wait until the next day to start following your eating plan. **Make your very next meal a healthy one. Get back on schedule with your activity plan right away**. You will not have set yourself back very much if you follow this suggestion.

- 4. **Talk to someone supportive.** ("Talk it through, don't eat it through.")

 Call your lifestyle coach or someone else on staff. Call another participant or another friend. Discuss your new strategy for handling slips. Commit yourself to renewed effort.
- 5. Finally, focus on all of the positive changes you have made and realize that you can get back on track. The same person who "blew it" today is the same person who has been successful during many previous weeks. Slips do not reveal the "real you" (hopeless, lacking willpower, etc.). They are simply another occasion of behavior. Remember, you are making life-long changes. Slips are just one part of the process.

Assign home activity.

Describe one thing that has caused you to slip from healthy eating.

Could you **avoid it** in the future? If so, how? [Record on the work sheet.]

If not, make a plan for **how to get back on your feet** the next time you slip. [Record.]

Describe one thing that has caused you to slip from being active.

Could you **avoid it** in the future? If so, how? [Record on the work sheet.]

If not, make a plan for **how to get back on your feet** the next time you slip. [Record.]

For next week: a) Keep track of your eating and activity. b) Try your two action plans. c) Answer the questions on the work sheet.

Any questions?

Session 13: Jump Start Your Activity Plan

Objectives:

In this session, the participant will:

- Discuss ways to add interest and variety to the participant's activity plans.
- Learn the definition of "aerobic fitness."
- Learn the F.I.T.T. Principles (frequency, intensity, time, and type of activity) as related to heart (aerobic) fitness.

To Do Before the Session:

Have materials ready:

- Keeping Track book.
- Pages for participant notebook.
- Optional handouts that are appropriate for the participant (for example, on various barriers to physical activity).

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity?

Did you try your two action plans to get back on your feet after slipping? How did it go?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Graph physical activity.

Discuss ways to add interest and variety to the participant's activity routine.

So far in the Lifestyle Balance program, our focus in terms of physical activity has been on increasing the amount of time you are active. We've moved gradually from 30minutes per week to 2 ½ hours per week of new physical activity. By this time in the program, many participants find that their activity routine has become a little stale and boring. **Boredom is a problem because it may cause you to slip back into old habits of not being active.** So it's important to be aware of

any boredom you're feeling about your activity plan, and do something to keep it fresh and interesting.

That's what we'll talk about today--ways to "jump start" your activity routine (or giveit new energy when it's becoming a little too "routine").

First, add variety.

■ **Do something new and different** now and then. Don't expect yourself to do the same activity, day in and day out, every season of the year, any more than you would expect yourself to eat the same food, day in and day out, all year long. Remember, you are making life-long changes, and being active is something you will be doing for the rest of your life. So build in some variety. For example, if you usually do aerobic conditioning during the week, strength (resistance) training on the weekend.

Can you think of some ways to vary what you do for activity?

Record on the work sheet. Include lifestyle activity but be sure the participant understands to self-monitor only the physical activities that are similar (or higher in) intensity (refer to Manual of Operations).

If the participant expresses interest in learning more about a particular activity, such as strength(resistance) training, consider making an appointment for the participant to meet with the exercise specialist on staff for instruction.

Do the same activity in a new place. For example:

- Wheel on a different path through the park.
- Wheel in a different neighborhood after work.

What are some ways you can vary where you do your activity? (Record.)

Be active as a way to be social.

- Instead of going out for a cup of coffee, go out for a "wheel and talk" with a friend or family member.
- Plan a weekend hike with a group of friends.
- Go wheeling with a club.
- Join a basketball team.
- Sign up with a group of friends for a wheel for charity.

What are some activities you could do with a friend, family member, or group as a way to socialize? (Record.)

It also helps if you make being active fun.

- Some people enjoy listening to a radio, music tapes or books on tape while they exercise
- Plan tours of cities when you travel.

What would be fun for you? (Record.)

Another way to prevent boredom is to **challenge yourself**.

- Prepare yourself for a race.
- Set up a friendly competition with a friend (whoever wheels the most miles before a certain date gets taken out to lunch by the other).

What would make activity more challenging for you? (Record.)
Have you been bored at times with your activity in the past?
Have you found anything to be particularly helpful for you at those times?

If you're not bored now, please be sure to bring it up whenever you do feel bored in the future. Use me and our activity specialist as resources to help you. For example, we can talk about some community programs that might add interest to your activity routine, and so on.

Define "aerobic fitness."

One way to add something new to your activity routine is to begin to focus on **improving your** "aerobic fitness."

"Aerobic fitness" refers to how well your heart can pump oxygen ("aer-")through your blood to your muscles in your body.

Your heart is a muscle, too. If you exercise your heart (make it beat faster), it will become stronger over time. This is just like the muscles in your arm becoming stronger if you lift weights every day.

As your heart becomes stronger, you'll notice that it's easier for you to do things like wheeling up inclines and carrying groceries.

Explain the F.I.T.T. Principles.

Not all ways of being active will help strengthen your heart--only those that are "F.I.T.T." This is what "F.I.T.T." stands for:

"F" stands for frequency, or how often you are active.

Aerobic fitness levels go down within 48 hours of no activity, so it's important to be active often.

- Try to be active on most days of the week (at least 3 days per week is recommended; 5 to 7 days are even better).
- To avoid soreness and injury, it's best to increase the frequency slowly.

"I" stands for intensity, or how hard you are working while being active.

This is usually measured by **how fast your heart beats.** We want your heart to beat faster than it usually does, so that it will become stronger, but we don't want it to beat so fast that you could injure yourself.

■ The goal is to stay within what's call your "target heart rate", about 50-70 % of the maximum number of times your heart can beat in a minute for someone your age.

Here is how to figure your target heart rate.

Review the formula on the work sheet and calculate the participant's own target heart rate.

Have you ever taken your heart rate or pulse?

Review with the participant the steps for taking your heart rate as described on the work sheet. Use a pen or marker to mark on the participant's wrist exactly where he or she is able to find the pulse. This will help the participant find it quickly when exercising.

Another way to get a rough idea of how hard you should be working is to breathe fast enough that you can talk but not sing. You should be able to have a conversation with a friend while exercising, but if you can break into song, speed it up!

On the other hand, if you have trouble breathing and talking while you exercise, slow down.

As you do regular physical activity over time, your heart doesn't beat as fast as it used to. For example, you'll notice that your heart doesn't beat as fast when you wheel up an incline, and you don't get as out of breath.

This means that you are becoming more fit, that your heart is doing the same amount of work with less effort. It also means that to continue strengthening your heart, you will need gradually to do more challenging activity to reach your target heart rate. For example, you'll need to exercise more intensely than you used to get the same benefit in terms of aerobic fitness.

"T" stands for time, or how long you are active.

- To improve your aerobic fitness, you should stay active continuously for at least 10 minutes. That's why we don't ask you to record in your Keeping Track any activity that doesn't last at least 10 minutes.
- We recommend that you slowly increase the time you are active to 20 to 60 minutes.
- The total number of minutes per week should at least equal your Lifestyle Balance activity goal for that week.

The final "T" stands for type of activity.

- To improve your fitness, you should do "aerobic" activities. As we said before, these are activities that **challenge your heart**. Brisk exercise will result in aerobic activities.
- These activities use large muscle groups and
- Last 10 minutes or longer. Brief activities that don't require your heart to work harder, such as bowling, pitching a softball, or washing a window, will not improve your aerobic fitness.

Introduce another way to measure exercise intensity.

Measuring your heart rate is one way to keep track of your intensity (or how hard you are working) when you're active. But even without measuring their heart rate, most people have a good sense of how hard they're working when they're active, just by listening to their body.

Rate yourself on this scale while you're being active. How hard are you working?

Review the work sheet with the participant. For your own background information as a Lifestyle Coach, the scale is based on Borg's original Rating of Perceived Exertion (RPE) Scale which is a numerical scale from 6 to 19, with 7 corresponding to very, very light, 9 to very light, 11 to fairly light, 13 to somewhat hard, 15 to hard, 17 to very hard, and 19 to very, very hard. The original scale was designed to approximate what one would estimate the corresponding heart rate to be, by adding a zero to the end of the RPE. For example, an RPE of 13 (somewhat hard) would approximate a heart rate of 130. So if a participant calculated her upper heart rate limit to be 130, her upper RPE limit would be around 13.

Assign home activity.

For next week:

- Keep track of your weight, eating and activity.
- Do your best to reach your activity goal for the week. [Record.]
- Take your heart rate or pulse every time you're doing physical activity.
- Adjust how hard you are working during an activity so that you stay within your target heart rate [specify] or keep how hard you are working at this level [specify].

Any questions?

You may want to ask the participant to invite a family member to the next session, Make Social Cues Work for You, if you and the participant think that would be helpful in planning strategies for handling social cues.

Session 14: Make Social Cues Work *for* You

Objectives:

In this session, the participant will:

- Review examples of problem social cues and helpful social cues.
- Discuss ways to change problem social cues and add helpful ones.
- Review strategies for coping with social events such as parties, vacations, having visitors, and holidays.
- Make an action plan to change a problem social cue and add a helpful one.

To Do Before the Session:

Ask the participant to invite a family member to this session if you and the participant think that would be helpful in planning strategies for handling social cues.

Have materials ready:

- Keeping Track book.
- Pages for participant notebook.
- Optional handouts that are appropriate for the participant (for example, with tips for handling parties, holidays, vacations, and other social events; low-fat/calorie recipes for entertaining; helpful ideas for low-fat eating and staying active while traveling).

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity?

What was it like taking your pulse or **heart rate**? Were you able to stay within your target heart rate?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Graph physical activity.

Review the concept of food and activity "cues" and define social cues.

In an earlier session we talked about **how to "take charge of what's around you."** We took an imaginary video camera through your house and where you work, and we looked for problem food or activity "cues," things that would prompt you to think about eating or to be inactive, like a TV set or a bag of cookies on a kitchen counter. We planned some ways to get rid of problem cues and add positive cues (for example, watch less TV, keep high-fat foods out of the house).

In that session we focused on the sight and smell of food or certain activities that make you think about food. Today we're going to talk about social cues, or what other people say or do that affects your eating and activity. Again, we will plan some ways to reduce problem social cues and some ways to add positive ones.

Give examples of problem social cues and positive social cues.

Problem Social Cues

One of the most powerful **problem social cues** is:

- The sight of other people eating problem foods or being inactive (for example, you go to a bar where you see other people eating potato chips and watching TV). Can you think of an example in your own life? Is it difficult for you when you see someone in your family or a friend eat certain foods? (Record examples briefly on the work sheet.)
- Being offered (or pressured to eat) problem foods or being invited to do something inactive are also negative cues (for example, your spouse buys you candy for your birthday or a friend asks you to come over to watch football). What are some examples in your own life?
- **Being nagged** is a negative cue (for example, your spouse says, "You shouldn't be eating that bacon. It's too high in fat."). Some people may think that nagging is helpful, but actually it tends to cause the behavior it's designed to stop. Does anyone nag you about your eating or activity?
- **Hearing complaints** is a negative cue, too (for example, your daughter says, "I hate this frozen yogurt. Real ice cream is better," or your spouse says, "You're always outside exercising. You don't have any time for your family any more.").

Do you hear complaints from anyone about your eating or activity?

Now let's compare problem social cues with **positive social cues**.

Positive social cues include:

• The **sight of other people eating healthy foods or being active** (for example, you go out to dinner with another participant who orders low-fat foods or you go to an aerobics class). Can you think of any people who are good examples for you? In what way? (Record on the work sheet.)

- Being offered healthy foods or being invited to do something active (for example, your mother offers you fruit salad for dessert or asks you to go for a wheel). Does anyone do this for you?
- Being praised (for example, your spouse says, "The oatmeal was delicious this morning, honey.").
 Who praises you for your efforts and accomplishments?
- **Hearing compliments** (for example, your daughter says, "Thanks for buying frozen yogurt, Mom. It's a lot healthier than ice cream," or your spouse says, "You're really committed to exercising every day. I'm proud of you."). Does anyone compliment you?

When you respond to a social cue in the same way over and over again, you build a habit. The cue becomes paired with the way you respond, and your response becomes more and more automatic. In an earlier session, we used the example of eating popcorn whenever you go to the movies as a food cue that over time becomes a habit for many people. It works the same way with social cues.

Let's say that since childhood, your mother has offered you second helpings of food at the dinner table. You developed a habit of accepting her offer. Now when you return home as an adult and your mother offers you second helpings, it is hard for you to refuse.

It's important to understand that with social cues, the **other person has also learned a habit.** So in the example we've just used, your mother has learned to offer you second helpings and expects that you will accept the offer. **This makes social cues even harder to change than other cues.**

Discuss ways to change problem social cues.

How can you change problem social cues?

- 1. As with problem food cues, one of the best things you can do is to stay away from the cue, if you can. For example:
- Move to a different room if a family member eats problem foods in front of you.
- Skip certain parties that are just too tempting for you.
- Socialize with people by going bowling, dancing, or to the movies. Don't go out to eat as a way to socialize.
- Change the subject when someone starts talking about food or your weight or activity.
- 2. **Change the cue, if you can.** This means trying to influence the other person's habit, if you can. For example, when someone nags, complains, eats problem foods in front of you, or pressures you to eat:
- Discuss the problem. Brainstorm options. For example, "It's hard for me when you eat ice cream in front of me. It really tempting. Is there away we could get together and have fun, but not eat ice cream?" Be willing to compromise to find a solution that will work for everyone.

- Tell people about the study, your efforts to lose weight and be more active, and why this is important to you. Many people will be willing to help if they understand that you are trying to change your eating and activity and why.
- Ask others to praise you for your efforts and ignore your slips. This is KEY to your success. Explain to your friends and family that this is what would be most helpful to you. In turn, be sure to thank them when they notice your efforts and overlook your slips.

(Role play this with the participant, using an example that is meaningful to him or her.)

- 3. If you can't stay away from the problem social cue or change it, practice responding in a more healthy way. Over time you will build a new, healthier habit and the other person will learn a new habit, too, because of your new response. For example:
- Say "No" to food offers. If you are consistent and continue to say "No," others will eventually stop offering.
- One of the most important things you can do is to show others you know they mean well, and suggest something they can do to help you. Be specific. Most people mean well when they nag, offer food or pressure someone to eat (for example, many people think that being a good hostess means insisting that guests have second helpings). If you recognize that they mean well and give them a specific, positive alternative, they can still feel helpful and you are more likely to reach your goals, too. For example, when a hostess offers you second helpings, say, "Thanks so much for offering. You know what I'd really enjoy is some coffee." If you can, give them specific ideas of how to help ahead of time, before you are confronted by a challenging situation.

Role play saying "No" to food offers, using an example that is meaningful to the participant. Illustrate that the participant should be prepared to say "No" several times to someone who continues to offer, e.g., "Are you sure you don't want a piece of cake?"

Remember that it takes time to break an old habit or build a new one. Change doesn't happen overnight. And with social cues, there are at least two people involved in making a change: yourself and someone else. Don't expect other people to adjust instantly to a new way of relating, any more than you expect yourself to change instantly.

Discuss ways to add positive social cues.

Not all social cues are problems. You can use social cues to *help* you eat healthier and be more active. For example:

- Spend time with people who are active and make healthy food choices. For example, at parties stand next to people who spend most of their time talking and dancing instead of eating.
- Put yourself in places where people are active. For example, join an exercise club or sports league. Come to the study activity sessions.

- Set up a regular "date" with others to be active. You will be more likely to be active because
 you won't want to disappoint them by cancelling.
- Ask your friends to call you to remind you to be active or to set up dates to be active.
- Bring a low-fat/calorie food to share. For example, bring a fruit salad to a potluck dinner.
- Be the first to order when you eat out at a restaurant and order healthy foods.
 This is much easier than waiting until after others order high-fat foods and then trying to make a healthier choice. In addition, you will provide a positive social cue for other people.
- Be social by doing something active. For example, exercise and talk. Go out dancing instead of going out to dinner. Start a family tradition of going for exercise after dinner instead of watching TV.

An important way to change negative social cues and add positive ones is to ask people who want to support you for help.

What people in your life want to support you? [Record a few names.]

What could they do to help you? Here are some ideas. Would any of these be helpful to you?

Review the ideas on the work sheet. Check a few that the participant thinks would be helpful. Add other ideas at the bottom of the chart. Some participants may want to copy the work sheet to give to a supportive friend or family member.

Discuss ways to handle social events such as parties, having visitors, or holidays.

Social cues are especially powerful at social events such as parties, holidays, vacations, and when you have guests in your home or are a guest in someone else's home. These events:

- **Upset our routine** (for example, you usually exercise after dinner, so how do you fit exercising in on a day when you're going to a party after dinner?),
- Challenge us with unique food and social cues (for example, your family serves appetizers
 whenever there are guests in the house but not at other times; you go on vacation to a place
 you've never been before and you're not familiar with any of the restaurants),
- May involve habits that have developed over many years and so can be very powerful (for example, for the past 30 years on Thanksgiving, your family has watched the parade on TV and had pumpkin pie with whipped cream for dessert).

What are some social events that are difficult for you?

Get an idea of the kind of social events the participant attends. If it is near a holiday or vacation, you may want to focus during the remainder of the session on brainstorming options and making an action plan for that specific event. Optional participant handouts (see Appendix) are available that provide guidelines for holidays, parties, vacations, and so on.

To handle social events well, try to anticipate the problems that will occur. What exactly might be difficult for you? Then brainstorm your options ahead of time. Here are some ideas: [review the examples on the work sheet]:

- Plan ahead.
- Stay away from problem cues when you can.
- Change problem cues.
- Respond to problem cues in a more healthy way.
- Add helpful social cues.

Stay positive. Think of every social event as an opportunity to learn what works well for you and what doesn't. Remember, you are building healthy habits for a lifetime.

For participants that entertain, you may want to distribute some low-fat/calorie ideas and/or recipes (for example, recipes for low-fat dips and a list of low-fat crackers). Participants who travel often may appreciate the optional handout on helpful ideas for low-fat eating and staying active while traveling.

Assign home activity.

With the participant, develop and record on the work sheet two action plans to:

- Change a problem social cue.
- Add a helpful social cue.

If it is near a holiday, vacation, or particular social event, include an action plan for that event.

Assign home activity.

This week:

- Keep track of your weight, eating and activity.
- Try your two action plans for making social cues work for you.

And before the next session, answer the questions (Did it work? If not, what went wrong?) for both action plans

Session 15: You Can Manage Stress

Objectives:

In this session, the participant will:

- Discuss how to prevent stress and cope with unavoidable stress.
- Discuss how study participation can be a source of stress and how to manage that stress.

To Do Before the Session:

Have materials ready:

- Keeping Track book.
- Pages for participant notebook.

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity?

Were you able to follow your action plans (change the problem social cue and add the helpful one)?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant.

Graph physical activity.

Define stress and its relevance to the study.

Stress is tension or pressure. Stress is a natural part of living our life.

Any change, good or bad, big or small, can cause stress. Big changes or events in our life--like getting married, a serious illness, changing jobs--can cause stress. Small events- like losing your keys, having a birthday, having a flat tire, or needing to get your errands done before picking up your children--can also cause stress.

What kinds of things make you feel stressed?

Why are we talking about stress in the Lifestyle Balance program? Because many people react to stress by changing their eating and activity habits. Some people eat and drink too much as a way to deal with stress. Others may stop eating. Some people become very inactive and withdrawn.

What is it like for you when you get stressed?

If the participant does not provide examples, mention one or two situations that are typically stressful (such as being under a deadline at work, illness, being faced with unexpected responsibilities such as a sick child or car repair). Ask how the participant feels or reacts. Based on the response, point out any physical and emotional symptoms (headache or muscle tension) and behavioral changes that might affect eating and activity.

- Do you get any physical symptoms like a headache or stomach ache or muscle tension?
- Do you change your behaviors when you feel stressed?
- Do you eat more when you are stressed?
- Do you change the kinds of food you eat?
- Do you change how active you are or the kind of physical activities you do?

Discuss ways to prevent stress.

An ounce of prevention is worth a pound of cure, and this is certainly true when it comes to stress. The best approach is to **prevent stress whenever you can**. Here are some ideas:

1. Practice saying, "No."

Practice saying "No" when someone else asks you to do something you don't want to do. Say "Yes" only when it is important to **you.**

Saying "No" can be hard. It causes some tension or stress. But that stress is usually short-lived. If you say "Yes," you may have hours, weeks, or months of stress as you do whatever you agreed to do.

2. Share some of your work with others, both at home and at work.

Delegate what you can to someone else. For example, your spouse and children might be able to help clean the house, cut the lawn, shop for food, prepare meals, and do laundry. A co-worker might be able to help you with an overwhelming project at work.

Sharing work doesn't mean you're being irresponsible. Giving responsibility to others, even if they aren't as experienced as you, gives them a chance to learn, participate, and gain experience. One warning: Don't expect them to be perfect. Criticizing the efforts of others who are trying to help can

be another source of stress. Instead, support them for their efforts and be patient as they gain skills.

3. Set goals you can reach.

Sometimes we create our own stress by trying to be perfect. If you set reasonable goals, you are more likely to succeed. When you succeed, you are less likely to feel stressed. Remember, we talked about this when we discussed negative thoughts—if you try to be perfect, you probably won't succeed!

Periodically, take a good look at the demands you are placing on yourself. Ask yourself, "Am I expecting myself to do more than anyone could possibly do?"

4. Take charge of your time.

Make schedules with the real world in mind. Don't try to accomplish in 30minutes what realistically will take an hour. Take a good look at your to-do list, eliminate what isn't essential, and give yourself a realistic amount of time to accomplish the rest.

Get organized. Chaos is very stressful. It's also inefficient. Devote some time every day to getting organized, and you will save time and stress in the long run.

5. Use the steps for solving problems.

If changing your eating and activity habits is causing stress, take action. Use the steps to solving a problem that we discussed in an earlier session:

- Describe the problem in detail. Discuss it with your family or friends if they are involved.
- Brainstorm your options.
- Pick one option that is very likely to work and that you can do.
- Make an action plan.
- Then try it and see how it works.

Continue the process until you find a solution. Sitting on problems can cause even more stress. Solve them instead and move on.

6. Plan ahead.

Think about what kind of situations are stressful for you. These are times when you are at high risk, so plan ahead for how to handle them or work around them. For example, are holidays especially stressful for you? If so, plan some ways to make your life easier during the holidays. Examples: Buy frozen meals to have on hand for busy days. Decide what parts of decorating the house are not essential to you and spend that time relaxing instead.

7. Keep things in perspective. Remember your purpose.

Maintain a positive attitude. Think of all the good things in your life. And remember why you joined the study.

8. Reach out to people.

Think about who you can turn to for support. **Ask supportive people to help** when you are overwhelmed or need someone to encourage you. We talked about this last week.

9. Be physically active.

Many people find that being active helps them cope with stress and feel more relaxed and able to manage stressful situations more smoothly.

Discuss ways to cope with unavoidable stress.

What about the times when you can't avoid stress?

• First, catch yourself feeling stressed as early as you can.

We talked before about action or behavior chains and that it's important to try to break them as early as possible. The same is true of stress. If you learn to recognize the signs of stress and catch yourself early in the process, you may have a chance to avoid some of the harmful consequences such as overeating or being inactive.

Do you have any signs when you are getting stressed?

■ Take a 10-minute "time out."

Develop a new habit of responding to stress with a "time out"--stop what you are doing and take a few minutes for **yourself**. Do whatever you find helpful that doesn't involve food. Examples:

- a. **Move those muscles.** Research has shown that being active relieves tension, reduces anxiety, and counters depression. So when you notice yourself feeling stressed, make yourself go out for 10 or 15-minute of exercise. The distraction and breathing can do a lot to make you feel better.
- b. **Pamper yourself.** Take a bath. Manicure your nails. Massage your feet. Read a magazine. Read the funnies. **Just take out 10 minutes for YOURSELF.**
- c. **Breathe.** Most of us tend to hold our breath when we are under stress, which creates more tension in the body and mind. So when you catch yourself feeling stressed, try this: Take a full, deep breath. Count to five. Then let go of your breath slowly. Let the muscles in your face, arms, legs, and body go completely loose.

Discuss how study may be a source of stress and ways to manage that stress.

We understand that the study itself and the lifestyle changes we recommend may cause stress. Changing your behaviors and helping your family to make related changes can create pressure and tension.

Here are some possible ways that the study may cause stress and some examples of how to manage that stress.

Review the work sheet with the participant. Note that some of the possible sources of stress may not apply to the participant--for example, the participant's family may enjoy low-fat foods. Be careful that the review of the work sheet does not create a negative perspective, and help the participant feel able to cope should such stresses arise.

Assign home activity.

How does the study cause you stress? [Record on work sheet.] What are some other major sources of stress in your life? [Record on work sheet.] Pick one of the examples you've given, and let's make an action plan for either preventing that stress or coping with it.[Complete the work sheet.]

For next week:

- Keep track of your weight, eating and activity.
- Follow your action plan.

Then answer the questions on the work sheet (Did it work? If not, what went wrong?) before we meet next time.

Session 16: Ways to Stay Motivated

Objectives:

In this session, the participant will:

- Receive a certificate of participation.
- Review the participant's progress since Session 1, and if not at goal, develop a plan to improve progress.
- Discuss the importance of motivation and ways to stay motivated.

To Do Before the Session:

Review the participant's progress notes since Session 1. Note any plans that were made to improve weight loss and activity level, which strategies were used, and which were successful or not successful. If the participant is not currently at goal for weight loss and/or activity, refer to the Tool Box for ideas of additional strategies required or optional for particular problems.

If you have copies of some of the participant's past Keeping Track records, review them as well. Note some of the positive changes the participant has made.

Make sure the participant's How Am I Doing? graphs for weight and activity are up to date.

Get materials ready:

- Keeping Track book(s).
- Optional forms for self-monitoring during maintenance, such as the Lifestyle Balance Calendar, if applicable.
- Pages for participant's notebook.
- Lifestyle Balance certificate of participation. There are several versions; choose the version that is appropriate for the participant's level of progress. You may want to print the certificate on special paper and add the participant's name in calligraphy if possible (by computer or by hand). Have the principal investigator at your center sign the certificate before the session.
- Meal plans appropriate for the participant's calorie goal, if applicable.

Weigh the participant. Graph.

Receive and review Keeping Track records. Discuss successes and difficulties in meeting the study goals. Review the last session, including home activities. Graph activity.

Did you have any trouble Keeping Track last week? Were you able to stay under your fat gram budget? Reach your goal for physical activity? Were you able to follow your action plan (to prevent or cope with one source of stress)?

Praise all progress, no matter how small. Discuss barriers and problem solve with the participant. Graph physical activity.

Give the participant a certificate of participation and introduce the upcoming calendar of sessions.

This is the last of the 16 core sessions of the Lifestyle Balance program.

Congratulations! This certificate is to let you know how very important your participation in the study has been during this time.

Sign the Lifestyle Balance certificate of participation and give it to the participant. Personalize it by mentioning briefly some of the particular contributions and efforts that the participant has made.

It's very important to keep in mind that, even though you have finished the first 16 sessions, the weight loss and physical activity goals remain in place for the rest of the study. So at our next visit, we'll talk about how we'll work together in the future to help you...

If the participant hasn't reached the goals, emphasize reaching them and then maintaining them for the rest of the study. If the participant *has* reached both goals, emphasize maintaining them and surpassing them if possible because they are *minimum* goals.

Let's set up an appointment for the next visit

If at all possible, make the appointment for one or two weeks from now. Do **not** go to monthly or bimonthly visits at this point (for a detailed discussion of this issue, see the Manual for Contacts After Core, Session 1). Also, do **not** design a general schedule for the after-core period at this point; wait until the first after-core session when you will discuss the frequency of contact in the context of the goals for the after-core.

Review the participant's progress since Session 1, and if not at goal, develop a plan to improve progress.

Today we're going to talk about ways to stay motivated for the long term, to make healthy eating and being active last for a lifetime. But first, let's review your progress since the beginning of the program.

- What are some of the major changes you've made to be more active? Include both what you do to reach your goal (that is, those activities you record) and what you do to be more active in general (the lifestyle activity that you don't record, like taking the stairs instead of an elevator).
- What changes have you made to eat fewer calories and less fat?

Briefly record on the work sheet some of the changes made by the participant. Be as specific as possible. Praise and encourage the maintenance of these changes.

Have you reached your weight goal? Your activity goal?

Refer to the How Am I Doing? graphs for weight and activity, and check yes or no on the worksheet.

If the participant is **at goal** for weight loss and activity, praise the progress made.

If the participant is **not at goal** for weight loss or activity, praise whatever progress has been made. Encourage the participant to improve, and develop a plan using the work sheet. **Follow the guidelines in the Tool Box as to which strategies are required to address particular problems identified.** For example, some participants may need to be given meal plans at a lower calorie level.

Discuss the importance of motivation.

In programs like Lifestyle Balance, motivation is crucial to maintaining healthy eating and physical activity for the long term. But how to stay motivated is one of the biggest problems people face.

One reason it's difficult to stay motivated is the fact that many people do well. This sounds ironic-your progress itself makes it hard to *maintain* that progress. But think back to when you first joined the study. [Tailor the following examples to the individual participant's experience thus far in the program.] You may have felt tired when you went up stairs and that motivated you to become more active. Now that you're more active, you can climb stairs without difficulty. So that source of motivation (feeling tired when you climbed stairs) is gone.

It's the same for weight. When you first came into the study, your clothes may have been tight and that motivated you to lose weight. If your clothes are looser on you now, you no longer have tight-fitting clothes as a source of motivation.

Discuss ways to stay motivated.

However, it *is* possible to stay motivated for the long term and, as I said, it is very important to maintaining healthy eating and staying active. Here are some things that other people have found helpful.

1. Stay aware of the benefits you've achieved and hope to achieve.

Again, think back to when you first joined the study. What did you hope to achieve?

Record on the work sheet. Refer the participant back to the work sheet from Session 1A,

Remember Your Purpose, and review. Also **acknowledge any costs** that the participant articulates at this point (or that the participant has discussed with you before). Be aware that, throughout the study, participants will continue to weigh the costs versus the benefits of the program as they perceive them.

Have you reached these goals?

Have you received any benefits that you didn't expect?

What would you like to achieve during the next six months of the study? Let's make a list and then you can review these when you need motivation. [Record.]

2. Recognize your successes.

What changes in your eating and activity habits do you feel proudest of? What has been easier than you thought it would be? What has been harder than you thought it would be?

When you are feeling low on motivation, think about all of these positive changes and give yourself credit for them. Try not to lose the momentum you have reached so far.

3. Keep visible signs of your progress so you can see how far you've come.

- Post a graph of your weight loss and activity on your refrigerator door. Not only will it keep you aware of your progress, but loved ones will take note and congratulate you for your movement in the right direction.
- Mark your activity milestones on a map toward a particular goal. For example, create a simple map of the number of miles it would take to wheel to a favorite vacation spot or tour a favorite city. Mark milestones along the way (the halfway point, a fun museum to stop at along the way, and so on). You might even want to go on an actual vacation at that place when you reach your goal.
- Measure yourself at monthly intervals. Keep track of your progress in terms of specific measurements (for example, waist circumference or the number of belt loops).

4. Keep track of your weight, eating and activity.

It's common to "drift" away from new habits. You may gradually make small changes in your eating and activity over a long period of time, and not even be aware that you are slowly going back to your old habits. The best way to prevent this and stay in control is to continue to keep track. Keeping track will help you catch changes before they sneak up on you.

Give the participant optional forms for self-monitoring during maintenance, such as the Lifestyle

Balance Calendar, if applicable.

- Record your activity daily.
- Record what you eat this often: [Fill in the blank. The minimum should be one week per month, but some participants may want to or be willing to continue daily self-monitoring.]
- Record your weight on. [Fill in the blank, for example, "on Monday mornings."]

If you gain weight, you will need to keep track more often.

5. Add variety to your routine.

We've talked before about how to "jump start" your activity plan. Have you added some variety to keep yourself from being bored with staying active? Have you noticed any difference in how you feel about being active?

The same thing is true with eating. You don't need to use the same low fat salad dressing every night. Experiment with new low fat products. Try new recipes and restaurants. Don't approach healthy eating as a chore. It is an art.

What meals, snacks, or particular foods are you most bored with? Can you think of some ways to vary this part of your eating?

Record the participant's ideas on the work sheet. Examples:

- Use seasonings and flavorings to add flavor to lower-fat dishes. (Review the handout on adding flavor without fat.)
- Try a wide range of fruits, vegetables, and grains.
- Include a variety of colors, textures, and tastes on your plate.
- Make one night a week an "ethnic night," "soup night," or "vegetarian night." Experiment with preparing various recipes for these foods.
- If you eat out often, plan more meals at home.
- If you eat at home often, plan more meals out. (Have you stopped eating out because you're trying to lose weight? Has this left you feeling restricted and deprived? Have you stopped inviting friends over to eat or accepting invitations to eat at their homes? Don't deny yourself the pleasure of social eating. Instead, make a plan for how to handle these times, then try your plan, and see how it works. You may make a few mistakes at first, but it's important to know that you can eat out and still eat healthy.)
- Share food preparation and dining with others as a way to relax. Invite people over to prepare dinner together. Cook with your children and spouse.
- Plan potluck dinners around a certain theme and share the best recipes you discover as a group.
- You may want to subscribe to a magazine that includes healthy recipes and food ideas, such as Weight Watchers, Eating Well, or Cooking Light.
- Or take a class to learn how to cook, at least the basics.

If the participant expresses interest in learning more about a specific topic such as ethnic cooking or vegetarian eating, address it briefly here and plan to provide more detail at a future meeting or group session.

6. Set new goals for yourself, and develop ways to reward yourself when you meet each goal.

The **goal** should be **specific and short-term** ("I will not use butter or margarine on my vegetables this week"). It should also be something that's not too easy or too hard(something that will present **"just enough" of a challenge** for you that you will be able to do it and will also feel that you've accomplished something).

The reward should be something that you will do or buy if and only if you reach your goal. The reward doesn't need to be fancy or cost a lot of money. It can be something that you normally enjoy doing (like reading the paper or taking a hot bath) with the difference being that you will do it only if you reach your goal. For example, "After I finish exercising, I'll call my friend and chat." Then, if you need a boost to keep you going during your exercise, you can think about what you'll talk about on the phone with your friend.

What are some non-food ways you can reward yourself for reaching a goal?

Record ideas on the worksheet, such as:

- Buy myself fresh flowers,
- Treat myself to a manicure,
- Go to a movie.
- Set some money aside for something you want to buy or do,
- Take a bubble bath,
- Buy a favorite magazine, or
- Take some time for myself. (Specify.)

7. Create some friendly competition.

Get a friend or relative to enter into a friendly competition with you. This should be the **kind of competition in which you both win.** For example:

- If you and your friend are both active every day for a month, at the end of the month what will you do?
- If you are active every day for a month and your daughter does her homework every day, at the end of the month what will you treat yourselves to?
- See how many days in a row you can be active for at least 30 minutes. Try to beat yourself.
 For example, if last month you were active for seven days in a row, see if you can do better this month.

8. Use me and others to help you stay motivated.

If you notice that your motivation is dropping, call me. Or call someone else on the Lifestyle Balance staff. Or call a friend or another participant. Everyone has trouble staying motivated sometimes, so we all understand. And we can help each other through the tough times.

9. Introduce Viterion 100 system.

We will be contacting you going forward on a biweekly basis to monitor your progress. We will ask you a few questions about your level of exercise and your caloric intake. If we find that you are maintaining your goals, then we will not contact you more than the pre-planned amount. If the responses indicate that you are having a "slip," then the lifestyle coach will give you a call to see what's going on and try to help you get back on track.

Train the participant in the use of the Viterion machine and see if he has any questions.


Assign home activity.

Pick one way to stay motivated that you think would be most helpful to you right now. Choose something that is very likely to work and that you can do. Be realistic. Be specific. (Record on work sheet.)Let's make an action plan related to that. (Complete the work sheet.)For next week, keep track of your eating and activity. Follow your action plan. And answer the questions on the work sheet before you come in for your next session.

WEIGHT MIRROR

General Principles:

- As a component of the Behavioral Intervention, the Internet based freeware, Weight Mirror, will be used to create a 'virtual image' of the participant that is 7% lighter than their measured weight at the onset of the study.
- Visualization of weight loss, in this manner, will be used as a motivational tool.
- A photograph of the participant will be taken at the onset of the study, and uploaded to the Weight Mirror program for virtual image creation. The area of interest on the website will include eyes to knees inclusive of right/left body dimension.
- Original photograph will be used as a reference along with the virtual image, and included in the Lifestyle Manual to be given to each participant
- Photographs will be updated at 6, 12, and 18 months
- http://makeovr.com/weightmirror/



EXTENTION PHASE - MONTHLY INTERVENTION.		
Topic		
Data Collection		
Review of self-monitoring records		
Review of homework		
Introduction of new topics*		
Completion of action plan		
Scheduling of next meeting		


^{*}only on bi-monthly face-to-face meeting with life-style coach.

TeleHealth Network:

- Participants will be provided with a Viterion 100 TeleHealth device that connects directly to the home phone line.
- NO computer, wireless network, modem, or Ethernet link is required.
- Lifestyle coaches can automatically be connected with participants through the TeleHealth system.
- TeleHealth allows patients to receive education and self-management tips DAILY.
- Information received by the home TeleHealth device is viewed daily via a secure internet site by an RN/ARNNP-assigned care coordinator.

"Toolbox" Options:

- As employed by the DPP, toolbox options will be utilized by life-style coach's motivation and adherence to the core and extension lifestyle intervention.
- These options will include awards for compliance, effort, and success.
- Problem solving strategies will be included to mitigate problem behaviors such as poor attendance, insufficient self-monitoring, unmet weight loss goals/maintenance, and unmet physical activity goals.



DIETARY DETAILS ARE AS FOLLOWS:

Specific Topics for Dietary Training Curriculum

 Learn about healthy eating by discussing the importance of using regular meal patterns and eating slowly. 		
Introduce the My Plate from MyPlate.gov. Give tips on specific foods, healthy alternatives, and portions.		
Introduce all 5 food groups and show examples of foods within each group.		
Activity- Rate Your Plate:		
 Participant will pick 4 meals from the previous week. They will fill in the plate per meal for each serving of food they had and what food group it came from. Participant will answer questions on how their plate looked in comparison to My Plate Sample and if there were any healthier options they could've chosen. 		
4. Learn how to read a basic food label.		
 a. Go over serving size, servings per container, calories from fat, ingredient list and percent of daily values. b. Discuss limiting fat, cholesterol added sugar and sodium. 		
Activity: Give sample food label and have participants fill in correct answers from the label provided.		
5. To do next week they will:		
 Keep track of weight Fill out rate your plate forms everyday Answer questions before next session. 		
 Learn about Unsaturated Fat= "The good guys" 		
a. Monounsaturated fat		
b. Polyunsaturated fat		
Activity: Have participants write down 3 healthful fats they eat daily.		
Learn about Saturated Fat= "The bad guys" a. Saturated fat b. Trans fat		

	T
	Activity: Have participants write down 3 harmful fats they eat daily then circle one to try to change for the following week.
	3. Learn how to read Fat on a food label
	 Teach what manufactures are required to list on the food label as to what manufactures are voluntarily allowed to list on food labels.
	Activity: Give 2 sample food labels. Have participants fill in correct answers about fat from the label provided.
	4. To do next week • Keep track of the kinds of fat they eat everyday • Write down everything they eat, drink and all daily activity • Make a plan to change a habit and reach a goal • Answer questions before next session.
Session 7 Tip the Calorie	Learn about the two components of the calorie balance: a. Calories consumed (food, beverages consumed) b. Calories expended (metabolic process and physical activity)
Balance	To reinforce the importance of maintaining a calorie balance in the weight loss process a. Balancing food calories with activity calories
	Learn how many calories it takes to lose/gain a pound
	Reinforce positive changes made so far a. Changes to be more active b. Changes to eat fewer calories
	Activity for next week: a. Plan physical activities for the upcoming week b. Monitor calories consumed c. Reinforce portion control using portion size guide
Session 10	Learn strategies for a successful dining experience outside the home
Four Keys to Eating Out	Plan Ahead a. Steps to take charge of your eating out experience
	Ask for what you want a. Strategies to be firm and assertive
	Take charge of what's around you
	Choose foods carefully a. Healthy eating pitfall and success clue words
	What's on the menu a. Healthy restaurant menu options b. Fast food options
	Activity – Describe a problem when you eat out: • Identify triggers and proactive solutions
	To do next week Continue to self-monitor weight, physical activity Critique action plan

Critique action plan

Session 3: Healthy Eating

	We'll begin today to keep track of your weight:
	At every session, mark it on the How Am I Doing.
	Your starting weight was pounds. Your weight today is pounds. Your goal weight is pounds.
w	rite your weight down in one place. Keep a track book or your Journal.

Some parts of healthy eating include:

the way you eat.	

A regular pattern of meals is important.

A regular pattern will keep you from getting too hungry and losing control.

Eat slowly. If you eat slowly, you will:

- a) Digest your food better.
- Be more aware of what you're eating.
- Be more aware of when you're full.

Try pausing between bites. Put down your utensils. Enjoy the taste of your food!

Don't worry about cleaning your plate.

Serve yourself smaller portions to begin with.

... what you eat overall.

Let's start with the Food groups from My Plate.



Balancing Calories

- · Enjoy your food, but eat less.
- Avoid oversized portions.

Foods to Increase

- Make half your plate fruits and vegetables.
- Make at least half your grains whole grains.
- . Switch to fat-free or low-fat (1%) milk.
- · Drink water instead of sugary drinks.

Tips for Foods:

- Buy fresh fruits and vegetables in season. They cost less and are likely to be at their peak flavor.
- Buy packages of fruits or veggies for quick snacks.
- Include a green salad with your lunch and/or dinner every day.
- Try brown rice or whole-wheat pasta instead of white rice or pasta.
 - Check the ingredient list for the words "whole grain" or "whole wheat" to decide if they are made from a whole grain. (Some foods are made from a mixture of whole and refined grains).
- Buy the leanest meat cuts and lean ground meats such as boneless skinless chicken breasts and turkey cutlets.
 - Choose lean or low-fat luncheon meats for sandwiches instead of luncheon/deli meats with more fat, such as regular bologna or salami.
 - Trim away all of the visible fat from meats and poultry before cooking.
 - Drain off any fat that appears during cooking.

Vegetable Group

Vegetables may be raw or cooked; fresh, frozen, canned. Any vegetable or 100% vegetable juice counts as a member of the Vegetable Group. Lettuce, spinach, broccoli, carrots, peppers, green beans, cauliflower, celery, cucumbers, Plantains, mushrooms, zucchini, onions, potatoes, and corn. Some Juices like tomato juice or V-8.

Grain Group

Any food made from wheat, rice, oats, or other cereal grain is a grain product.

Whole grains: brown rice, oatmeal, popcorn, wheat tortillas, wild rice, whole wheat bread and breakfast cereals like whole wheat cereal flakes

Grains are divided into 2 subgroups: Whole grains Refined grains. Refined grains: white bread, corn & flour tortillas, couscous, crackers, grits, white noodles and pastas, pitas, pretzels and Breakfast cereals like corn flakes.

Fruit Group

Fruits may be fresh, canned, frozen, or dried, and may be whole, cut-up, or pureed.

Apples, apricots, bananas, berries, grapes, kiwi fruit, lemons, limes, mangoes, melons, oranges, peaches, pears, papaya, pineapple plums, prunes, and raisins.

Any fruit or 100% fruit juice counts as part of the Fruit Group.

100% Fruit juices like orange, apple, grape, and grapefruit.

Milk Group

All fluid milk products and many foods made from milk are considered part of this food group.

Most Dairy Group choices should be fatfree or low-fat. Foods made from milk that retain their calcium content are part of the group. Milk: fat-free (skim), low fat (1%), reduced fat (2%), whole milk, lactosereduced or lactose free milks Cheese: cheddar, mozzarella, Swiss,

parmesan, ricotta, cottage, American Yogurt: fat-free, low fat, reduced fat, whole milk yogurt

Milk-based desserts: puddings, ice milk. frozen yogurt, ice cream

Protein Group


All foods made from meat, poultry, seafood, beans and peas, eggs, processed soy products, nuts, and seeds are considered part of the Protein Foods Group. Beans and peas are also part of the protein group. Meats, game meats, lean luncheon or deli meats, organ meats, poultry, and eggs. beans and peas: soy beans, split peas, tofu (bean curd made from soybeans), veggie burgers, texturized vegetable protein (TVP), nuts and seeds, seafood

Remember: The amount of each group you need to eat depends on your age, sex, and how physically active you are!


Rate Your Plate (Y)

- 1. Pick four meals from last week's Keeping Track. Fill in the dates.
- Fill in each plate for every serving you ate from each food group. The plate beside shows you the minimum number of servings recommended.

Date: ___/___



Date: ___/___




What could you do to better to match My Plate?

Are there healthier options to any foods that you ate? If so, what are they?

Learning how to Read a Food Label

Become a smart shopper by reading food labels to find out more about the foods you eat. The Nutrition Facts panel found on most food labels will help you:



- Find out which foods are good sources of fiber, calcium, iron, and vitamin C
- Compare similar foods to find out which one is lower in fat and calories
- · Search for low-sodium and low sugar foods
- Look for foods that are low in saturated fat and trans fats

Serving Size & Servings per Container or Package

- Look here for both the serving size (the amount for one serving), and the number of servings in the package.
- Remember to check your portion size to the serving size listed on the label. If the label serving size is one cup, and you eat two cups, you are getting twice the calories, fat and other nutrients listed on the label.

Calories and Calories from Fat

Find out how many calories are in a single serving and the number of calories from fat. It's smart to cut back on calories and fat if you are watching your weight!

Let the Percent Daily Values Be Your Guide

Daily Values (DV) are average levels of nutrients for a person eating 2,000 calories a day. A food item with a 5% DV means 5% of the amount of fat that a person consuming 2,000 calories a day would eat.

- 5 percent or less is low try to aim low in total fat, saturated fat, cholesterol, and sodium
- 20 percent or more is high try to aim high in vitamins, minerals and fiber

Ingredients are listed in order so you get an idea of how much of each ingredient is in the food. When something is listed first, second, or third, you know that this food probably contains a lot of it.

Tips on Food Labels:

Limit Fat. Cholesterol and Sodium:

Eating less of these nutrients may help reduce your risk for heart disease, high blood pressure and cancer:

- Total fat includes saturated, polyunsaturated and monounsaturated fat. Limit to 100% DV or less per day.
- Saturated fat and trans fat are linked to an increased risk of heart disease.
- Sodium high levels can add up to high blood pressure. Try to stay below 1500 mg per day, and NO higher than 2300 mg per day!

Additional Nutrients

Carbohydrates - there are three types of carbohydrates: sugars, starches and fiber. Select whole-grain breads, cereals, rice and pasta plus fruits and vegetables.

Sugars — simple carbohydrates or sugars occur naturally in foods such as fruit juice (fructose), or come from refined sources such as table sugar (sucrose) or corn syrup.

Now that you know a little more about food labels, you can read up on what you're eating!



Bicarbonate). Dextrose.

Ingredients: Dehydrated Potatoes, Modified Food Starch, Corn Oil, Sugar, Salt, Soy Lecithin, Leavening (Monocalcium Phosphate and Sodium No Preservatives.

Nutrition Facts Serving Size 1 oz. (28g/Mbout 10 crisps) Servings Per Comainer 10
Amount Per Serving
Galories 120 Galories from Fat 30
Total Fat 30 5%
Saturated Fat On ON
Trans Fat Op
Cholesterol Irrig 0%
Sedium 200mg 8%
Total Carbohydrate 21g 7%
Dietary Fiber 2g 6%
Sugara 2g
Protein 2g
Vitamin A 6% - Vitamin C 6%
Caldium 4% - Iron 0%
Thiamin 4% - Niacin 6%
Vitamin Be 4% Phosphorus 6%
Zino 2%
*Percent Belly Values are based on a 2,885 rations day. Your dially values may be higher or lower depending on pure calonia needs: Calonia: 2,586 2,596
Total Pat. Less than 55g 50g
Selfel Lesetten 20g 25g Cholesteni Lesetten 200mg 200mg
Sedum Lessithen 2,400mg 2,400mg Total Carboffvotols 500g 375g
Detay Filler 25g 30g Galories per cram:
Fall 9 - Carbohydrate 6 - Propin 6

Let's try this label: What is a serving of this item? How many servings are there? How many calories are for one serving? How many calories would you eat if you ate 3 servings? Is this a lot for one food item? (Yes! We will explain in a later session) How much sodium would you get if you ate 3 servings of this item? Is this a lot for one food item? What ingredient does this product have the


most of?

To do next week:


vill:
Keep track of my weight and what I eat.
Fill out the Rate Your Plate form every day.
Answer these questions before our next session:
Did you make any changes during the week to better match My Plate
If yes, what were they?

What problems did you have? How did you solve them?

For next week:







Session 4: Get to know your Fats

Fats, or lipids, are nutrients in food that the body uses to build nerve tissue (like the brain) and hormones. Fats and oils are important parts of a healthy diet, but the type of fat you choose can make a big difference for the health of your heart. By understanding how fats work in the body, knowing the difference between the good guys (unsaturated fat) and the bad guys (saturated fat), you can eliminate excess fat from your diet and eat better for your health.

Two Types of Healthy Fat: "The Good Guys"

Monounsaturated fat. This is a type of fat found in a variety of foods and oils. Studies show that
eating foods rich in monounsaturated fats (MUFAs) improves blood cholesterol levels, which can decrease
your risk of heart disease. Research also shows that MUFAs may benefit insulin levels and blood sugar
control, which can be especially helpful if you have type 2 diabetes.

Foods that are rich in Monounsaturated fat are: · avocado

- · canola oil · olives and olive oil · cashews and cashew butter · sesame seeds
- · almonds and almond butter · peanuts, peanut butter and peanut oil
- <u>Polyunsaturated fat.</u> This is a type of fat found mostly in plant-based foods and oils. Evidence
 shows that eating foods rich in polyunsaturated fats (PUFAs) improves blood cholesterol levels, which can
 decrease your risk of heart disease. PUFAs may also help decrease the risk of type 2 diabetes. One type of
 polyunsaturated fat, omega-3 fatty acids, may be especially beneficial to your heart. Omega-3s, found in
 some types of fatty fish, appear to decrease the risk of heart disease. They may also protect against irregular
 heartbeats and help lower blood pressure levels.

Name 3 kinds of healthful fats you eat? (Unsaturated)

1.	
2.	
3.	

Two Types of Harmful Fat: "The Bad Guys"

<u>Saturated fat.</u> This is a type of fat that comes mainly from animal sources of food. Saturated fat raises
total blood cholesterol levels and low-density lipoprotein (LDL) or "bad" cholesterol levels, which can
increase your risk of cardiovascular disease. Saturated fat may also increase your risk of type 2 diabetes.

Foods that are high in saturated fat are:

- · skin from chicken and turkey · lard · butter · chocolate
- · high fat dairy products such as cream, whole milk, cheese, regular ice cream and sour cream
- · high-fat processed meats like ground beef, bologna, hot dogs, sausage, bacon, and spareribs
- Trans fat. Most trans fats are made during food processing through heating up of unsaturated fats.
 Some occur naturally in foods, especially foods from animals. These trans fats are "chemically-altered fats" (companies use them to increase the shelf life of their products).
 - Research studies show that trans fat can increase "bad" cholesterol (LDL) and lower the healthy "good" cholesterol (HDL). This can increase your risk of heart disease.

Foods that are high in trans fat are:

- · processed foods like crackers, snacks, breads, chips, and baked goods
- · candy like caramels and chocolates · shortening like Crisco
- · some fast foods such a French fries and biscuits · dips



Most of the fat we eat (70% of it) is hidden in foods.

Let's uncover it! Here's a lunch menu:

Fried fish sandwich	5 teaspoons of fat
Large French fries	6 teaspoons of fat
Apple turnover, fried	4 teaspoons of fat
Milkshake, with ice cream	5 teaspoons of fat
Total:	20 teaspoons of fat (That's about 1 entire stick of butter or margarine!)

To help you stay on your weight goal, we'll help you eat healthy.

Make a plan to eat less harmful fat and follow it.

Write down 3 foods	you eat that are h	iigh in Saturated	or Trans fat.	Circle one.
--------------------	--------------------	-------------------	---------------	-------------

1.		
2.		
3.		

Now, what is one way you can cut your saturated fat intake for next week? (There are examples below) Be sure it is something you can do!

1.

Instead of		Replace with
Bologna, beef or pork, 1 ounce	→ Lower the fat in meats.	Turkey breast, 1 ounce
American cheese, 1 ounce	→ Use low-fat substitutes.	American cheese, low-fat, 1 ounce
Potato chips, 1-ounce bag	→ Eat smaller amounts.	Potato chips, ½ of a 1-ounce bag
Fish, flounder, deep fried, 3 oz	→ Cook in healthy ways.	Fish, flounder, baked, 3 oz.
Mashed potatoes, ½ cup, whole milk and butter	→ Use low-fat flavorings and substitutes.	Mashed potatoes, ½ c, skim milk, and margarine
Green beans, w/bacon, ½ cup	→ Use low-fat flavorings.	Green beans, steamed, ½ cup
Ice cream, premium, ½ cup of ice cream [for a rare treat.]	→ Eat less often.	Frozen yogurt or sherbet ice cream
Regular margarine or butter	→ Eat light option.	Light-spread margarines, or diet margarine
Chicken Nuggets	→ Cook in healthy ways.	Chicken breast, broil, or grill, 3 oz

Now that you know how to read a food label... what does "Total Fat" mean?

Nutrition Facts Serving Size 4 cookies (30g) Servings Per Container 4	
Amount Per Serving	
Calories 220 Calories from Fat 110	
% Daily Value*	
Total Fat 12g 18%	
Saturated Fat 6g 30%	
Trans Fat 0.5g	
Cholesterol 10mg 2%	
Sodium 70mg 4%	
Total Carbohydrates 25g 8%	
Dietary Fiber 1g 4%	
Sugars 20g	
Protein 3g	
Vitamin A 0% • Vitamin C 8%	
Calcium 2% • Iron 4%	
* Percent Daily Values are based on a 2,000	
calorie diet. Your daily values may be higher	
or lower depending on your calone needs.	
Calories: 2,000 2,500	
Total Fat Less than 65g 80g	
Sat Fat Less than 20g 25g	
Cholesterol Less than 300mg 300mg	
Sodium Less than 2,400mg 2,400mg	
Total Carbohydrate 300g 375g	
Dietary Fiber 25g 30g	
Calories per gram Fat 9 Carbohydrates 4 Protein 4	

Total Fat on the food label represents the amount of fat in one serving of the product.

Remember Total Fat comes from four sources:

Note: Manufacturers are *required* to list saturated fat and trans fat as subcategories of total fat and can *voluntarily* list monounsaturated fat and polyunsaturated fat.

There are 12 grams of total fat in one serving of this product

6 grams = saturated fat & 0.5 grams = trans fat.

You can assume the remaining 5.5 grams of fat come from monounsaturated and/or polyunsaturated fat, even though it's not listed on the label.

<u>Question:</u> What if you eat a larger serving than is listed on the label?

Answer: You will be eating more fat (grams) than is listed on the label!!

Read this Food Label:

Nutrition Facts

Serving Size 1 oz. (28g/about 21 pieces) Servings Per Container 10

Amount Per Serving

Calories 150

Calories from Fat 80

	% Daily Value*
Total Fat 9 g	14%
Saturated Fat 2g	10%
Cholesterol Omg	0%
Sodium 300mg	12%
Total Carbohydrate 16 g	5%
Dietary Fiber less than 1g	1%
Sugars less than 1 g	
T	

Protein 2g

Vitamin A 0% Vitamin C 0% Calcium 0% Iron 2%

* Percent Daily Values are based on a 2,000 Calorie diet. Your daily values may be higher or lower depending on your calorie needs.

Nutrition Facts

Serving Size 1 oup (228g)

Servings Per C	ontainer 2		
Amount Per Serving			
Calories 250	Ca	iories from	Fat 110
		% Dai	ly Value*
Total Fat 12g			18%
Saturated Fa Trens Fat 1.3			15%
Cholesterol 30r	mg		10%
Sodium 470mg			20%
Total Carbohyd	rate 31g		10%
Dietary Fibe	r Og		0%
Sugars 5g			
Protein 5g			
Vitamin A			4%
Vitamin C			2%
Calcium			20%
Iron			4%
*Percent Daily Wal. Your Daily Values your colone needs	may be highe		
Total Fat	Less than	58g	80g
Sat Fat	Less than	23g	25g
Cholesterol	Loss than	330mg	300mg
Sadium	Less than	2,400mg	2,400mg
Total Carbohydrate		300g	375g
Dietary Floer		250	36g

□ Look at the Serving size

□ Look at the Total Fat in grams:

How much is Saturated Fat _____g

How much isTrans Fat g

How much Polyunsaturated and Monounsaturated Fat _____g

Let's Try Another Label:

What is the Serving size?		
What is the Total Fat?g		
How much Saturated Fatg		
How much Trans Fatg		
How much Poly and Monounsaturated Fatg		
If you had the whole container how much fat is that?		
Total fat in 2 servings Saturated fat in 2 servings Trans Fat in 2 servings		

For Next Week:

Keep track of the fat you eat every day: "Good Guys vs Bad Guys"

1. Write down everything you eat and drink.

It's the most important part of changing your behavior.

Spelling is NOT important. What IS important is to:

- → Be honest (write down what you really eat).
- → Be accurate (measure portions, read labels).
- → Be complete (include everything).



Remember: Your lifestyle coach is here to help you!

Next week I will:

Keep track of my weight, what I eat, drink, and my daily activity.		
Be active for		
Make a plan to change your habit and follow it.		
→Write down in your journal or food diary the foods you circled during today's session.		
→ Write down what you will do this week to achieve your goal. Again, be sure it is something you can do.		
What I will need to do to reach this goal:		
Problems I might have and what I will do to solve them:		

Last week we talked about four types of Fat.

Did you follow your plan? __Yes __No __Almost What problems did you have following your plan? What could you do differently next week? What I will need to do to reach my goal of eating more healthy fat: Problems I might have doing this and what I will do to solve them:

Session 7: Tip the Calorie Balance

This session focuses on the TWO main elements in calorie balance:

- calories consumed or eaten
 - calories expended

Calorie balance over time is the key to weight management.


Calorie balance refers to the relationship between calories consumed from foods and beverages and calories expended in normal body functions (i.e., metabolic processes) and through **physical activity**. People cannot control the calories expended in metabolic processes, but they *can* control what they **eat** and **drink**, as well as how many calories they use up during **physical activity**.



Calories in food		Calories burned during active	ity
2 Apples	160	30-45 minutes of 170	ľ
Slice of bread w/	160	upper body circuit	
1 Tbsp peamut butter		training	

*Patrick!...Jacobs, Edward T. Mahoney, Mark S. Nash; Barth A. Green. Circuit resistance training in persons with complete paraplegia. J of Robat Ras Dev. 2002; 39(1): 21-28.

Your weight is a result of the balance between food (calories in) and activity (calories out)





Remember:

- Foods eaten and being active work together.
- To lose weight, it's best to eat less and be more active.
 - By TIPPING the balance you can lose the weight you want!
 - Over time, you can reach a new balance at a new, lower weight.
 - You will keep the weight off by making changes part of your new lifestyle



- P 1 pound of body fat stores equals about 3,500 calories.
- Slow, steady weight loss (1-2 pounds/week) is the best way to lose body fat.

To lose:	Tip the balance by this number of calories:	
1 pound/week	3,500 per week or 500 each day for 7 days	
1-1/2 pounds/week	5,250 per week or 750 each day for 7 days	
2 pounds/week	7,000 per week or 1,000 each day for 7 days	

For permanent weight loss, it's best to eat less AND be more active!

Changes you've made so far

1	To be more active (both to reach your goal and be active in general)
Ć	To eat fewer calories
	Have these changes tipped the balance?
	Your weight at the start of Lifestyle Balance: Weight now:

You have:

Stayed at the same weight, or gained weight

◆ To lose weight, try something else to tip the balance

Expected weight by this time:

We'll work together to find what works better for you

Lost some weight, but not as much as expected

- Good. You've made some progress
- To lose more weight, try something else to tip the balance flather.

Lost as much weight as expected (or more)

- Great! You've tipped the balance
- Keep tipping the balance, and you'll keep losing weight

To do next week

1.	Keep track of my weight, eating, and activity.
2.	Be active for
	 Try setting aside one block of time OR find 2-3 shorter time period
	 Plan other activities you LIKE to do.

	What I will do	When	Minutes
Mon			
Tues			
Wed			
Thurs			
Fri			
Sat			
Sun			
	Total minutes for the week:		

- 3. Make active lifestyle choices throughout the day
- To tip the balance further, I will:
 - Keep track of calories every day
 - Watch out for foods that are high in empty calories
 - Be sure to record everything
 - Watch portion sizes

Portion Size Guide



4 dice = 1 oz of cheese



4-oz individual applesauce = 1/4 αıρ



1 small potato = 1 computer mouse = or 1 cup vegetables



Small apple = 1 cup of fruit



8 oz yogurt = 1 cup of milk



School milk carton of milk = 1 cup



½ medium bagel = 1 hockey puck = 2 Tosp peanut butter = 1 golf ball 1 oz grain





1 cup pasta = 1 baseball



Session 10: Four Keys to Healthy Eating Out

Plan Ahead

- Call ahead to ask about low-fat choices
- Pick where you eat out carefully.
- Go somewhere that offers low-fat choices.
- Eat less fat and fewer calories during other meals that day.
- Eat a little something before you go out or drink a large, low-calorie beverage
- Plan what to order without looking at the menu
- Don't drink alcohol before eating
- For parties or dinner parties: Bring something from home to share with others.

Ask for what you want. Be friendly and firm

- Ask for the foods you want
 - Ask for lower-fat foods
 - o Can foods be cooked in a different way?
- Don't be afraid to ask for foods that aren't on the menu.
- Ask for the amounts you want
 - Ask how much is usually served.
 - Order salad dressing, gravy, sauces, or spreads "on the side."
 - Ask for less cheese or no cheese.
 - Split a main dish or dessert with someone
 - Order a small size (appetizer, senior citizen's, children's)
 - Before the meal, have the server pack ½ of your order to take home.

Take charge of what's around you

- Ask for one piece of bread per person instead of a bread basket
- Use olive oil instead of butter for your bread

Choose foods carefully

Watch out for these high-saturated fat words on



- Look out for these healthier alternatives



- Think about what you really need to eat
- Trim visible fat off meat
- Take skin off chicken
- Split main dishes with someone to control portion sizes
- Skip the mayonnaise. Use olive oil instead
- In general:
 - Lunch meals should contain no more than 400 calories
 - Dinner meals should contain around 500 calories

What's on the menu?

- · You can make healthier choices no matter what kind of restaurant you go to
 - o Be sure to ask the waiter how the food is prepared.
 - Note: Most restaurants serve a tossed salad—top with a dash of olive oil and lemon juice or vinegar.

GO! Healthy choices	CAUTION!	
Pizza Plain cheese pizza (ask for half the cheese or low-fat cheese). Onions, green peppers, mushrooms, tomatoes Grilled chicken	Pizza Meat toppings (sausage/pepperoni, ground beef) Extra cheese	
Burger Place (fast food) Grilled, broiled, or roasted chicken, without sauce or mayonnaise Broiled, extra lean burger.	Burger Place (fast food) Regular hamburger, choeseburger. French fries. Fried fish or chicken. Mayonnaise-based sauces.	
Mexican Heated (not fried) tortillas. Grilled chicken or beef fajitas Soft tacos (corn or flour tortillas). Salsa or Pico de Gallo	Mexican Enchiladas. Chili con queso Fried tortillas, tortilla chips Sour cream, guacamole Crispy or crunchy tacos	
Chinese and Japanese Stir-fried chicken. Stir-fried vegetables. Steamed rice. Soup. Teriyaki.	Chinese and Japanese	
Italian • Spaghetti with meatless tomato sance • Minestrone soup	Italian Sansage Lasagna, manicotti, other pasta dishes with cheese or cream Fried or breaded dishes (like yeal or eggplant parmesan)	

GO! Healthy choices	CAUTION!
Seafood Broiled, baked, or boiled seafood with lemon Plain baked potato	Seafood Fried fish Fried vegetables French fries
Steakhouses Shrimp cocktail Broiled chicken or fish Plain baked potato	Steakhouses Steak (except trimmed lean cuts). Fried fish or chicken Onion rings, other fried vegetables French fries

Fast Food Options

As you embark on your journey towards a healthier lifestyle it is important to be prepared for the occasional obstacle or bump on the road. Although eating fresh, home prepared meals is always best, below are some convenient options that can fit into your healthy plan for those days when you are on-the-go.

M	Boston Market				
Arby's Arby's					
Menu Item	Calories	Menu Item	Calories		
Roast Turkey and Swiss Sandwich (1/2)	340	Qtr. White Rotisserie Chicken (1/2 order) with Steamed Veg and New Potatoes	360		

RING		Domino's	
Menu Item	Calories	Menu Item	Calories
BK Veggie Burger (no cheese)	410	Hand tossed Chicken and Veggie (per	210
		slice, small)	
BK Big Fish Sandwich (1/2 order)	320	Hand tossed Popperoni Pizza (per	238
		slice, small)	
Spicy Chick'n Crisp Sandwich	300		

KFC	McDonald's				
Menu Item	Calories	Menu Item	Calories		
KFC Snacker with Crispy Strip	290	Filet O Fish	380		
Grilled Chicken Breast (1/2 order) with		McChicken	360		
Green Beans and Mashed Potatoes n' gravy					

Pollo Tropical		TACO	
Menu Item	Calories	Menu Item	Calories
Chicken TROPICHOP w/ rice and beans (% order)	265	Fresco Crunch Taco	150
Chicken TROPICHOP w/ rice and vegetables	165	Fresco Soft Taco - Beef	180
Pork TROPICHOP w/ rice and beans (1/2 order)	340	Fresco Bean Burrito	350
Pork TROPICHOP w/ rice and vegetables (½ order)		Fresco Burrito Supreme - Chicken	350
% Chicken, white meet (no skin), w/rice and beans (% order)	350	Fresco Burrito Supreme - Steak	340

	Describe a problem you have when you eat out
1.	Make a positive action plan using one of the 4 keys to eating out
	I will:
	When?
	I will do this first:
2.	I will handle roadblocks that may come up by:

I will	do this to	make my	success mo	ore likely: _	
-					
How	can we h	elp you?			
-					

To do next week

- 1. Keep track of my
 - i. Weight
 - ii. Eating
 - iii. Physical activity
- 2. Try my action plan.
 - i. Did it work?
 - ii. If not, what went wrong? _____



CIRCUIT RESISTANCE TRAINING (CRT).

General principles:

- CRT is a mode of training that employs lockstep resistance maneuvers interposed with short periods of un-resisted, high velocity arm work.
- Study participants will undergo CRT three times per week on non-consecutive days for 24 weeks.
- Resistive loads for training during weeks 1 and 2 of each month will be 50% of the 1-repitiion maximal (1RM) values calculated during initial isoinertial strength testing.
- Resistive loads will be increased to 55% and 60% of the 1RM during training weeks three and four for each month, respectively.
- 1RM strength will be assessed as follows:
 - Subjects will be instructed to perform 8 repetitions of each maneuver with each repetition lasting six seconds (3 seconds concentric, 3 seconds eccentric).
 - ☐ If 8 repetitions are completed in a controlled fashion, weight will be increased and the exercise repeated incremental increases will be 5 kg (paraplegia) and 2.5 kg (tetraplegia) until 8 repetitions **cannot** be completed.
 - ☐ 1RM will be calculated using the Mayhew regression equation:

$$1RM = Wt/(0.533 + 0.419e^{-0.055*REPS})$$

where **1RM** is the calculated one repetition maximum strength, **Wt** is the resistance used in the last set where more than three repetitions but less than eight repetitions were completed, and **reps** equals the number of repetitions completed in the last set of testing.

1RM will be assessed in the following time schedule:

Exercise Maneuver		Upper extremity dynamic strength (1RM)								
		0	1	2	3	4	5	6	12	18
Military press		-			-			-		
Horizontal rows					-					
Pec dec					-					
Preacher curls					-					
Latissimus pull-downs	-				•					
Seated dips ("Rickshaw")	-				•					

DESCRIPTION OF EXERCISE MANEUVERS UTILIZED IN CRT.

Exercise Maneuver	Description
Military Press	Shoulder abduction with scapular elevation and upward rotation starting from the fully adducted and depressed position.
Horizontal rows	Shoulder horizontal abduction with scapular adduction starting from a position of maximum forward reach.
Pec dec	Should horizontal adduction while in external rotation to the midline, from the maximum tolerated horizontal abduction in external rotation.
Preacher curls	Elbow flexion supported on an inclined pad from the fully extended position.
Latissimus pull-downs	Shoulder adduction with scapular downward rotation and depression starting from the maximal upward reach position.
Seated dips ("Rickshaw")	Shoulder flexion, scapular depression, and elbow extension while maintaining arms as near the body as possible, from the fullest allowed point of shoulder joint extension, scapular elevation, and elbow flexion.


CRT training session design:

- Each training session will be preceded by a 2-minute warm-up on a Vita-glide® arm ergometer.
- Resistance exercises will be performed in pairs (2 maneuvers in succession) each incorporating 10 repetitions of each maneuver lasting six seconds (3 seconds concentric, 3 seconds eccentric).
- Two minutes of endurance exercise is then interposed using a Vita-glide[®] arm ergometer at a cadence of 50 rpm without applied resistance
- Two more resistance maneuvers are performed.
- These activities are alternated until the participant has rotated through each resistance station three times.



Modifications to CRT for participants with tetraplegia:

- Adaptations to work-out for persons with tetraplegia as high as the C5 level.
- Resistance maneuver order is altered to reduce time needed for changing the resistance stations.
- Resistance and endurance exercises are performed in contiguous time blocks order of exercise (i.e. resistance and endurance) are alternated on each training day.
- Each training session will be preceded by a 10-minute warm-up on a Vita-glide[®] arm ergometer.
- Each resistance station will be performed **twice only**.



Subject #	Date	Testing Point	Н	R	В		D	P	OH	łP	LP	סי	P	oc.
sample	10.10.10	3 mo WASH	Wt	REPS	Wt	REPS								
			160	4	180	8	138	5	127	3	149	6	90	6

1RM						
HR	BF	DP	OHP	LPD	PC	
362.959938	516.291877	330.321345	273.786554	377.47321	228.003952	

Subject #	Date	%	1 RM HR	1 RM BF	1 RM DP	1 RM OHP	1 RM LPD	1 RM PC
sample			380.0065868	516.291877	330.3213452	273.7865543	377.4732095	228.0039521
	Week1	50%	190.003293	258.145939	165.160673	136.893277	188.736605	114.001976
	Week2	55%	209.003623	283.960532	181.67674	150.582605	207.610265	125.402174
	Week3	60%	228.003952	309.775126	198.192807	164.271933	226.483926	136.802371

1200 kcal

Mediterranean-style menu

Breakfast

Food Group	FoodItem	Serving	Alternative	Serving
Fruit	Whole fruit	1 med piece	Juice, calcium fortified	1 cup
Dairy (Non-Fat)	Milk	1 cup	Yogurt	1 cup
Whole Grain	Toast	1 medium slice	Cereal	1 cup
Oil	Margarine	2 tsp	Olíve/canola	2 tsp

Lunch

Food Group	FoodItem	Serving	Alternative	<u>Serving</u>
Vegetable	Green leafy	2 cups	Cooked/raw veggies	1 cups
Protein-rich food	Poultry/fish	1 oz	Egg or beans	1 egg or 1/4 cup
Whole Grain	Pasta/rice	1/2 cup	Toast	1 med slice
Oil	Olive/canola	2 tsp	Margarine	2 tsp

Dinner

Food Group	FoodItem	Serving	Alternative	Serving
Vegetable	Cooked/raw	1 cup	Green leafy	2 cups
Protein-rich food	Poultry/fish	1 oz	Seafood	1 oz
Whole Grain	Pasta/rice	½ cup	Toast	1 med slice
Oil	Oil, olive/canola	2 tsp	Margarine	2 tsp

Daily Snacks/Desserts

Food Group	FoodItem	Serving	Alternative	Serving
Fruit	Whole fruit	1 medium	Mixed fruit/berries	1 cup
Dairy (Non-Fat)	Milk/Yogurt	1 cup	Cheese (natural or soft)	1.5 oz
Protein rich	Nuts/Seeds	1 tbsp	Peanut butter	2 tbsp

Daily Totals

Fruits	<u>Vegetables</u>	Whole Grains	Protein-rich foods	Dairy	<u>Oils</u>
1-2 servings	2 servings	4 servings	3 servings	2 servings	2-3 servings
1 serving =	1 serving =	1 serving =	1 serving =	1 serving =	1 serving =
* 1 cup	* 2 cups leafy	* 1 slice bread	* 1 oz	* 1 cup	* 1 tbsp
* 1 medium	* 1 cup	* ½ cup rice/pasta	* 1 egg	* 1.5 oz	
	raw/cooked	* 1 cup cereal	* 1 tbsp peanut butter	cheese	

Monday Sample Menu

	Breakfast		
			322 Calorie
Cereal with Low Fat Yogurt	S	ervings:	1 Dairy
Low Fat Yogurt (1 cup)			1 Grain
Cereal, fortified (1 cup)			
Ground flaxseed (2 tsp)			
	Lunch		
			338 Calorie
Chicken Breast Sandwich	S	ervings:	2 Grain
Whole wheat bread (2 slices)			1 Protein rich
Chicken breast, grilled (1 oz)			1 Vegetable
Alfalfa sprouts (1 cup)			½ Fruit
Avocado (½ cup)			1 Oil
Olive oil (2 tsp)			
	Dinner		
(see recipe book) Caesar salad (1 cup) Caesar dressing, low fat (2 tbsp) (see recipe book)		ervings:	 1 ½ Protein rich 2 Grain 2 Dairy ½ Vegetable 2 Oil
,	Snacks/Desserts		
	<u> </u>		128 Calorie
Mixed Fresh Fruit (½ cup)	S	ervings:	1/2 Fruit
Von-Fat Milk (1 cup)			1 Dairy
1203)	Total Daily Calories		
Protein 59g Fat 53g	Monounsaturated Fat	t 28g	Cholesterol 113 mg
Carbohydrate 134g Saturated Fat 10g	Polyunsaturated Fat	0	Dietary Fiber 18 g
	Servings:		
_	<u> </u>		

Tuesday Sample Menu

	222 Calories
_	
Servings:	1 Dairy
	1 Protein rich
	½ Vegetable
	1 Oil
	208 Calories
Servings:	2 Grain
	1 Protein rich
	1 Vegetable
	2 Fruit
	585 Calories
Servings:	1 Protein rich
	2 Grain
	1 Oil
5	
	198 Calories
Servings:	1/2 Fruit
	1/2 Protein rich
	1 Dairy
es	
	Cholesterol 85 mg
at 113g	Dietary Fiber 15 g
	Servings:

Wednesday Sample Menu

		183 Calories
Non-Fat Milk (1 cup)	Servings:	1 Dairy
Whole wheat bread (1 medium slice)		1 Grain
Hummus (1 tbsp)		1 Protein rich
, , , , , , , , , , , , , , , , , , , ,	l unch	,
	_	224 Calories
Minestrone Soup (2 cups)	Servings:	2 Protein rich
(see recipe book)	9	1 ½ Vegetable
Mixed Fruit (1/2 cup)		½ Fruit
	Dínner	
		543 Calories
Tílapía (1 ½ oz cooked)	Servings:	1 1/2 Protein rich
Prepared with canola oil (2 tbsp)		1½ Grain
Orzo pasta (¾ cup)		1/2 Vegetable
Mixed Vegetables (1/2 cup sautéed with 1 ts	p canola oil)	20il
Mixed Fruit (1/2 cup)		½ Fruit
Daíly S	Gnacks/Desserts	
		297 Calories
Celery (4 sticks, 4inches long)	Servings:	1 Vegetable
Peanut butter 100% natural (1 ½ tbs	p)	1 Dairy
Baby Carrots (5 medium)		2 Oil
Low Fat Ranch Dressing (1 tbsp)		1 1/2 Protein rich
Non-Fat Milk (1 cup)		
12 4 7 <i>T</i>	otal Daily Calories	
_		
Protein 57g Fat 48g	Monounsaturated Fat 27g	Cholesterol 42mg
Carbohydrate 157g Saturated Fat 6g	Polyunsaturated Fat 13g	Dietary Fiber 22 g
Care engerate 17/g Catarates aveg		

Thursday Sample Menu

Breakfast		
		300 Calories
Whole wheat waffle (one 5 inch round)	Servings:	1 ½ Dairy
(made with non-fat milk, canola oil, large egg white)		½ Fruit
Honey, or Sugar-Free Syrup (2 tbsp)		1 Grain
Fresh Strawberries (½ cup sliced)		
Non-Fat Milk (1 1/2 cups)		
Lunch		
		260 Calories
Chicken Marinara Sandwich (1 serving)	Servings:	2 Protein rich
(using classic tomato sauce - see recipe book)		2 Grain
		1 Vegetable
Dinner		
		610 Calories
Whole wheat spaghetti noodles with zucchini (¾ cup)	Servings:	1 ½ Grain
Classic Tomato Sauce (½ cup)		½ Vegetable
(see recipe book)		½ Fruit
Zucchini (½ cup cooked)		1 Oil
Olíve oíl (2 tsp)		
Mixed Fresh Fruit (1/2 cup)		
Daily Snacks/Des	sserts	
		164 Calories
Vegetables with Greek Dip	Servings:	1 Vegetable
Cucumbers (5 slices)		1 ½ Dairy
Baby Carrots (5 medium)		½ Grain
Greek yogurt dip/Tzatziki (2tbsp)		
Non-Fat Milk (1 cups) with Bran flakes (1/2 cup)		
1218 Total Daily (<i>Caloríes</i>	
	turated Fat 28g	Cholesterol 61mg
Carbohydrate 156g Saturated Fat 6g Polyunsati	urated Fat 10 g	Dietary Fiber 19 g
Servings:		
Fruits 1 Vegetables 2 ½ Whole grains 5 Pro	tein-rich foods 2	Dairy 3 Oils 1

Friday Sample Menu

,	Breakfast	
		293 Calories
Fruit Smoothie	Servings	: 1 Dairy
Mílk, Non-Fat (½ cup)		1 Fruit
Mixed frozen fruit (1 cup)		1 Grain
Low fat yogurt (½ cup)		
Firm Tofu (1/4 cup)		
Cereal (½ cup) and Honey (2 tsp)	
	Lunch	
		452 Calories
Pita Sandwich with Turkey	Servings	s: 1 Grain
Whole wheat pita bread (1 med	íum)	1 Protein rich
Deli-style turkey breast (2 thin	slices)	1 Vegetable
Lettuce, Tomato (4 thin slices),	Cucumber (4 slices w/ peal),	1 Oil
Salad (½ cup-all together)	·	
Lettuce, Avocado, Tomato, C	_arrots	
Olive Oil (1 tbsp)		
Low fat Feta Cheese (1 ½ tsp cru	ımbled)	
Tabbouleh Salad (½ cup)		
	Dinner	
		281 Calories
Grilled Chicken Breast (2 oz)	Servings	s: 2 Protein rich
Basmatí Ríce (¾ cup)		1 Grain
Greek Salad (½ cup- all together)		½ Vegetable
, –	cucumber, feta cheese tossed with olive oi	C
,	aíly Snacks/Desserts	
	 	222 Caloríes
Whole wheat pita chips (5 chips)	Servings	_
Hummus (3 tsp)		1 Dairy
Non-Fat Milk (1 cup)		. Dang
,	49 Total Daily Calories	
	17 Seas Dany Carolics	
Protein 62g Fat 47g	Monounsaturated Fat 27g Cho	olesterol 79mg
Carbohydrate 154g Saturated Fat 8		etary Fiber 17 g
<i>J J C</i>	Servings:	J . , <u>J</u>

Saturday Sample Menu

Fruits 1

Vegetables 2

·	Breakfast	
		308 Calories
Non-Fat Milk (1 cup)	Servings:	1 Dairy
Whole wheat bread (1 medium slice)		1 Grain
Margarine (1tsp)		1/2 Oil
Boiled Egg (1 large)		1 Protein rich
	Lunch	
		283 Calories
Pasta Primavera Salad (3/4 cups)	Servings:	1 Grain
With whole wheat pasta and vegetal	bles	1 Oil
Caesar dressing (2 tsp)		1 Vegetable
(see recipe book)		1 Fruit
Mixed Fresh Fruit (1 cup)		
	Dinner	
		421 Calories
Lentil Soup (1 cup)	Servings:	2 Oil
Multigrain Crackers (2 each)		1 Protein rich
Side Creaser Salad (1 cup)		1 Vegetable
With romaine lettuce, croutons and	parmesan cheese	½ Grain
Caesar dressing (2 tbsp)	,	
(see recipe book)		
,	Snacks/Desserts	
-		154 Calories
Celery (4 sticks)	Servings:	1 Grain
Pistachio Nuts (20 with shell)		1 Dairy
Non-Fat Milk (1 cup)		1 Protein rich
1165	Total Daily Calories	
Protein 49g Fat 47g	Monounsaturated Fat 27g	Cholesterol 267mg
Carbohydrate 144g Saturated Fat 7g	Polyunsaturated Fat 11g	Dietary Fiber 19g
	Servings:	
	<u>~ </u>	

Whole grains 2 1/2 Protein-rich foods 3

Oils 3 1/2

Dairy 2

Sunday Sample Menu

	Breakfast	
		1 <i>85 Calories</i>
Fresh Strawberries (1 cup)	Servings:	1 Dairy
Bran Flakes (½ cup)		1 Fruit
Non-Fat Milk (1 cup)		½ Grain
	Lunch	
		2 <i>84 Calories</i>
Chicken, mango, cranberries salad with cr	ackers Servings:	1 Grain
(see recipe book)		2 Protein rich
		1 Vegetable
		1 ½ Oil
	Dinner	
		673 Calories
Fried Chicken	Servings:	
(see recipe book)		1 ½ Vegetable
Roasted Potatoes (3 small)		1 Oil
Salad (½ cup)		
(lettuce, tomato, carrots, avocado r	minimal cheese and egg)	
(tossed in 1 thsp of olive oil)		
Daily	Snacks/Desserts	
		117 Calories
Orange Juíce (1 cup)	Servings:	1 Fruit
1259	Total Daily Calories	
Protein 49 g Fat 45 g	Monounsaturated Fat 30 g	Cholesterol 77 mg
Carbohydrate 165 g Saturated Fat 5g	Polyunsaturated Fat 12 g	Dietary Fiber 21 g
	Servings:	

Convenient Options for Meals on the Go

As you embark on your journey towards a healthier lifestyle it is important to be prepared for the occasional obstacle or bump on the road. Although eating fresh, home prepared meals is always best, below are some convenient options and healthy hints that can fit into your healthy plan for those days when you are on-the-go.

Frozen Meal Options

Frozen meals can be healthy and convenient. When choosing frozen meals, keep these suggestions in mind:

- Lunch meals should contain less than 300 calories and 10 g of fat
- Dinner meals should contain less than 400 calories and 16 g of fat
- Always choose low sodium meals options

Fast Foods Options

Boston Market

	Meal	Calories	Fat	Saturated
				Fat
Qtr. White Rotisserie Chicken(half order) with Fresh Steamed Veggies	D only	325	11g	3g
and Garlic Dill New Potatoes				

Burger King

	Meal	Calories	Fat	Saturated
				Fat
BK VEGGIE Burger (no cheese)	D only	410	15g	2.5g
Spicy CHICK'N CRISP Sandwich	L&D	300	12g	2.5g

Domino's

	Meal	Calories	Fat	Saturated
				Fat
Hand-tossed Chicken and Veggie Pizza (per slice, small)	L&D	210	9g	3g
Hand-tossed Pepperoni Pizza (per slice, small)	L&D	238	9g	3.5g

KFC

KFC				
	Meal	Calories	Fat	Saturated Fat
KFC Snacker with Crispy Strip	L&D	290	11g	2.5g
Grilled Chicken Breast (1/2 order) with Green Beans and Mashed	L&D	240	8g	2g
Potatoes with Gravy				
McDonald's				
	Meal	Calories	Fat	Saturated Fat
Filet-O-Fish	D only	380	18g	3.5g
McChicken	D only	360	16g	3g
Pollo Tropical				
	Meal	Calories	Fat	Saturated
				Fat
Qtr Chicken, white meat no skin, with rice and beans (1/2 order)	D only	350	9g	3g
Regular Chicken TROPICHOP with rice and beans (1/2 order)	L&D	265	5g	1g
Regular Chicken TROPICHOP with rice and vegetables s (1/2 order)	L&D	165	2.5	.5g
			g	
Regular Pork TROPICHOP with rice and beans (1/2 order)	Donly	340	11g	4g
Regular Pork TROPICHOP with rice and vegetables (1/2 order)	L&D	245	9g	3g
Taco Bell – Fresco Menu	1	Τ	Π	T
	Meal	Calories	Fat	Saturated
				Fat
Fresco Crunch Taco	L&D	150	7g	2.5g
Fresco Soft Taco – Beef	L&D	180	7g	2.5g
Fresco Bean Burrito	D only	350	8g	2.5g
Fresco Burrito Supreme ~ Steak	Donly	340	8g	2.5g
Wendy's				
	Meal	Calories	Fat	Saturated
				Fat
Small Chili with side Caesar Salad	L&D	260	6g	4g

Aíolí	
Basic Bruschetta	
Caesar Dressing	
Caprese Salad	
Chicken Mango and with Multigrain Crackers	
Classic Tomato Sauce	
Fried Chicken	
Homemade Pizza	
Lasagna	
Lentil Soup	
Minestrone	
Moussaka	
Peanut Butter and Banana Smoothie	Page 19
Pesto	
Polenta	
Spinach, Mushroom, and Feta Cheese Sauce	
Spinach with Lemon Dressing	Page 24
Turkey Meatballs	
Turkey Sandwich	
Tzatziki	
Black Beans	
Chicken Fricasse	
Chicken with Rice	
Fried Chicken Chunks	
Fried Plantains	
Galician Bean Stew	
Picadillo	
Ropa Vieja	

1. Aioli

Yields 16 servings

Ingredients

- 3 cloves garlic peeled
- 1 cup extra virgin olive oil
- 1 pinch salt

Serving size	1 of 16
Calories	240
Fat	27g
Carbohydrate	<1g
Protein	<1g
Cholesterol	Omg
Saturated	1 g
Monounsaturated	20g
Polyunsaturated	3g
Fiber	<1g

- Peel the garlic cloves and cut them in half lengthwise to check if they have greenish shoots. If you see sprouts, cut them off, and discard them.
 - Garlic sprouts make it more difficult to bind the aioli, and they make it much too hot as well.
 - o If you are sure that the garlic is very fresh, just peel the cloves, and you can begin to mash them in the mortar without cutting them in half.
- 2. Drop the garlic cloves in your mortar, add a pinch of salt, and start pounding with the pestle.
- 3. Pound and mash the garlic and the salt with the pestle until you obtain a very fine and smooth paste. This step is essential for binding garlic and olive oil properly with mortar and pestle. If your garlic paste is not smooth and fine enough, the aioli will tend to break much easier.
- 4. Now, while you stir the mixture with the pestle in one hand, start adding the olive oil very slowly, almost drop by drop, with the oil dispenser that you hold in the other hand.
- 5. Stir constantly and always in the same direction, in circular movements, until you obtain a thick paste.

2. Basic Bruschetta

Yields 4 servings

Ingredients

- Italian or French country-style bread in thick slices
- Extra virgin olive oil
- Medium-sized ripe tomatoes
- Salt

C	<i>C</i> .
Serving size	1 of 4
Calories	405
Fat	1 <i>5</i> g
Carbohydrate	56g
Protein	12g
Cholesterol	Omg
Saturated	2g
Monounsaturated	10g
Polyunsaturated	2g
Fiber	3g

Preparation

Time: 15 minutes.

- 1. Cut 4 thick slices of bread and toast both sides of the slices in a toaster, under a broiler, or grill them on a barbecue.
 - When you can, slowly toast the slices of bread over hot wood-embers. The taste of the toasts using this traditional method is unmatched.
- 2. Place the toasts on a platter without stacking them. Cut a tomato in half crosswise. Cup a tomato half in your hand and rub the cut side of the tomato on the toasts. First you do one side, turn the toast over, and rub the tomato on the other side of the toast. Rub all toasts with the tomato halves.
 - O Don't worry when tomato seeds and a little bit of flesh stick to the bread, it's a part of the Catalan bruschetta recipe.
- 3. With an olive oil cruet or dispenser, if you have one, drizzle olive oil on both sides of the slices liberally. Finally, sprinkle some salt over the slices of bread to taste. The basic Catalan recipe for bruschetta is ready.

3. Caesar dressing

Yields 4 servings

Ingredients

- 2 anchovy fillets, rinsed and finely chopped (optional)
- 2 large garlic cloves, finely chopped
- 1 large egg
- 2 tablespoons freshly squeezed lemon juice
- 1 dash Worcestershire sauce
- 2 Tbsp olive oil
- 2 Tbsp canola oil (total 4 tbsp of oil, combined)
- 1 Tbsp Parmesan cheese

Servings	1 of 4
Calories	155
Fat	16g
Carbohydrate	1g
Protein	3g
Cholesterol	56mg
Saturated	2g
Monounsaturated	10g
Polyunsaturated	3g
Fiber	<1g

- Place anchovies and garlic on a cutting board and make a paste by dragging the side
 of a chef's knife across them at a 15-degree angle about 10 times or until a smooth
 paste forms. Place in a medium bowl.
- 2. Whisk the whole egg, egg yolk, lemon juice, and Worcestershire into the anchovy mixture until smooth. Slowly add the oil, whisking constantly until the vinaigrette is emulsified. Season with salt and pepper to taste.
- 3. Sprinkle parmesan cheese to salad, to taste, up to 1 tbsp.

4. Caprese Salad

Yields 5 servings

Ingredients

- 4 large Tomatoes
- 3 tablespoons Extra virgin olive oil
- 1 1/2 tablespoons Balsamic vinegar
- 1 package Fresh mozzarella cheese
- 16 leaves Basil
- Salt and pepper

Serving size	1 of 5
Calories	182
Fat	16g
Carbohydrate	4g
Protein	6g
Cholesterol	11mg
Saturated	4g
Monounsaturated	9g
Polyunsaturated	2g
Fiber	1g

- 1. Slice tomatoes and mozzarella
- 2. Arrange on a plate separating the tomato with slices of mozzarella
- 3. Add salt and pepper to taste
- 4. Tear basil leaves and scatter on top of tomato and mozzarella
- 5. Combine oil and vinegar and drizzle over salad

5. Chicken, Mango, and Cranberry Salad w/ Multigrain Crackers

Yields 2 servings

Ingredients

- 4 oz diced chicken
- 3 thsp balsamic dressing (olive oil and balsamic vinegar)
- 2 cups chopped salad greens
- 2 slices dried mango, diced
- 0.5 oz dried cranberries
- Three 4" square pieces large multigrain crackers (can use 3 rice cakes instead)

Serving size	1 of 2
Calories	344
Fat	1 <i>7</i> g
Carbohydrate	29g
Proteín	21g
Cholesterol	48mg
Saturated	27g
Monounsaturated	11g
Polyunsaturated	2g
Fiber	4g

Preparation

1. Toss all ingredients and serve with crackers

6. Classic Tomato Sauce

Yields 3 servings

Ingredients

- 3 to 4 tablespoons olive oil
- 2 medium size onions (7 ounces or 200 g) peeled and finely chopped
- 5 medium-sized ripe tomatoes (1 pound or 450
 g) peeled and chopped. Seeding is optional
- 2 cloves garlic peeled and minced
- The leaves of 1 small sprig flat Italian parsley minced

Serving size	1 of 3
Calories	228
Carbohydrate	16g
Protein	3g
Cholesterol	Omg
Fat	18g
Saturated	3g
Monounsaturated	13g
Polyunsaturated	2g
Fiber	4g

Preparation

(Time: 10 to 15 minutes. Cooking time: 45 minutes. Faster version: 15 to 25 minutes.)

- Put the tomatoes in a bowl and pour some boiling water over them. Set them aside for 5 minutes. Peel the tomatoes (canned whole tomatoes are fine)
- 2. If you do seed the tomatoes, remember to put the seeds in a small bowl so that you can later drain them and use the juice. So now seed and chop the tomatoes.
- 3. Peel and finely chop the onion. Peel and mince the garlic.
- 4. Finely chop the Italian parsley leaves. The fastest method is putting the leaves in a small glass or cup and uses the kitchen scissors upside down.
- 5. Add the olive oil to an earthenware casserole or oven. When the olive oil is hot, turn the heat to low and add the onions. Cook the onions uncovered for 15 minutes or until they turn golden and begin to caramelize. Stir often with a wooden spoon.

Classic Tomato Sauce (continued)

- 13 minutes into cooking the onions, add the minced garlic and parsley. Stir for 1 to 2
 minutes and add the chopped tomato with all its juices.
- 7. Cover and bring the tomato sauce to a gentle boil. Make sure that the heat is set to low and cook for 30 minutes stirring occasionally or until the homemade tomato sauce obtains a comfiture-like texture.
 - o As with the onion, you can increase the cooking time, until the tomatoes caramelize completely. But then you'll have to add some water.

Faster version of this tomato sauce recipe

- Put the tomatoes in a bowl and pour some boiling water over them. Set them aside for 5 minutes. Peel and chop the tomatoes.
- 2. Peel and finely chop the onion. Peel and mince the garlic.
- 3. Finely chop the parsley leaves.
- 4. Add the olive oil to an earthenware casserole or Dutch oven. When the olive oil is hot, turn the heat to medium-low and add the onions. Cook the onions uncovered for 5 to 10 minutes. Stir constantly with a wooden spoon. Sprinkle some water over the onion if you are afraid that it burns.
- 5. Add the minced garlic and parsley. Stir for 1 minute and add the chopped tomato.
- 6. Cover and bring the tomato sauce to a gentle boil. Cook for 10 to 15 minutes.

7. Fried Chicken

Yields 3 servings

Ingredients

- 2 whole chicken breasts
- 2 tablespoons olive oil
- 2 sprigs rosemary
- 4 small sprigs thyme
- Dried ginger root grated. Or use 3/4 teaspoon of ground ginger

	,	_						
•	6 leave fre	sh mar	oram ~ c	hopped.	Or use	½ teaspoo	n of dried ma	rjoram

- Sweet ground red pepper
- ½ teaspoon ground turmeric
- Salt
- 4 lime slices Replace with 2 lemon slices if you don't have limes
- · A short dash of soy sauce

Preparation

Time: 5 minutes.

Cooking time: 30 minutes.

- Sprinkle some freshly grated ginger on both sides of the chicken breasts. Scatter the
 marjoram, a few pinches of red sweet pepper, the turmeric and salt to taste on both
 sides of the chicken pieces.
- 2. Heat 2 tablespoons of olive oil in a skillet or frying pan. Add the rosemary and thyme sprigs.
- 3. When the olive oil is hot, add the chicken and brown each side uncovered for 5 minutes over low-medium heat. You should begin to see a nice crust.
- 4. Place 2 lime slices on top of each chicken piece and squeeze a little bit of lime juice over them too. If you use lemon use only 1 slice for each chicken breast because lemons aren't as sweet as limes.

Serving size	1 of 3
Calories	189
Carbohydrate	3g
Protein	18g
Cholesterol	49 mg
Fat	12g
Saturated	2g
Monounsaturated	8g
Polyunsaturated	2g
Fiber	1g

Fried Chicken (continued)

- 5. Pour a short dash of soy sauce over the chicken breasts. Turn down the heat a little bit and cover.
- 6. Cook each side for 10 minutes. It's advisable to turn over the fried chicken pieces twice during the cooking time.
- Garnish this simple chicken recipe with crispy lettuce salad seasoned with olive oil and salt.

8. Homemade Pízza

Yields 2 servings

Ingredients for the dough

- 1 heaped cup whole wheat flour
- 1 level teaspoon dry yeast
- 1/2 teaspoon salt
- 1/2 cup extra virgin olive oil

Ingredients for the homemade pizza toppings

- 2 large red bell peppers
- 2 medium-sized eggplants
- 2 medium size onions
- 2 small ripe tomatoes
- Extra virgin olive oil
- Low fat turkey sausage Preparation

Cooking time: 30 minutes.
Preparation time: 90 minutes.

Rising time: 3 hours.

- 1. Place the flour in a large bowl. Add the dry yeast and the salt, and mix well.
- 2. In a large cup, mix the 1/2 cup of olive oil and the 1/2 cup of lukewarm water.
- 3. Make a small well in the middle of the flour and add the olive oil and water mixture.
- 4. Knead the flour mixture by hand for 10 minutes until the dough is elastic and smooth, and until the olive oil gives it a nice golden color.
- 5. Place the dough in the same bowl, cover with a towel, and allow it to rise for 3 hours in a warm place with no draught.
- 6. Preheat the oven to 200°, and roast the whole vegetables.

Serving size	1 of 2
Calories	668
Carbohydrate	101g
Protein	22g
Cholesterol	Omg
Fat	24g
Saturated	3g
Monounsaturated	14g
Polyunsaturated	5g
Fiber	28g

Homemade Pizza (continued)

- 7. When the vegetables are well roasted, peel them.
- Cut the peppers, and eggplants into long strips, and the onion into rings or strips.
 Finely chop the tomatoes.
- 9. When the dough has risen for 3 hours, stretch it with a rolling pin. Give it an oval form like shown in the picture.
- 10. Oil a cookie sheet, and sprinkle some flour on it. Place the oval shaped flour on it.
- 11. First spread the onion over the whole homemade pizza dough. Second, distribute the tomato. Third, distribute the pepper strips like shown in the photo. Fourth, place the eggplant strips in between the pepper strips. Finally, place the sausage.
- 12. Drizzle olive oil liberally over the whole homemade pizza toppings. Use a cruet or olive oil dispenser if you have one.
- 13. Bake the delicious homemade pizza for 30 minutes.

9. Lasagna

Yields 10 servings

Ingredients

- 1 pound lean ground turkey
- 1 (32 ounce) jar tomato sauce (see #3)
- 32 ounces low fat cottage cheese
- 3 cups shredded mozzarella cheese
- 2 eggs
- 1/2 cup grated Parmesan cheese
- 2 teaspoons dried parsley
- salt to taste
- ground black pepper to taste
- 9 lasagna noodles
- 1/2 cup water

Serving size	1 of 10
Calories	434
Carbohydrate	35g
Protein	35g
Cholesterol	104mg
Fat	18g
Saturated	7g
Monounsaturated	5g
Polyunsaturated	3g
Fiber	3g

- 1. In a large skillet over medium heat brown the ground turkey. Drain the grease. Add spaghetti sauce and simmer for 5 minutes.
- 2. In a large bowl, mix together the cottage cheese, 2 cups of the mozzarella cheese, eggs, half of the grated Parmesan cheese, dried parsley, salt and ground black pepper.
- 3. To assemble, in the bottom of a 9x13 inch baking dish evenly spread 3/4 cup of the sauce mixture. Cover with 3 uncooked lasagna noodles, 1 3/4 cup of the cheese mixture, and 1/4 cup sauce. Repeat layers twice. Top with 3 noodles, remaining sauce, remaining mozzarella and Parmesan cheese. Add 1/2 cup water to the edges of the pan. Cover with aluminum foil.
- 4. Bake in a preheated 350° oven for 45 minutes. Uncover and bake an additional 10 minutes. Let stand 10 minutes before serving.

10. Lentil Soup (Mediterranean Style)

Yields 3 servings

Ingredients

- 1 cup red Lentils
- 2 tablespoon salt
- 1/2 cup of chopped white onion
- 2 garlic cloves, minced
- 2 tablespoons olive oil
- 1 teaspoon of cumin
- Turkey sausage (lean), chopped

Serving size	1 of 3
Calories	334
Carbohydrate	47g
Protein	18g
Cholesterol	Omg
Fat	10g
Saturated	1g
Monounsaturated	7g
Polyunsaturated	1g
Fiber	12g

Preparation

- In a 4qt pot, sautee the chopped onions and turkey sausage and garlic over medium heat
- 2. Add lentils and stir in Lentils
- 3. Add 4 cups of water
- 4. Set the stove to high until boil then reduce to medium or medium-low.
- 5. After 15 minutes or so reduce heat again so Lentils do not get too mushy.
- 6. Once lentil is no longer hard you then add the cumin and salt.
- 7. After 5 minutes, stir and serve.

Add lemon to soup for extra flavor!

11. Minestrone

Yields 4 servings

Ingredients

- 1 1/2 tablespoons olive oil
- 1/2 cup minced white onion (about 1 small onion)
- 1/4 cup chopped zucchini
- 1/4 cup frozen cut italian green beans
- 1/8 cup minced celery (about 1/2 stalk)
- 2 teaspoons minced garlic (about 4 cloves)
- 2 cups vegetable broth (Swanson is good *note: Do not use chicken broth!*)
- 2 (7 1/2 ounce) cans red kidney beans, drained
- 2 (7 1/2 ounce) small cans white beans or 2 (7 1/2 ounce) cans great northern beans, drained
- 1 (7 ounce) can diced tomatoes
- 1/4 cup carrot, julienned or shredded
- 1 tablespoon minced fresh parsley
- 3/4 teaspoon dried oregano
- 3/4 teaspoon salt
- 1/4 teaspoon ground black pepper
- 1/4 teaspoon dried basil
- 1/8 teaspoon dried thyme
- 1 1/2 cups hot water
- 2 cups fresh baby spinach
- 1/4 cup small shell pasta

- 1. Heat three tablespoons of olive oil over medium heat in a large soup pot.
- 2. Sauté onion, celery, garlic, green beans, and zucchini in the oil for 5 minutes or until onions begin to turn translucent.

Serving size	1 of 4
Calories	421
Carbohydrate	72 g
Protein	24 g
Cholesterol	0 mg
Fat	6 g
Saturated	1 g
Monounsaturated	4 g
Polyunsaturated	2 g
Fiber	17 g

11. Minestrone (continued)

- 3. Add vegetable broth to pot, plus drained tomatoes, beans, carrot, hot water, and spices.
- 4. Bring soup to a boil, then reduce heat and allow simmering for 20 minutes.
- 5. Add spinach leaves and pasta and cook for an additional 20 minutes or until desired consistency.
- 6. Makes about eight 1 1/2 cup servings.

12. Moussaka

Yields 10 servings

Prep Time: 2 hours; Cook Time: 45 minutes

Ingredients

- 3 eggplants, about 4 lbs. total
- 1 large potato
- 1 1/2 lbs. ground turkey (lean)
- 2 large onions, finely diced
- 2 cloves garlic, minced
- 1/2 cup red wine (optional)
- 1/4 cup chopped fresh parsley
- 1 tsp. ground cinnamon
- 1/4 tsp. ground allspice (optional)
- 1 cup tomato puree (or crushed tomatoes)
- 2 tbsp. tomato paste
- 1 tsp. sugar
- Salt and pepper to taste
- 2 cups plain breadcrumbs
- 4 eggs, lightly beaten
- 1 cup grated Parmesan cheese

Béchamel Sauce

- 1 cup margarine
- 1 cup whole wheat flour
- 4 cups low fat milk, warmed
- 4 eggs, lightly beaten
- Pinch of ground nutmeg

Serving size	1 of 10
Calories	601
Carbohydrate	51g
Protein	33g
Cholesterol	146mg
Fat	30g
Saturated	13g
Monounsaturated	10g
Polyunsaturated	<i>5</i> g
Fiber	9g

Moussaka (continued)

Preparation

Prep the Vegetables

- Using a sharp peeler, partially peel the eggplants, leaving strips of peel about 1 inch
 wide around the eggplant
- 2. Slice the eggplant into 1/2 inch slices
- 3. Place the eggplant slices in a colander and salt them liberally
- 4. Cover them with an inverted plate that is weighted down by a heavy can or jar
- 5. Place the colander in the sink so that excess moisture can be drawn out. They will need to sit for at least 15-20 minutes, preferably an hour. The salt also will help remove some of the bitterness of the eggplant
- 6. Peel the potatoes and boil them whole until they are done: not too soft but enough to remove crunch
- 7. Drain, cool, and slice them in 1/4 inch slices. Set aside
- 8. Preheat oven to 400 ° Fahrenheit
- 9. Line two baking sheets with aluminum foil and lightly grease
- 10. Add a splash of water to the egg whites and beat them lightly with a fork
- 11. Add breadcrumbs to a flat plate
- 12. Rinse the eggplant slices and dry with paper towels
- 13. Dip the eggplant slices in the beaten eggs and then dredge them in the breadcrumbs, coating both sides
- 14. Place breaded eggplant slices on baking sheets and bake at 400° for ½ hour, turning them over once during cooking
- 15. When eggplant is finished cooking, lower the oven temperature to 350°

Make the Meat Filling

- 1. In a large sauté pan, brown the ground turkey until the pink color disappears
- 2. Add onion and sauté until translucent, about 1 minute
- 3. Add garlic and cook until fragrant, about 1 minute

Moussaka (continued)

- 4. Add wine to pan and allow it to simmer and reduce a bit before adding cinnamon, allspice, parsley, tomato paste, crushed tomatoes, and sugar
- 5. Allow the sauce to simmer uncovered for approximately 15 minutes so that excess liquid can evaporate. It should be a drier, chunkier tomato sauce.
- 6. Season to taste with salt and pepper

Make the béchamel sauce

- 1. Melt margarine over low heat
- 2. Using a whisk, add flour to melted margarine whisking continuously to make smooth paste. Allow flour to cook for a minute but do not allow it to brown
- 3. Add warmed milk to mixture in a steady stream, whisking it continuously
- 4. Simmer over low heat until it thickens a bit but does not boil
- 5. Remove from heat, and stir in beaten eggs and a pinch of nutmeg
- 6. Return to heat and stir until sauce thickens

Assemble the Moussaka

- 1. Lightly grease/spray a large deep baking pan (lasagna pan)
- 2. Sprinkle the bottom of pan with breadcrumbs.
- Leaving a ¼ inch space around the edges of pan, place a layer of potatoes on the bottom. Top with a layer of eggplant slices
- 4. Add meat sauce on top of eggplant layer and sprinkle with 1/4 of the grated cheese
- 5. Pour the béchamel sauce over the eggplant and be sure to allow sauce to fill the sides and corners of the pan.
- 6. Smooth the béchamel on top with a spatula and sprinkle with remaining grated cheese
- 7. Bake in 350 oven for 45 minutes or until béchamel sauce is a nice golden brown color
- 8. Allow to cool for 15-20 minutes before slicing and serving

13. Peanut Butter and Banana Smoothie

Yields 1 serving

Ingredients

- Low or Non fat Milk 1/2 cup
- Ice Cubes 2
- Banana 1 medium (cut)
- Natural Peanut Butter 1 spoonful
- Agave 2 tsp (If you don't have Agave, you can use Honey/Sugar)
- Cereal (optional) 1/4 cup

Serving size	1 of 1
Calories	291
Carbohydrate	57g
Protein	9g
Cholesterol	2mg
Fat	5g
Saturated	1g
Monounsaturated	2g
Polyunsaturated	1g
Fiber	4g

Directions

- 1. Pour milk in blender
- 2. Addice cubes
- Add banana
- 4. Add peanut butter and cereal (optional)
- 5. Blend
- 6. Add sweetener
- 7. Pour and serve

14. Pesto

Yields 10 servings

Ingredients

- 3 large sprigs basil about 12 leaves
- 2 tablespoons freshly grated romano cheese
- 2 tablespoons freshly grated parmesan cheese
- 1 tablespoon pine nuts
- 2 cloves garlic peeled
- 1 pinch salt coarse salt is best
- 1 cup extra virgin olive oil

Serving size	1 of 10
Calories	209
Carbohydrate	<1g
Protein	1 g
Cholesterol	2mg
Fat	23g
Saturated	3g
Monounsaturated	16g
Polyunsaturated	3g
Fiber	<1g

- First add the basil leaves and salt to a mortar and start grinding them by rotating the
 pestle against its walls. Do not pound the ingredients, but crush them against the walls
 of the mortar with circular movements of the wooden pestle.
- 2. Second, add the pine nuts and continue grinding them as above.
- 3. Third, add the garlic cloves and grind
 - o If you use a blender or food processor grind the ingredients together, but don't process them into a cream.
- 4. Now start adding the two different cheeses slowly and alternatively. Continue grinding the paste until you obtain a thick smooth paste.
- 5. At this point, add the olive oil and mix it well with the pestle until you obtain a dense paste.

15. Polenta

Yields 6 servings

Ingredients

- 2 tablespoons olive oil, plus extra for grilling or sautéing if desired
- 3/4 cup finely chopped red onion
- 2 cloves garlic, finely minced
- 1 quart low fat chicken stock or broth
- 1 cup coarse ground cornmeal
- 3 tablespoons unsalted margarine
- 1 1/2 teaspoons kosher salt
- 1/4 teaspoon freshly ground black pepper
- 2 ounces Parmesan, grated

Serving size	1 of 6
Calories	233
Carbohydrate	24g
Protein	6g
Cholesterol	9mg
Fat	12g
Saturated	4g
Monounsaturated	6g
Polyunsaturated	2g
Fiber	1g

- 1. Preheat oven to 350 degrees F.
- 2. In a large, oven-safe saucepan heat the olive oil over medium heat. Add the red onion and salt and sweat until the onions begin to turn translucent, approximately 4 to 5 minutes.
- 3. Reduce the heat to low, add the garlic and sauté for 1 to 2 minutes, making sure the garlic does not burn.
- 4. Turn the heat up to high, add the chicken stock, and bring to a boil.
- 5. Gradually add the cornmeal while continually whisking. Once you have added all of the cornmeal cover the pot and place it in the oven.
- 6. Cook for 35 to 40 minutes, stirring every 10 minutes to prevent lumps.
- 7. Once the mixture is creamy, remove from the oven and add the butter, salt, and pepper.
- 8. Once they are incorporated, gradually add the Parmesan.

16. Spinach, Mushrooms, and Goat Cheese sauce

Yields 4 servings

Ingredients

- 1 1/2 cups boiling water
- 1 cup dried porcini mushrooms (about 1 ounce)
- 2 (3 1/2-ounce) packages shiitake mushrooms
- Cooking spray
- 1 (8-ounce) package pre-sliced button mushrooms
- 1/2 teaspoon salt, divided
- 1/4 teaspoon dried thyme
- 1/4 teaspoon black pepper, divided
- 1/4 cup dry white wine
- 1 tablespoon margarine
- 2 tablespoons all-purpose flour
- 1 1/2 cups fat-free milk
- 1/2 cup (2 ounces) low fat crumbled goat cheese
- 1/4 cup (1 ounce) grated fresh Parmesan cheese, divided
- 6 no-boil lasagna noodles (such as Barilla or Vigo)
- 1 (10-ounce) package frozen chopped spinach, thawed, drained, and squeezed dry
- 2 cups chopped plum tomato
- 3/4 cup (3 ounces) shredded part-skim mozzarella cheese

Preparation

Preheat oven to 375°.

1. Combine the water and porcini in a medium bowl; cover and let stand for 15 minutes.

Serving	1 of 4
Calories	400
Carbohydrate	41g
Protein	23g
Cholesterol	35mg
Fat	1 <i>7</i> g
Saturated	8g
Monounsaturated	6g
Polyunsaturated	2g
Fiber	6g

Spinach, Mushrooms, and Goat Cheese sauce (continued)

- 2. Drain in a sieve over a bowl, reserving 1 cup soaking liquid.
- 3. Bring the soaking liquid to a boil in small saucepan; reduce heat to medium, and cook until reduced to 1/4 cup (about 5 minutes).
- 4. Remove the stems from shiitakes; discard stems.
- 5. Slice shiitake caps.
- 6. Heat a large nonstick skillet coated with cooking spray over medium-high heat.
- 7. Add porcini, shiitake, and button mushrooms, 1/4 teaspoon salt, thyme, and 1/8 teaspoon pepper; sauté 12 minutes or until softened. Add wine; cook 2 minutes or until liquid almost evaporates.
- 8. Melt the butter in a medium saucepan over medium heat.
- 9. Add the flour, and cook for 30 seconds, stirring constantly with a whisk.
- 10. Gradually add 1/4 cup porcini mushroom liquid and milk, stirring with a whisk until blended.
- 11. Cook until mixture thickens (about 4 minutes).
- 12. Remove from heat.
- 13. Add the goat cheese, 2 tablespoons Parmesan, 1/4 teaspoon salt, and 1/8 teaspoon pepper, and stir until cheese melts.
- 14. Spread 1/2 cup cheese sauce in bottom of an 8-inch square baking dish coated with cooking spray.
- 15. Arrange 2 noodles over cheese sauce, and top with half of mushroom mixture, half of spinach, 3/4 cup tomato, 1/2 cup cheese sauce, and 1/4 cup mozzarella.
- 16. Repeat layers, ending with noodles.
- 17. Spread remaining cheese sauce over noodles.
- 18. Sprinkle with 1/4 cup mozzarella, 1/2 cup tomato, and 2 tablespoons Parmesan.
- 19. Cover and bake at 375° for 25 minutes.
- 20. Uncover and bake an additional 25 minutes.
- 21. Let stand 5 minutes.

17. Spinach with Lemon Dressing (Horta)

Yields 8 serving

Ingredients

- 1 1/2 pounds fresh spinach
- 2 tablespoons olive oil or vegetable oil
- 1 tablespoon lemon juice
- 1/4 teaspoon salt
- · Freshly-ground black pepper

Serving size	1 of 8
Calories	355
Carbohydrate	19g
Protein	14g
Cholesterol	Omg
Fat	29g
Saturated	1 g
Monounsaturated	20g
Polyunsaturated	1 g
Fiber	llg

- 1. Wash spinach very thoroughly to remove all of the grit and remove stems; drain.
- 2. Place spinach leaves and just the water that clings to them in Dutch oven.
- 3. Cover and cook until tender, 7 to 8 minutes; drain thoroughly.
- 4. Shake oil, lemon juice and salt in tightly covered jar; toss with spinach.
- 5. Sprinkle with pepper.

18. Turkey Meatballs

Yields 5 servings

Ingredients

- 2 tablespoons olive oil
- 1 (20 ounce) package ground turkey (lean)
- 1 egg, beaten
- 1/3 cup Italian seasoned bread crumbs

- 1. Preheat the oven to 350 degrees F (175 degrees C). Grease a 9x13 inch baking dish with the olive oil, and place it in the oven while preheating.
- 2. In a medium bowl, mix together the ground turkey, egg, and bread crumbs using your hands. Using an ice cream scoop if possible, form the meat into golf ball sized meatballs. Place about 1 inch apart in the hot baking dish. Press down to flatten the bottom just slightly.
- 3. Bake for 15 minutes in the preheated oven, then turn them over, and continue baking for about 5 more minutes, or until somewhat crispy on the outside. Serve with pasta and sauce or however you'd like.

Serving size	1 of 5
Calories	237
Carbohydrate	5g
Protein	26g
Cholesterol	74mg
Fat	12g
Saturated	3g
Monounsaturated	6g
Polyunsaturated	2g
Fiber	<1g

19. Turkey Sandwich

Ingredients

- 4 slices lean turkey breast
- 3-4 jarred roasted peppers
- 2 slices 100% whole wheat bread
- 1 lettuce leaf
- 4 slices tomato
- 4 slices cucumber
- 4 dried apricots
- 1 tbsp hummus

Serving size	1 of 1	
Calories	293	
Carbohydrate	40 g	
Protein	16 g	
Cholesterol	1 <i>9</i> mg	
Fat	9 g	
Saturated	1 g	
Monounsaturated	<i>5</i> g	
Polyunsaturated	1 g	
Fiber	9 g	

- 1. Spread hummus onto both slices of bread.
- 2. Top one slice of bread with Turkey, lettuce, tomato and cucumber.
- 3. Cover with other slice of bread.
- 4. Serve with dried apricots.

20. Tzatziki (Greek Yogurt and Cucumber Sauce)

Yields 6 servings

Ingredients

- 3 cups Greek Yogurt (Low or Non fat)
- Juice of one lemon (about 3 tbsp)
- 1 garlic clove, chopped
- 2 medium cucumbers, seeded and diced
- 1 thsp kosher salt for salting cucumbers
- 1 tbsp finely chopped fresh dill (can substitute mint leaves for a slightly different version)
- Kosher salt and fresh ground black pepper to taste

Serving size	1 of 6
Calories	88
Carbohydrate	11g
Protein	7g
Cholesterol	7mg
Fat	2g
Saturated	1g
Monounsaturated	1g
Polyunsaturated	<1
Fiber	1g

- 1. If you don't have Greek yogurt, strain plain yogurt (strain yogurt for 10-20 minutes to remove excess liquid).
- 2. Peel cucumbers, then cut in half lengthwise and take a small spoon and scrape out seeds. Discard seeds. (If you use the small seedless or European cucumbers with few seeds, you can skip this step.)
- 3. Slice cucumbers, then put in a colander, sprinkle on 1 T salt, and let stand for 30 minutes to draw out water. Drain well and wipe dry with paper towel.
- 4. In food processor with steel blade, add cucumbers, garlic, lemon juice, dill, and a few grinds of black pepper. Process until well blended, and then stir this mixture into the yogurt.
- 5. Taste before adding any extra salt.
- 6. Place in refrigerator for at least two hours before serving so flavors can blend. (This resting time is very important.)
- 7. This will keep for a few days or more in the refrigerator, but you will need to drain off any water and stir each time you use it.

Hispanic Recipes Mediterranean Style

1. Black Beans (Frijoles Negros)

Yields 4 servings

Ingredients

- 2 ½ cups dried black beans
- 9 cups water
- 1 tablespoon olive oil
- 1 ½ cups chopped onion
- 1 1/2 cups chopped green bell pepper
- 3 cloves garlic, peeled, and mashed with
 1 teaspoon salt and 1/2 teaspoon
- · Canola oil for sautéing
- 1 teaspoon oregano
- 1 teaspoon ground cumin
- 1 bay leaf
- 3 tablespoons vinegar
- Olive oil

Serving size	1 of 4
Calories	463
Carbohydrate	78g
Protein	27g
Cholesterol	Omg
Fat	6g
Saturated	1g
Monounsaturated	3g
Polyunsaturated	1g
Fiber	27g
_	

- 1. Cover dry beans with water and let stand covered overnight. Drain and discard water.
- 2. Place the cleaned black beans in a large 6-quart saucepan. Add water and olive oil—this will prevent the beans from foaming. Bring the beans to a boil, reduce heat to low, cover, and cook until the beans are tender, about 1 hour.
- 3. Do not add salt to the beans when they are cooking.
- 4. You may also cook the beans in a pressure cooker. Follow the manufacturer's directions for exact times. Most pressure cookers take about 20 to 25 minutes to cook the beans completely.
- 5. Do not drain the water from the cooked beans.
- 6. Meanwhile, chop onion and green pepper. Mash the garlic with salt and peppercorns in a mortar and pestle.

Black Beans (continued)

- 7. Sauté the onions and green pepper in olive oil until the onions are translucent. Add mashed garlic and sauté another minute or so.
- 8. Add the cooked beans, oregano, cumin, bay leaf, and vinegar. Cover and simmer over low heat for 15 to 20 minutes, stirring occasionally. Remove bay leaf.
- 9. Mash 1 cup of beans to make a thick paste. Mix the mashed beans back into the pot.
- 10. Add additional salt and pepper to taste.
- 11. Drizzle a couple of tablespoons of olive oil over the beans. Immediately cover the pot, remove from heat, and let stand for 10 minutes.
- 12. Serve the black beans over rice.
- 13. Garnish the beans with cilantro and finely chopped white onions.

2. Chicken Fricassee (Pollo Fricasse)

Yields 4 servings

Ingredients

- 1 pound chicken breast and thighs
- 1 tablespoon adobo seasoning
- 1/2 (.18 ounce) packet sazon seasoning
- 1/2 teaspoon salt
- 5 large red potatoes, peeled and thickly sliced
- 1 large red bell pepper, seeded and chopped
- 1 large green bell pepper, seeded and chopped
- 1 large onion, chopped
- 5 cloves garlic, minced
- 1 bunch fresh cilantro, chopped
- 2 tablespoons olive oil
- 1/2 cup dry red wine
- 1 teaspoon ground cumin
- 1 teaspoon dried oregano
- 2 fresh or dried bay leaves

Serving size	1 of 4
Calories	607
Carbohydrate	87g
Proteín	35g
Cholesterol	71g
Fat	12g
Saturated	2g
Monounsaturated	7g
Polyunsaturated	2g
Fiber	11g

Directions

- 1. Wash the chicken and pat dry; place into a large bowl. Season with adobo seasoning, sazon seasoning, and salt. Place the chicken into a slow cooker or pot, and cover with the potato slices.
- 2. Puree the red pepper, green pepper, onion, garlic, cilantro, olive oil, wine, cumin, and oregano in a blender. Pour over the chicken and add the bay leaves.
- **3.** Cook on Low for 6 to 8 hours if cooking in slow cooker or 1 hour if using a pot, until the chicken is easily removed from the bone.

3. Chicken with Rice (Arroz con Pollo)

Yields 8 servings

Ingredients

- 4 pounds white meat chicken
- 1 tsp dried oregano
- 1 tsp ground cumin
- 1/2 tsp freshly ground white pepper
- 1 Tbsp red wine vinegar
- 1 lb Valencia or Arborio rice
- Sliced red pimientos for garnish
- Can of green peas (Petit Pois) for garnish

Serving size	1 of 8
Calories	614
Carbohydrate	54g
Protein	59g
Cholesterol	141g
Fat	13g
Saturated	3g
Monounsaturated	6g
Polyunsaturated	3g
Fiber	8g

Sofrito or broth

- 2 Tbsp Annatto oil or olive oil
- 1 small onion, finely chopped
- 1 small red bell pepper, cored, seeded and finely chopped
 3 cloves garlic, minced
- 1 small tomato, seeded and diced
- 3 cups water (*)
- 1 cup dry white wine
- 1-1/2 cups beer
- 1/2 tsp annatto seeds
- 1 Tbsp tomato paste
- Salt and freshly ground black pepper, to taste
- Wash the chicken and blot dry with paper towels. Mix the oregano, cumin, white pepper and vinegar in a large glass bowl. Add the chicken, turning the pieces to cover with the mixture. Let marinate at least 15 minutes.
- 2. Heat the oil in a large heatproof casserole
- 3. Brown the chicken pieces all over, about 2 minutes per side. Transfer the chicken to a platter and pour out all but 2 tablespoons of the fat.

Chicken with Rice (continued)

- 4. For sofrito: Add the onion, bell pepper and garlic to the oil in the casserole, cook over medium heat until soft but do not brown, about 1 or 2 minutes. Add the tomato and cook for one more minute. Return the chicken to the casserole with the sofrito and cook for about 1 or 2 more minutes.
- 5. Add the water, wine and beer, tomato paste and salt and pepper. Bring to a boil, reduce heat, cover and simmer for about 30 minutes. While the chicken is cooking, place annato seeds in small saucepan with 1/4 cup of the chicken cooking liquid. Simmer for about 5 minutes. Strain mixture back into the chicken.
- 6. To finish the dish: Thoroughly wash rice swishing with your hands, and drain off the water. Continue doing this until water runs clear.
- 7. Bring chicken mixture to a boil, stir in the washed rice, reduce heat, cover and simmer until the rice is tender, about 20 to 25 minutes. If it starts to dry out and rice is still al dente, add more liquid. If it gets too soupy, uncover during the last 10 or 15 minutes of cooking.
- 8. Just before it is done, stir in half of the petit pois and pimientos. Garnish with the rest.

4. Fried Chicken Chunks (Chicharrones de Pollo)

Yields 10 servings

Ingredients

- 1 pound skinless, boneless chicken breast meat - cut into chunks
- 1/2 cup dark rum
- 1/2 cup lemon juice
- 1/2 cup minced garlic
- 1/4 cup Worcestershire sauce
- 3 tablespoons garlic powder
- 1 teaspoon adobo seasoning
- 1 teaspoon onion powder
- 1 teaspoon ground black pepper
- 1 teaspoon ground coriander
- 2 (.18 ounce) packets sazon with coriander and achiote
- 3 cups all-purpose wheat flour
- 4 cups canola oil for frying

Directions

- 1. Combine the chicken, rum, lemon juice, garlic, Worcestershire sauce, garlic powder, adobo seasoning, onion powder, pepper, coriander, and sazon seasoning in a bowl; stir. Cover and marinate in refrigerator 4 hours.
- 2. Heat the oil in a large pot over medium heat to about 300 degrees F
- 3. Spread the flour into the bottom of a shallow dish. Coat each piece of marinated chicken with wheat flour.
- 4. Fry the coated chicken pieces in the hot oil in small batches until no longer pink in the center and golden brown on the outside, 5 to 10 minutes.

Serving size	1 of 10	
Calories	1012	
Carbohydrate	34g	
Protein	1 <i>7</i> g	
Cholesterol	2 <i>9</i> mg	
Fat	90g	
Saturated	7g	
Monounsaturated	56g	
Polyunsaturated	25g	
Fiber	<i>5</i> g	

5. Fried Plantains (Tostones)

Yields 2 servings

Ingredients

- 5 tablespoons canola oil for frying
- 1 plantains, peeled and broken into chunks
- 3 cups cold water
- salt to taste

Directions

- 1. Heat the oil in a large skillet. Place the plantains in the oil and fry on both sides; approximately 3 1/2 minutes per side.
- 2. Remove the plantains from the pan and flatten the plantains by placing a plate over the fried plantains and pressing down.

Dip the plantains in water, then return them to the hot oil and fry 1 minute on each side. Salt to taste and serve immediately.

Serving size	1 of 2
Calories	450
Carbohydrate	40g
Protein	1g
Cholesterol	Omg
Fat	34g
Saturated	3g
Monounsaturated	22g
Polyunsaturated	10g
Fiber	3g

6. Galician BeanStew (Caldo Gallego)

Yields 6 servings

Ingredients

- 1 cup dried white beans
- 3/4 lb turkey sausage
- 1 onion, chopped
- 2 garlic cloves, crushed
- 1/4 cup celery
- 1 green pepper, chopped
- 1/2 turnip greens without stems
- 3 quarts water
- 2 potatoes, peeled and diced
- Salt and pepper to taste

Serving size	1 of 6	
Calories	283	
Carbohydrate	34g	
Proteín	23g	
Cholesterol	52g	
Fat	6g	
Saturated	1g	
Monounsaturated	2g	
Polyunsaturated	2g	
Fiber	8g	

Preparation

- 1. Place beans in pan and cover with water. Boil for about five minutes. Remove from heat and let stand in water overnight.
- 2. Drain the beans and place in a pan with 3 quarts of water. Add the peppers and onions. Add 1 tsp of salt. Cover and bring to a boil, set heat to low, let simmer for 1 1/2 hours.
- 3. Cut the sausage in 1/2 inch slices and wash diced potatoes under running water.
- 4. Add the sausage, potatoes and turnip greens to pot and let simmer for another 30 minutes. If necessary continue cooking until the beans are tender. Taste and adjust for salt and pepper.

Serve hot.

7. Picadillo

Yields 12 servings

Ingredients

- 2 tablespoons olive oil
- 7 cloves garlic, chopped
- 1 1/2 cups chopped onion
- 1 1/2 cups chopped green bell pepper
- 3 pounds lean or extra lean ground turkey or chicken breast
- 1 (5 ounce) jar green olives, pitted and halved
- 1/4 cup white vinegar
- 1 teaspoon salt
- 1 teaspoon freshly ground black pepper
- 1 teaspoon ground cinnamon
- 1 teaspoon ground cloves
- 2 dried bay leaves
- 1/4 teaspoon hot sauce
- 6 cups canned tomatoes, half-drained

Serving size	1 of 12
Calories	229
Carbohydrate	8g
Protein	25g
Cholesterol	74g
Fat	10g
Saturated	2g
Monounsaturated	5g
Polyunsaturated	2g
Fiber	2g
Fat Saturated Monounsaturated Polyunsaturated	10g 2g 5g 2g

Directions

- In a large stock pot, heat 1 tablespoon of olive oil over medium heat. Sauté garlic, onion and green pepper until onions are transparent. Transfer onion mixture to a bowl and set aside. In the same pot, heat the remaining olive oil and brown the lean ground turkey and chicken breast.
- 2. In a separate saucepan, combine the olives, capers, vinegar, salt, pepper, cinnamon, cloves, bay leaves and hot sauce. Let simmer over medium heat for 10 minutes.
- Place the olive mixture and the onion mixture into the pot with the ground turkey or chicken. Add the half drained tomatoes and cook for 1 hour over medium heat; stirring occasionally.

8. Ropa Vieja

Yields 6 servings

Ingredients

- 1 tablespoon vegetable oil
- 2 pounds flank steak
- 1 cup chicken broth
- 1 (8 ounce) can tomato sauce
- 1 small onion, sliced
- I green bell pepper, seeded and sliced into strips
- 2 cloves garlic, chopped
- 1 (6 ounce) can tomato paste
- 1 teaspoon ground cumin
- 1 teaspoon chopped fresh cilantro
- 1 tablespoon olive oil
- 1 tablespoon white vinegar

Serving size	1 of 6
Calories	329
Carbohydrate	10g
Protein	47g
Cholesterol	110g
Fat	11g
Saturated	3g
Monounsaturated	6g
Polyunsaturated	1g
Fiber	2g
	_

Directions

- Heat vegetable oil in a large skillet over medium-high heat. Brown the flank steak on each side, about 4 minutes per side.
- 2. Transfer steak to a slow cooker. Pour in the broth and tomato sauce, and then add the onion, bell pepper, garlic, tomato paste, cumin, cilantro, olive oil and vinegar. Stir until well blended. Cover, and cook on high for 1 hour, or on low for up to 2 hours. When ready to serve, shred steak and serve with rice.

$\underline{\mathsf{Mediterranean}\ \mathsf{Diet}\ \mathsf{Shopping}\ \mathsf{list}}$

Whole Grains	Oils	Vegetable juice
Mostly whole grain choices.	Store in a cool, dark place to make	Water chestnut Winter squash
Contains the word "whole" as the	them last longer.	Zucchini
first ingredient with at least 3 grams	Canola	
fiber per 100 calories	Flaxseed	Protein Rich Foods:
met per ree calones	Margarine: Canola Oil spread	Fresh, Frozen, or Canned
Bread, Whole Grain	Mayonnaise, low-fat olive oil	Chicken, Breast
Bagel, Whole wheat/grain	Olive Oil (Extra-Virgin)	Halibut
Cereal, Whole Grain	Soybean Salad dressing	Shrimp
Couscous	Salau ulessilig	Salmon
Crackers, Whole Grain	Dairu	Sea bass
Cream of wheat	<u>Dairy</u>	Swordfish
Flour, whole wheat	Cheese, Low-fat	Tilapia
Granola, Low-Fat Grits	Eggs Creek yogurt, Low-fat	Tofu
Oatmeal, dry	Milk, Non-fat or Low fat	Tuna, packed in water
Pancake mix, whole wheat	Rice/Almond milk, Low-fat,	Turkey, Breast Vegetable Protein
Pasta, Whole Wheat	enriched	vegetable Flotelli
Pita, Whole grain	Soy milk, Low-fat, enriched	Nuts/Seeds Beans:
Polenta	Yogurt, Low-fat	
Rice, brown, basmati		Dried or Caned
Shredded wheat (plain)	Varatables	Almonds
Tortilla, Whole Grain	Vegetables:	Almond Butter, natural
F .	Fresh, Frozen, or Canned	Cashews
Fruit:	Asparagus	Chickpeas Hazelnut
Fresh or Frozen, Dried	Basil	Hummus
Apple	Beets	Ground Flaxseed
Applesauce, unsweetened	Brussels sprouts	Kidney Beans
Apricots	Broccoli Carrot	Lima Beans
Avocado	Cauliflower	Macadamia nuts
Banana	Celery	Pecan
Berries (straw-, rasp-, blue-	Cucumber	Peanut Butter, natural
black-)	Cilantro	Peanuts
Cantaloupe Cherries	Collard greens	Pine Nuts Pinto Beans
Dried Fruit	Eggplant	Pumpkin Seeds
Grapes	Garlic	Sunflower Seeds
Grapefruit	Green Beans	Soy Beans or Edamame
Honeydew	Lettuce Olives, black/green	Walnuts
Kiwi	medium	
Lemon/Lime	Onion	A 42 - 11
Orange	Mushrooms	<u>Miscellaneous</u>
Peach	Parsley	Artificial Sweeteners
Plum Pomegranate	Peas	Coffee
Raisins	Peppers Red/Green	Diet beverages
Tangerine	Potato	Honey
Watermelon	Spinach	Jam/Jelly/Preserves Tea
100% fruit juice, no sugar	Sprouts	Spices
added	Summer squash	Syrup
100% orange juice fortified	Sweet potato Tomato	Water (flavored water)
with Calcium & Vit D	Tomato	Vinegar
	Turnip greens	

Important Points to Remember

- Mediterranean-style diets emphasize the consumption of fish, seafood, and poultry over red meats and beef
- All dairy products should be low-fat or fat-free
 - o Low-fat or fat-free milk, cheese, yogurt
- ☑ (Ise healthy alternatives when experiencing milk-related intolerance (stomach/digestion problems):
 - O Lactose free low-fat or fat-free milk and cheese
 - o Fortified soymilk, rice milk, or almond milk
- ☑ Only use unsaturated oils or products with unsaturated oils
 - Olive oil use for adding taste, salad dressings, sauces, and cooking
 - O Canola oil use for cooking or frying
 - o Margarine: Smart Balance and Promise brands, for example
- ☑ Remember, eggs are very high in protein! Watch your intake throughout the day when having eggs for breakfast.
- Avoid having eggs and shrimp, or other shellfish, on the same day to moderate cholesterol intake
- All juices should be 100% fruit juice with no added sugar
 - O Orange juice should be fortified with calcium and other vitamins
- ☑ Limit other sugary beverages
 - O Use diet beverages instead
- ☑ Choose whole wheat or whole grain products instead of white
 - o Brown rice
 - o Whole wheat breads
 - o Whole wheat pastas
 - o Pancakes and/or waffles
- Choose iron-enriched wholegrain cereals that are low in sugar (oatmeal, cream of wheat, bran flakes) to meet your iron needs.
- ☑ Snacks can be eaten during main meals (breakfast, lunch, dinner) as a dessert, for example, or eaten in-between meals as snacks
- Refer to your diet recipes for our Mediterranean approved Caesar dressing!

Change gradually.

- If you now eat one or two vegetables a day, add a serving at lunch and another at dinner.
- If you don't eat fruits now or have only juice at breakfast, add a serving to your meals
 or have it as a snack.
- Use only half the butter, margarine, or salad dressing you do now.
- Try low-fat or fat free condiments, such as fat free salad dressings.
- Gradually increase dairy products to three servings per day. For example, drink milk
 with lunch or dinner, instead of soda, alcohol, or sugar-sweetened tea. Choose low fat
 (1 percent) or non-fat (skim) dairy products to reduce total fat intake.

Treat meat as one part of the whole meal, instead of the focus.

- Buy less meat. If it's not there, you won't eat it.
- If you now eat large portions of meat, cut them back gradually—by a half or a third at each meal.
- Increase servings of vegetables, whole grains, and dry beans in meals. Try casseroles
 and pasta, and stir-fry dishes, having less meat and more vegetables, grains, and dry
 beans.

Use fruits or low fat foods as desserts and snacks.

- Fruits and low fat dairy products offer great taste and variety. Fresh fruits require
 little or no preparation. You can also use fruits canned in their own juice or dried fruits

 they are easy to carry with you.
- Try these snack ideas: mixed fresh fruits, nuts, raw vegetables with low fat ranch dressing, low or non-fat milk or yogurt, and whole wheat pita chips with hummus.

10 tips for quick and healthy cooking

- 1. Keep favorite ingredients stocked in the pantry, refrigerator/freezer
- 2. Read all recipes before you start cooking
- 3. Buy prepped produce items, for example:
 - o Pre-diced tomatoes and onions
 - o Pre-washed bagged greens
 - o Minced or chopped garlic
 - o Sliced black olives
 - o Fruit salad
- 4. Check your local supermarket's website for specials and choose recipes that use those ingredients
- 5. If you cannot cook on most days of the week, cook and freeze staple items from your menu. For example:
 - O Classic tomato sauce and other common sauces
 - o Picadillo
 - o Lasagna
- 6. Take advantage of prepared items for your local supermarket that are healthy and convenient. For example:
 - o Rotisserie chicken breast (without the skin)
 - o Hummus
 - o Tabouleh
- 7. Canned meats and beans and frozen vegetables are great alternatives for quick cooking, but always choose low sodium options when available
- 8. Divide bulk items into the appropriate portion sizes
- 9. Thaw frozen ingredients the night before
- 10. Make use of slow cookers for meals that are ready to eat when you get home!

Intake Log

Mediterranean-style menu

Breakfast		S-M-T-W-Th-F-Sat
Food Group	Food Item	Amount/Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		
Oil		
Lunch		
Food Group	Servings Consumed	Total Daily Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		
Oil		
Dinner		
Food Group	Servings Consumed	Total Daily Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		
Oil		
Snack		'
Food Group	Servings Consumed	Total Daily Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		

Oil

Diet Dictionary

- Calorie: A calorie is a unit of energy. The number of calories in a food is a measure
 of how much energy that food possesses. A gram of carbohydrates has 4 calories, a
 gram of protein has 4 calories, and a gram of fat has 9 calories
- 2. <u>Carbohydrate</u>: Any food item including sugars, starches, cellulose (fiber). Some examples are: fruits, vegetables, breads, rice, pastas, and cereals.
- Enriched: To add nutritive value of food by adding or replacing vitamins or minerals
 of that food lost in processing
- 4. <u>Fiber:</u> The part of a plant that is not digested by the digestive tract. Foods high in fiber help clean out the digestive tract and increase the sensation of fullness.
- 5. <u>Fortified:</u> To increase nutritive value of food by adding vitamins or minerals not originally found in that food. For example, orange can be *fortified with* Calcium and/or Vitamin D.
- 6. Lactose: Milk sugar.
- 7. <u>Lactose intolerance</u>: Inability to digest lactose due to insufficient amount or lack of lactase enzyme needed to digest the lactose or milk sugar.
- 8. <u>Legumes:</u> Plants with seed pods that spilt in two halves. For example, beans, lentils, peas, soybeans are some commonly used legumes in the Mediterranean diet
- 9. <u>Mediterranean</u>: The <u>Mediterranean</u> Basin comprises the lands around and surrounded by the Mediterranean Sea. In biogeography, the <u>Mediterranean</u> Basin refers to the lands around the Mediterranean Sea that have a <u>Mediterranean</u> climate, with mild, rainy winters and hot, dry summers
- 10. <u>Protein:</u> Compound found in fish, seafood, beef, poultry, milk and other dairy products, and nuts and seeds. This compound helps build and maintain muscle and also keeps the immune system strong!

Diet Dictionary (continued)

- 11. Serving: An individual portion or helping of food or drink
- 12. <u>Unsaturated fat</u>: Unsaturated fats are usually liquid at room temperature. They are found in most vegetable products and oils. An exception is a group of tropical oils like coconut or palm kernel oil which is highly saturated. Using foods containing "polyunsaturated" and "monounsaturated" fats does not increase our risk of heart disease. However, like all fats, unsaturated fats give us 9 calories for every gram. So eating too much of these types of fat may also make us gain weight
- 13. Whole grain: Whole grains are cereal grains that contain germ, endosperm, and bran, in contrast to refined grains, which retain only the endosperm. Wholegrain can generally be sprouted while refined grains generally will not sprout. Whole meal products are made by grinding whole grains in order to make wholegrain flour. Whole grains are a natural source of protein as well as a source of carbohydrates and are made into many different kinds of foods.

1500 kcal

Mediterranean-style menu

Breakfast

Food Group	Food Item	Serving	Alternative	Serving
Fruit	Whole fruit	1 med piece	Juice, calcium fortified	1 cup
Dairy (Non-Fat)	Milk	1 cup	Yogurt	1 cup
Whole Grain	Toast	1 medium slice	Cereal	1 cup
Oil	Margarine	2 tsp	Olive/canola	2 tsp

Lunch

Food Group	FoodItem	Serving	Alternative	Serving
Vegetable	Green leafy	2 cups	Cooked/raw veggies	1 cup
Protein-rich food	Poultry/fish	1 oz	Egg or beans	1 egg or 1/4 cup
Whole Grain	Pasta/rice	1 cup	Toast	2 med slice
Oil	Olive/canola	2 tsp	Margarine	2 tsp

Dinner

Food Group	Food Item	Serving	<u>Alternative</u>	Serving
Vegetable	Cooked/raw	1 cup	Green leafy	2 cups
Protein-rich food	Poultry/fish	2 oz	Egg or beans	2 egg or ½ cup
Whole Grain	Pasta/rice	1 cup	Toast	2 med slice
Oil	Oil, olive/canola	2 tsp	Margarine	2 tsp

Daily Snacks/Desserts

Food Group	FoodItem	Serving	Alternative	Serving
Fruit	Whole fruit	1 medium	Mixed fruit/berries	1 cup
Dairy (Non-Fat)	Milk/Yogurt	1 cup	Cheese (natural or soft)	1.5 oz
Protein-rich food	Nuts/Seeds	1 tbsp	Peanut butter	2 tbsp

Daily Totals

Fruit	Vegetables	Whole Grain	Protein-rich food	Dairy	<u>Oíl</u>
		After			
2 servings	2 servings	4 servings	4 servings	2 servings	2-3
					servings
1 serving =	1 serving =	1 serving =	1 serving =	1 serving =	1 serving =
* 1 cup	* 2 cup leafy	* 1 slice bread	* 1 oz	* 1 cup	* 1 tbsp
* 1 medium	* 1 cup	* ½ cup rice/pasta	* 1/2 cup	* 1 ½ oz cheese	
	raw/cooked	* 1 cup cereal	* 1 tbsp peanut		
		· 	butter		

Monday Sample Menu

	Breakfast	
		351 Calories
Bran Flakes (1 cup)	Servings:	1 Dairy
Ground Flax Seed (2 tsp)		1 Grain
Non-Fat Milk (1 cup)		
	Lunch	
		289 Calories
Caesar Salad (2 cups)	Servings	1 1/2 Protein rich
(romaine lettuce, croutons, and parm	esan cheese)	1 Vegetable
Shrimp (1 ½ oz)		1 Oil
Homemade Caesar Dressing		
(see recipe book)		
	Dínner	
		708 Calories
Chicken Breast (2 oz)	Servings	2 Protein Rich
Couscous (1 cup)		2 Grain
Broccoli (1 cup)		1 Vegetable
Caprese Salad		1 Oil
(1 serving, see recipe book)		1 Dairy
Daily S	Snacks/Desserts	
		206 Calories
Orange (2 medium)	Servings	2 Fruit
Non-Fat Milk (2 cup)		2Dairy
<u> </u>	otal Daily Calories	
Protein 80g Fat 64g	Monounsaturated Fat 34g	Cholesterol 213 mg
Carbohydrate 181g Saturated Fat 12g	Polyunsaturated Fat 14g	Dietary Fiber 30 g
Carbongarate 101g Januareu at 12g	, organization at 11g	Dictary incl 10g
	Servings:	
Fruits 2 Vegetables 2 Whole grains	s 3 Protein-rich foods 3 1/2	Dairy 4 Oils 2

Tuesday Sample Menu

Breakfast		
		387 Calories
Low Fat Yogurt (4 oz)	Servings:	½ Dairy
Cereal (1 cup)		1 Grain
Banana (1 medium)		1 Fruit
Walnuts (2 tbsp)		2 Protein rich
Lunch		
		272 Calories
Greek Salad (1 cup)	Servings:	1 Vegetable
(spinach, lettuce, feta, tomato, cucumber and olives)		1 ½ Protein rich
Grilled Chicken Breast (1 ½ oz)		1 Fruit
Orange Juíce (1 cup)		ı Oil
Dínner		
		434 Calories
Salmon (1 oz)	Servings:	1 Protein rich
(topped with pecans 3 tbsp chopped)		2 Vegetable
Roasted Potato (1 regular)		3 Oil
(Prepared with 2 tbsp margarine and optional garlic)		
Spinach with Lemon Dressing		
(see recipe book)		
Daily Snacks/Desserts		
		451 Calories
Aíolí (see recipe book)	Servings:	1 Fruit
Multigran Crackers (3 each)		1 Grain
Tomato (1 sliced)		1 Dairy
Apple (1 medium)		1 Oil
Non-Fat Milk (1 Cup)		
,		
1544 Total Daily Calorie.	<i>5</i>	
Protein 58g Fat 63g Monounsaturated	at 34g	Cholesterol 78 mg
Carbohydrate 203g Saturated Fat 10g Polyunsaturated Fa	at 15g	Dietary Fiber 26 g
Servings:		
Fruits 3 Vegetables 3 Whole grains 2 Protein-rich	foods 4 ½	Dairy 1 1/2 Oils 5

Wednesday Sample Menu

		206 Calorie
Non-Fat Milk (1 cup)	Servings:	1 Dairy
Bran Flakes (1 cup)	Jervinge.	1 Grain
,	Lunch	r Gram
	Lunon	224 Calorie
Minestrone Soup (2 ½ cups)	Servings:	2 Protein rich
(see recipe book)		2 Vegetable
Mixed Fruit (1/2 cup)		½ Fruit
	Dínner	
		710 Calorie
Tilapia (1 ½ oz cooked)	Servings:	3 Oil
Prepared with canola oil (2 tbsp)		1 ½ Protein Rich
Orzo Pasta (1 cup)		½ Vegetable
Mixed Vegetables (½ cup sautéed with 1	tbsp canola oil)	2 Grain
Mixed Fruit (1 cup)	,	1 Fruit
,	Snacks/Desserts	
		442 Calorie
Celery (4 stícks)	Servings:	1 Vegetable
Hummus (2 tbsp)		1 Dairy
Apple (1 medium)		4 Protein Rich
Peanut butter 100% natural (2 tbsp)		1 Fruit
Non-Fat Milk (1 cup)		
15827	otal Daily Calories	
Protein 66g Fat 63g	Monounsaturated Fat 36g	Cholesterol 40mg
Carbohydrate 207g Saturated Fat 7g	Polyunsaturated Fat 17g	Dietary Fiber 34 g
	Servings:	

Thursday Sample Menu

Breakfa	ast	
		215 Calories
Oatmeal (1 cup)	Servings:	1 Dairy
Non-Fat Milk (1 cup)		1 Grain
Lunch		
		372 Calories
Sandwich (1 serving)	Servings:	1 Protein rich
Whole Wheat Roll (I large)		2 Grain
Mozzarella Cheese (1 oz, about 1 slice)		1 Vegetable
Chicken Breast (1 oz)		2 Oil
Marinara/Spaghetti Sauce (2 tbsp)		½ Dairy
Salad (1 cup)		
(lettuce, tomato, carrots, tossed in 2 tbsp of	olive oil)	
Dinner		
		591 Calorie
Picadillo (ground turkey or chicken)	Servings:	1 Dairy
(see recipe book)	Q	4 Protein Rich
Basmati Rice (1 cup)		2 Oil
Mixed Fresh Fruit (1/2 cup)		½ Fruit
Walnuts (2 tbsp chopped)		2 Vegetables
1 11		2 Grain
Daily Snacks/	Desserts	
		480 Calorie
Whole Wheat Bread (1 slice)	Servings:	1 Grain
Hummus (2 tbsp)		2 Protein Rich
Olive Oil (4 tsp)		1 Oil
Low fat Yogurt (40z)		½ Dairy
Banana (1 medium)		1 Fruit
1537 Total Da	aily Calories	
Protein 70g Fat 58g Mono	ounsaturated Fat 31g	Cholesterol 74mg
Carbohydrate 200g Saturated Fat 9g Polyu	insaturated Fat 15 g	Dietary Fiber 22 g
	Protein-rich foods 7	Dairy 2 Oils 3

Friday Sample Menu

	Breakfast	
		291 Calories
Peanut Butter and Banana Smoothie	Servings:	½ Dairy
(see recipe book)		1 Protein rich
		¼ Grain
		1 Fruit
	Lunch	
		387 Calories
Píta Sandwich	Servings:	1 Grain
Whole wheat Pita (5inch circle or med	íum)	2 Protein rich
Turkey Deli-White Meat (2 slices o	or 2oz)	1 Vegetable
Feta Cheese (1 ½ tsp-crumbled)		½ Fruit
Tabbouleh Salad (1/4 cup)		1 Oil
Salad (½ cup)		
(lettuce, tomato, carrots and parmes	an cheese-tossed in 2tsp of olive	e oil)
	Dínner	
		400 Caloríes
Chicken Breast (2 oz)	Servings:	2 Protein rich
Marinated in non-soy sauce mixture		1 Grain
Canola oil (2 tsp)		1 ½ Vegetable
Mashed Potatoes (½ cup)		1 Oil
(prepared with margarine and non-fa	ut milk)	
Mixed Vegetables (1 cup)		
(optional- broccoli, cauliflower and c	arrots-tossed in 2tsp of olive oil)	
Daily S	Snacks/Desserts	
		408 Calories
Orange (1 medium)	Servings:	2 Grain
Pita Chips (10 chips)		2 Protein rich
Hummus (2 tbsp)		2 Dairy
Non-Fat Milk (2 cup)		1 Fruit
Crunchy Granola Bar (1 package)		
14877	otal Daily Calories	
Protein 73g Fat 61g	Monounsaturated Fat 32g	Cholesterol 93 mg
Carbohydrate 175g Saturated Fat 12g	Polyunsaturated Fat 14g	Dietary Fiber 20 g
	Servings:	
Fruits 2 Vegetables 3 Whole grain	ns 3 Protein-rich foods 7	Dairy 2 ½ Oils 2

Saturday Sample Menu

Breakfast		
		550 Calories
Orange Juice (1 cup or 8 oz)	Servings:	1 Fruit
Whole wheat bread (2 medium slice)		2 Grain
Margarine (4tsp)		1 Oil
Boiled Egg (1 large)		1 Protein Rich
Lunch		, , , ,
		326 Calories
Pasta Primavera Salad (1 cup)	Servings:	1 Grain
With whole wheat pasta and vegetables		ı Oil
Grilled Chicken Breast (1 oz)		1 Fruit
Homemade Caesar dressing (4 tsp)		½ Vegetable
(see recipe book)		1 Protein Rich
Mixed Fresh Fruit (1 cup)		, , ,
Flax Seed (3 tsp)		
Dínner		
		334 Calories
Lentil Soup (1 cup)	Servings:	2 Oil
(see recipe book)		1 Grain
Multigrain Crackers (2 large crackers)		1 Protein Rich
Side Creaser Salad (1 cup)		2 Vegetable
With romaine lettuce, croutons and parmesan chees	se .	
Homemade Caesar Dressing (2 tbsp)		
(see recipe book)		
Daíly Snacks/Desse	erts	
		322 Calories
Non-fat Milk (1 cup)	Servings:	1 ½ Dairy
Low-fat Yogurt (4 oz)		½ Fruit
Pecans (1 thsp chopped)		1/2 Protein Rich
Strawberries (½ cup)		, , , , ,
1525 Total Daily Ca	loríes	
Protein 64g Fat 62g Monounsatur	ated Fat 31g	Cholesterol 250mg
Carbohydrate 190g Saturated Fat 12g Polyunsatura	ted Fat 15g	Dietary Fiber 27g
Servings:		
Fruits 2 ½ Vegetables 2 ½ Whole grains 4 Protei	n-rich foods 3 ½	Dairy 1 1/2 Oils 4

Sunday Sample Menu

		509 Calories
Whole Wheat Waffle (1 medium, 7 inch round)	Servings:	2 Grain
(prepared with non-fat milk, egg, and canola oil)		½ Fruit
Fresh Strawberries (½ cup-sliced)		1 Protein Rich
Whípped Cream (1 tbsp-half and half)		1 Dairy
Non-Fat Milk (1 cup)		, and the second
Pecans (1/2 cup-chopped)		
Light Lunch		
		325 Calorie
Lentil Soup (1 cup)	Servings:	3 Vegetable
(see recipe book)		1 Protein rich
Spinach (1 cup cooked with soup)		1 Oíl
Multigrain Crackers (2 large crackers)		1 Grain
Olíve oíl (2 tsp)		
Dinner		
		463 Calorie
Spaghetti	Servings:	1 ½ Protein Rich
Whole Wheat Noodles (3/4 cup)		1 Vegetable
Olive Oil (2 tsp)		1 Oil
Chicken Breast (1 1/2 oz cooked)		1 Grain
Classic Tomato Sauce (1/4 cup)		
(see recipe book)		
Broccoli (¾ cup)		
Daily Snacks/Dessert	ts	
		265 Calorie
Apple (1 medium)	Servings:	1 Fruit
Píta Chíps (10 chíps)		1 Grain
Tzatziki (yogurt & cucumber) (1 tbsp)		
Eggplant dip (2 tbsp)		
1468 Total Daily Calo.	ríes	
Protein 59 g Fat 60 g Monounsatura		Cholesterol 108 mg
Carbohydrate 190 g Saturated Fat 8g Polyunsaturate	dFat 15 g	Dietary Fiber 33 g
Servings:		

Convenient Options for Meals on the Go

As you embark on your journey towards a healthier lifestyle it is important to be prepared for the occasional obstacle or bump on the road. Although eating fresh, home prepared meals is always best, below are some convenient options and healthy hints that can fit into your healthy plan for those days when you are on-the-go.

Frozen Meal Options

Frozen meals can be healthy and convenient. When choosing frozen meals, keep these suggestions in mind:

- Lunch meals should contain around 300 calories and 10 g of fat
- Dinner meals should contain around 400 calories and 16 g of fat
- · Always choose low sodium meals options

Fast Food Options

Boston Market

	Meal	Calories	Fat	Saturated
				Fat
Qtr. White Rotisserie Chicken(half order) with Fresh Steamed Veggies	L&D	325	11g	3g
and Garlic Dill New Potatoes				
P 1/:				

Burger King

	Meal	Calories	Fat	Saturated
				Fat
BK VEGGIE Burger (no cheese)	D only	410	15g	2.5g
Spicy CHICK'N CRISP Sandwich	L&D	300	12g	2.5g

Domino's

	Meal	Calories	Fat	Saturated
				Fat
Hand-tossed Chicken and Veggie Pizza (per slice, small)	L&D	210	9g	3g
Hand-tossed Pepperoni Pizza (per slice, small)	L&D	238	9g	3.5g

KFC

KFC				
	Meal	Calories	Fat	Saturated
				Fat
KFC Snacker with Crispy Strip	L&D	290	11g	2.5g
Grilled Chicken Breast (1/2 order) with Green Beans and Mashed	L&D	240	8g	2g
Potatoes with Gravy				
McDonald's				
	Meal	Calories	Fat	Saturated
				Fat
Filet-O-Fish	Donly	380	18g	3.5g
McChicken	Donly	360	16g	3g
Pollo Tropical			I	•
	Meal	Calories	Fat	Saturated
				Fat
Qtr Chicken, white meat no skin, with rice and beans (1/2 order)	Donly	350	9g	3g
Regular Chicken TROPICHOP with rice and beans (1/2 order)	L&D	265	5g	1g
Regular Chicken TROPICHOP with rice and vegetables s (1/2 order)	L&D	165	2.5g	.5g
Regular Pork TROPICHOP with rice and beans (1/2 order)	Donly	340	11g	4g
Regular Pork TROPICHOP with rice and vegetables (1/2 order)	L&D	245	9g	3g
Taco Bell – Fresco Menu	ı		I	1
	Meal	Calories	Fat	Saturated
				Fat
Fresco Crunch Taco	L&D	150	7g	2.5g
Fresco Soft Taco – Beef	L&D	180	7g	2.5g
Fresco Bean Burrito	Donly	350	8g	2.5g
Fresco Burrito Supreme – Steak	Donly	340	8g	2.5g
Wendy's		<u> </u>	- 1	
	Meal	Calories	Fat	Saturated
				Fat
Small Chili with side Caesar Salad	L&D	260	6g	4g

Aíoli	
Basic Bruschetta	
Caesar Dressing	
Caprese Salad	
Chicken Mango and with Multigrain Crackers	
Classic Tomato Sauce	
Fried Chicken	
Homemade Pizza	
Lasagna	
Lentil Soup	
Minestrone	
Moussaka	
Peanut Butter and Banana Smoothie	Page 19
Pesto	
Polenta	
Spinach, Mushroom, and Feta Cheese Sauce	
Spinach with Lemon Dressing	Page 24
Turkey Meatballs	
Turkey Sandwich	
Tzatziki	
Black Beans	
Chicken Fricasse	
Chicken with Rice	
Fried Chicken Chunks	
Fried Plantains	
Galician Bean Stew	
Picadillo	
Ropa Vieja	

1. Aioli

Yields 16 servings

Ingredients

- 3 cloves garlic peeled
- 1 cup extra virgin olive oil
- 1 pinch salt

Serving size	1 of 16
Calories	240
Fat	27g
Carbohydrate	<1g
Protein	<1g
Cholesterol	Omg
Saturated	1 g
Monounsaturated	20g
Polyunsaturated	3g
Fiber	<1g

- Peel the garlic cloves and cut them in half lengthwise to check if they have greenish shoots. If you see sprouts, cut them off, and discard them.
 - Garlic sprouts make it more difficult to bind the aioli, and they make it much too hot as well.
 - o If you are sure that the garlic is very fresh, just peel the cloves, and you can begin to mash them in the mortar without cutting them in half.
- 2. Drop the garlic cloves in your mortar, add a pinch of salt, and start pounding with the pestle.
- 3. Pound and mash the garlic and the salt with the pestle until you obtain a very fine and smooth paste. This step is essential for binding garlic and olive oil properly with mortar and pestle. If your garlic paste is not smooth and fine enough, the aioli will tend to break much easier.
- 4. Now, while you stir the mixture with the pestle in one hand, start adding the olive oil very slowly, almost drop by drop, with the oil dispenser that you hold in the other hand.
- 5. Stir constantly and always in the same direction, in circular movements, until you obtain a thick paste.

2. Basic Bruschetta

Yields 4 servings

Ingredients

- Italian or French country-style bread in thick slices
- Extra virgin olive oil
- Medium-sized ripe tomatoes
- Salt

C , ,	. (.
Serving size	1 of 4
Calories	405
Fat	1 <i>5</i> g
Carbohydrate	56g
Protein	12g
Cholesterol	Omg
Saturated	2g
Monounsaturated	10g
Polyunsaturated	2g
Fiber	3g

Preparation

Time: 15 minutes.

- 1. Cut 4 thick slices of bread and toast both sides of the slices in a toaster, under a broiler, or grill them on a barbecue.
 - When you can, slowly toast the slices of bread over hot wood-embers. The taste of the toasts using this traditional method is unmatched.
- 2. Place the toasts on a platter without stacking them. Cut a tomato in half crosswise. Cup a tomato half in your hand and rub the cut side of the tomato on the toasts. First you do one side, turn the toast over, and rub the tomato on the other side of the toast. Rub all toasts with the tomato halves.
 - O Don't worry when tomato seeds and a little bit of flesh stick to the bread, it's a part of the Catalan bruschetta recipe.
- 3. With an olive oil cruet or dispenser, if you have one, drizzle olive oil on both sides of the slices liberally. Finally, sprinkle some salt over the slices of bread to taste. The basic Catalan recipe for bruschetta is ready.

3. Caesar dressing

Yields 4 servings

Ingredients

- 2 anchovy fillets, rinsed and finely chopped (optional)
- 2 large garlic cloves, finely chopped
- 1 large egg
- 2 tablespoons freshly squeezed lemon juice
- 1 dash Worcestershire sauce
- 2 Tbsp olive oil
- 2 Tbsp canola oil (total 4 tbsp of oil, combined)
- 1 Tbsp Parmesan cheese

Servings	1 of 4
Calories	155
Fat	16g
Carbohydrate	1g
Protein	3g
Cholesterol	56mg
Saturated	2g
Monounsaturated	10g
Polyunsaturated	3g
Fiber	<1g

- Place anchovies and garlic on a cutting board and make a paste by dragging the side
 of a chef's knife across them at a 15-degree angle about 10 times or until a smooth
 paste forms. Place in a medium bowl.
- 2. Whisk the whole egg, egg yolk, lemon juice, and Worcestershire into the anchovy mixture until smooth. Slowly add the oil, whisking constantly until the vinaigrette is emulsified. Season with salt and pepper to taste.
- 3. Sprinkle parmesan cheese to salad, to taste, up to 1 tbsp.

4. Caprese Salad

Yields 5 servings

Ingredients

- 4 large Tomatoes
- 3 tablespoons Extra virgin olive oil
- 1 1/2 tablespoons Balsamic vinegar
- 1 package Fresh mozzarella cheese
- 16 leaves Basil
- Salt and pepper

Serving size	1 of 5
Calories	182
Fat	16g
Carbohydrate	4g
Protein	6g
Cholesterol	11mg
Saturated	4g
Monounsaturated	9g
Polyunsaturated	2g
Fiber	1g

- 1. Slice tomatoes and mozzarella
- 2. Arrange on a plate separating the tomato with slices of mozzarella
- 3. Add salt and pepper to taste
- 4. Tear basil leaves and scatter on top of tomato and mozzarella
- 5. Combine oil and vinegar and drizzle over salad

5. Chicken, Mango, and Cranberry Salad w/ Multigrain Crackers

Yields 2 servings

Ingredients

- 4 oz diced chicken
- 3 thsp balsamic dressing (olive oil and balsamic vinegar)
- 2 cups chopped salad greens
- 2 slices dried mango, diced
- 0.5 oz dried cranberries
- Three 4" square pieces large multigrain crackers (can use 3 rice cakes instead)

Serving size	1 of 2
Calories	344
Fat	1 <i>7</i> g
Carbohydrate	29g
Proteín	21g
Cholesterol	48mg
Saturated	27g
Monounsaturated	11g
Polyunsaturated	2g
Fiber	4g

Preparation

1. Toss all ingredients and serve with crackers

6. Classic Tomato Sauce

Yields 3 servings

Ingredients

- 3 to 4 tablespoons olive oil
- 2 medium size onions (7 ounces or 200 g) peeled and finely chopped
- 5 medium-sized ripe tomatoes (1 pound or 450
 g) peeled and chopped. Seeding is optional
- 2 cloves garlic peeled and minced
- The leaves of 1 small sprig flat Italian parsley minced

Serving size	1 of 3
Calories	228
Carbohydrate	16g
Protein	3g
Cholesterol	Omg
Fat	18g
Saturated	3g
Monounsaturated	13g
Polyunsaturated	2g
Fiber	4g

Preparation

(Time: 10 to 15 minutes. Cooking time: 45 minutes. Faster version: 15 to 25 minutes.)

- Put the tomatoes in a bowl and pour some boiling water over them. Set them aside for 5 minutes. Peel the tomatoes (canned whole tomatoes are fine)
- 2. If you do seed the tomatoes, remember to put the seeds in a small bowl so that you can later drain them and use the juice. So now seed and chop the tomatoes.
- 3. Peel and finely chop the onion. Peel and mince the garlic.
- 4. Finely chop the Italian parsley leaves. The fastest method is putting the leaves in a small glass or cup and uses the kitchen scissors upside down.
- 5. Add the olive oil to an earthenware casserole or oven. When the olive oil is hot, turn the heat to low and add the onions. Cook the onions uncovered for 15 minutes or until they turn golden and begin to caramelize. Stir often with a wooden spoon.

Classic Tomato Sauce (continued)

- 13 minutes into cooking the onions, add the minced garlic and parsley. Stir for 1 to 2
 minutes and add the chopped tomato with all its juices.
- 7. Cover and bring the tomato sauce to a gentle boil. Make sure that the heat is set to low and cook for 30 minutes stirring occasionally or until the homemade tomato sauce obtains a comfiture-like texture.
 - o As with the onion, you can increase the cooking time, until the tomatoes caramelize completely. But then you'll have to add some water.

Faster version of this tomato sauce recipe

- Put the tomatoes in a bowl and pour some boiling water over them. Set them aside for 5 minutes. Peel and chop the tomatoes.
- 2. Peel and finely chop the onion. Peel and mince the garlic.
- 3. Finely chop the parsley leaves.
- 4. Add the olive oil to an earthenware casserole or Dutch oven. When the olive oil is hot, turn the heat to medium-low and add the onions. Cook the onions uncovered for 5 to 10 minutes. Stir constantly with a wooden spoon. Sprinkle some water over the onion if you are afraid that it burns.
- 5. Add the minced garlic and parsley. Stir for 1 minute and add the chopped tomato.
- 6. Cover and bring the tomato sauce to a gentle boil. Cook for 10 to 15 minutes.

7. Fried Chicken

Yields 3 servings

Ingredients

- 2 whole chicken breasts
- 2 tablespoons olive oil
- 2 sprigs rosemary
- 4 small sprigs thyme
- Dried ginger root grated. Or use 3/4 teaspoon of ground ginger

	,	_						
•	6 leave fre	sh mar	oram ~ c	hopped.	Or use	½ teaspoo	n of dried ma	rjoram

- Sweet ground red pepper
- ½ teaspoon ground turmeric
- Salt
- 4 lime slices Replace with 2 lemon slices if you don't have limes
- · A short dash of soy sauce

Preparation

Time: 5 minutes.

Cooking time: 30 minutes.

- Sprinkle some freshly grated ginger on both sides of the chicken breasts. Scatter the
 marjoram, a few pinches of red sweet pepper, the turmeric and salt to taste on both
 sides of the chicken pieces.
- 2. Heat 2 tablespoons of olive oil in a skillet or frying pan. Add the rosemary and thyme sprigs.
- 3. When the olive oil is hot, add the chicken and brown each side uncovered for 5 minutes over low-medium heat. You should begin to see a nice crust.
- 4. Place 2 lime slices on top of each chicken piece and squeeze a little bit of lime juice over them too. If you use lemon use only 1 slice for each chicken breast because lemons aren't as sweet as limes.

Serving size	1 of 3
Calories	189
Carbohydrate	3g
Protein	18g
Cholesterol	49 mg
Fat	12g
Saturated	2g
Monounsaturated	8g
Polyunsaturated	2g
Fiber	1g

Fried Chicken (continued)

- 5. Pour a short dash of soy sauce over the chicken breasts. Turn down the heat a little bit and cover.
- 6. Cook each side for 10 minutes. It's advisable to turn over the fried chicken pieces twice during the cooking time.
- Garnish this simple chicken recipe with crispy lettuce salad seasoned with olive oil and salt.

8. Homemade Pízza

Yields 2 servings

Ingredients for the dough

- 1 heaped cup whole wheat flour
- I level teaspoon dry yeast
- 1/2 teaspoon salt
- 1/2 cup extra virgin olive oil

Ingredients for the homemade pizza toppings

- 2 large red bell peppers
- 2 medium-sized eggplants
- 2 medium size onions
- 2 small ripe tomatoes
- Extra virgin olive oil
- Low fat turkey sausage Preparation

Cooking time: 30 minutes.
Preparation time: 90 minutes.

Rising time: 3 hours.

- 1. Place the flour in a large bowl. Add the dry yeast and the salt, and mix well.
- 2. In a large cup, mix the 1/2 cup of olive oil and the 1/2 cup of lukewarm water.
- 3. Make a small well in the middle of the flour and add the olive oil and water mixture.
- 4. Knead the flour mixture by hand for 10 minutes until the dough is elastic and smooth, and until the olive oil gives it a nice golden color.
- 5. Place the dough in the same bowl, cover with a towel, and allow it to rise for 3 hours in a warm place with no draught.
- 6. Preheat the oven to 200°, and roast the whole vegetables.

Serving size	1 of 2
Calories	668
Carbohydrate	101g
Protein	22g
Cholesterol	Omg
Fat	24g
Saturated	3g
Monounsaturated	14g
Polyunsaturated	5g
Fiber	28g

Homemade Pizza (continued)

- 7. When the vegetables are well roasted, peel them.
- Cut the peppers, and eggplants into long strips, and the onion into rings or strips.
 Finely chop the tomatoes.
- 9. When the dough has risen for 3 hours, stretch it with a rolling pin. Give it an oval form like shown in the picture.
- 10. Oil a cookie sheet, and sprinkle some flour on it. Place the oval shaped flour on it.
- 11. First spread the onion over the whole homemade pizza dough. Second, distribute the tomato. Third, distribute the pepper strips like shown in the photo. Fourth, place the eggplant strips in between the pepper strips. Finally, place the sausage.
- 12. Drizzle olive oil liberally over the whole homemade pizza toppings. Use a cruet or olive oil dispenser if you have one.
- 13. Bake the delicious homemade pizza for 30 minutes.

9. Lasagna

Yields 10 servings

Ingredients

- 1 pound lean ground turkey
- 1 (32 ounce) jar tomato sauce (see #3)
- 32 ounces low fat cottage cheese
- 3 cups shredded mozzarella cheese
- 2 eggs
- 1/2 cup grated Parmesan cheese
- 2 teaspoons dried parsley
- salt to taste
- ground black pepper to taste
- 9 lasagna noodles
- 1/2 cup water

Serving size	1 of 10
Calories	434
Carbohydrate	35g
Protein	35g
Cholesterol	104mg
Fat	18g
Saturated	7g
Monounsaturated	5g
Polyunsaturated	3g
Fiber	3g

- 1. In a large skillet over medium heat brown the ground turkey. Drain the grease. Add spaghetti sauce and simmer for 5 minutes.
- 2. In a large bowl, mix together the cottage cheese, 2 cups of the mozzarella cheese, eggs, half of the grated Parmesan cheese, dried parsley, salt and ground black pepper.
- 3. To assemble, in the bottom of a 9x13 inch baking dish evenly spread 3/4 cup of the sauce mixture. Cover with 3 uncooked lasagna noodles, 1 3/4 cup of the cheese mixture, and 1/4 cup sauce. Repeat layers twice. Top with 3 noodles, remaining sauce, remaining mozzarella and Parmesan cheese. Add 1/2 cup water to the edges of the pan. Cover with aluminum foil.
- 4. Bake in a preheated 350° oven for 45 minutes. Uncover and bake an additional 10 minutes. Let stand 10 minutes before serving.

10. Lentil Soup (Mediterranean Style)

Yields 3 servings

Ingredients

- 1 cup red Lentils
- 2 tablespoon salt
- 1/2 cup of chopped white onion
- 2 garlic cloves, minced
- 2 tablespoons olive oil
- 1 teaspoon of cumin
- Turkey sausage (lean), chopped

Serving size	1 of 3
Calories	334
Carbohydrate	47g
Protein	18g
Cholesterol	Omg
Fat	10g
Saturated	1g
Monounsaturated	7g
Polyunsaturated	1g
Fiber	12g

Preparation

- In a 4qt pot, sautee the chopped onions and turkey sausage and garlic over medium heat
- 2. Add lentils and stir in Lentils
- 3. Add 4 cups of water
- 4. Set the stove to high until boil then reduce to medium or medium-low.
- 5. After 15 minutes or so reduce heat again so Lentils do not get too mushy.
- 6. Once lentil is no longer hard you then add the cumin and salt.
- 7. After 5 minutes, stir and serve.

Add lemon to soup for extra flavor!

11. Minestrone

Yields 4 servings

Ingredients

- 1 1/2 tablespoons olive oil
- 1/2 cup minced white onion (about 1 small onion)
- 1/4 cup chopped zucchini
- 1/4 cup frozen cut italian green beans
- 1/8 cup minced celery (about 1/2 stalk)
- 2 teaspoons minced garlic (about 4 cloves)
- 2 cups vegetable broth (Swanson is good *note: Do not use chicken broth!*)
- 2 (7 1/2 ounce) cans red kidney beans, drained
- 2 (7 1/2 ounce) small cans white beans or 2 (7 1/2 ounce) cans great northern beans, drained
- 1 (7 ounce) can diced tomatoes
- 1/4 cup carrot, julienned or shredded
- 1 tablespoon minced fresh parsley
- 3/4 teaspoon dried oregano
- 3/4 teaspoon salt
- 1/4 teaspoon ground black pepper
- 1/4 teaspoon dried basil
- 1/8 teaspoon dried thyme
- 1 1/2 cups hot water
- 2 cups fresh baby spinach
- 1/4 cup small shell pasta

- 1. Heat three tablespoons of olive oil over medium heat in a large soup pot.
- 2. Sauté onion, celery, garlic, green beans, and zucchini in the oil for 5 minutes or until onions begin to turn translucent.

Serving size	1 of 4
Calories	421
Carbohydrate	72 g
Protein	24 g
Cholesterol	0 mg
Fat	6 g
Saturated	1 g
Monounsaturated	4 g
Polyunsaturated	2 g
Fiber	17 g

11. Minestrone (continued)

- 3. Add vegetable broth to pot, plus drained tomatoes, beans, carrot, hot water, and spices.
- 4. Bring soup to a boil, then reduce heat and allow simmering for 20 minutes.
- 5. Add spinach leaves and pasta and cook for an additional 20 minutes or until desired consistency.
- 6. Makes about eight 1 1/2 cup servings.

12. Moussaka

Yields 10 servings

Prep Time: 2 hours; Cook Time: 45 minutes

Ingredients

- 3 eggplants, about 4 lbs. total
- 1 large potato
- 1 1/2 lbs. ground turkey (lean)
- 2 large onions, finely diced
- 2 cloves garlic, minced
- 1/2 cup red wine (optional)
- 1/4 cup chopped fresh parsley
- 1 tsp. ground cinnamon
- 1/4 tsp. ground allspice (optional)
- 1 cup tomato puree (or crushed tomatoes)
- 2 tbsp. tomato paste
- 1 tsp. sugar
- Salt and pepper to taste
- 2 cups plain breadcrumbs
- 4 eggs, lightly beaten
- 1 cup grated Parmesan cheese

Béchamel Sauce

- 1 cup margarine
- 1 cup whole wheat flour
- 4 cups low fat milk, warmed
- 4 eggs, lightly beaten
- Pinch of ground nutmeg

Serving size	1 of 10
Calories	601
Carbohydrate	51g
Protein	33g
Cholesterol	146mg
Fat	30g
Saturated	13g
Monounsaturated	10g
Polyunsaturated	5g
Fiber	9g

Moussaka (continued)

Preparation

Prep the Vegetables

- Using a sharp peeler, partially peel the eggplants, leaving strips of peel about 1 inch
 wide around the eggplant
- 2. Slice the eggplant into 1/2 inch slices
- 3. Place the eggplant slices in a colander and salt them liberally
- 4. Cover them with an inverted plate that is weighted down by a heavy can or jar
- 5. Place the colander in the sink so that excess moisture can be drawn out. They will need to sit for at least 15-20 minutes, preferably an hour. The salt also will help remove some of the bitterness of the eggplant
- 6. Peel the potatoes and boil them whole until they are done: not too soft but enough to remove crunch
- 7. Drain, cool, and slice them in 1/4 inch slices. Set aside
- 8. Preheat oven to 400 ° Fahrenheit
- 9. Line two baking sheets with aluminum foil and lightly grease
- 10. Add a splash of water to the egg whites and beat them lightly with a fork
- 11. Add breadcrumbs to a flat plate
- 12. Rinse the eggplant slices and dry with paper towels
- 13. Dip the eggplant slices in the beaten eggs and then dredge them in the breadcrumbs, coating both sides
- 14. Place breaded eggplant slices on baking sheets and bake at 400° for ½ hour, turning them over once during cooking
- 15. When eggplant is finished cooking, lower the oven temperature to 350°

Make the Meat Filling

- 1. In a large sauté pan, brown the ground turkey until the pink color disappears
- 2. Add onion and sauté until translucent, about 1 minute
- 3. Add garlic and cook until fragrant, about 1 minute

Moussaka (continued)

- 4. Add wine to pan and allow it to simmer and reduce a bit before adding cinnamon, allspice, parsley, tomato paste, crushed tomatoes, and sugar
- 5. Allow the sauce to simmer uncovered for approximately 15 minutes so that excess liquid can evaporate. It should be a drier, chunkier tomato sauce.
- 6. Season to taste with salt and pepper

Make the béchamel sauce

- 1. Melt margarine over low heat
- 2. Using a whisk, add flour to melted margarine whisking continuously to make smooth paste. Allow flour to cook for a minute but do not allow it to brown
- 3. Add warmed milk to mixture in a steady stream, whisking it continuously
- 4. Simmer over low heat until it thickens a bit but does not boil
- 5. Remove from heat, and stir in beaten eggs and a pinch of nutmeg
- 6. Return to heat and stir until sauce thickens

Assemble the Moussaka

- 1. Lightly grease/spray a large deep baking pan (lasagna pan)
- 2. Sprinkle the bottom of pan with breadcrumbs.
- Leaving a ¼ inch space around the edges of pan, place a layer of potatoes on the bottom. Top with a layer of eggplant slices
- 4. Add meat sauce on top of eggplant layer and sprinkle with 1/4 of the grated cheese
- 5. Pour the béchamel sauce over the eggplant and be sure to allow sauce to fill the sides and corners of the pan.
- 6. Smooth the béchamel on top with a spatula and sprinkle with remaining grated cheese
- 7. Bake in 350 oven for 45 minutes or until béchamel sauce is a nice golden brown color
- 8. Allow to cool for 15-20 minutes before slicing and serving

13. Peanut Butter and Banana Smoothie

Yields 1 serving

Ingredients

- Low or Non fat Milk 1/2 cup
- Ice Cubes 2
- Banana 1 medium (cut)
- Natural Peanut Butter 1 spoonful
- Agave 2 tsp (If you don't have Agave, you can use Honey/Sugar)
- Cereal (optional) 1/4 cup

Serving size	1 of 1
Calories	291
Carbohydrate	57g
Protein	9g
Cholesterol	2mg
Fat	5g
Saturated	1g
Monounsaturated	2g
Polyunsaturated	1g
Fiber	4g

Directions

- 1. Pour milk in blender
- 2. Addice cubes
- Add banana
- 4. Add peanut butter and cereal (optional)
- 5. Blend
- 6. Add sweetener
- 7. Pour and serve

14. Pesto

Yields 10 servings

Ingredients

- 3 large sprigs basil about 12 leaves
- 2 tablespoons freshly grated romano cheese
- 2 tablespoons freshly grated parmesan cheese
- 1 tablespoon pine nuts
- 2 cloves garlic peeled
- 1 pinch salt coarse salt is best
- 1 cup extra virgin olive oil

Serving size	1 of 10
Calories	209
Carbohydrate	<1g
Protein	1 g
Cholesterol	2mg
Fat	23g
Saturated	3g
Monounsaturated	16g
Polyunsaturated	3g
Fiber	<1g

- First add the basil leaves and salt to a mortar and start grinding them by rotating the
 pestle against its walls. Do not pound the ingredients, but crush them against the walls
 of the mortar with circular movements of the wooden pestle.
- 2. Second, add the pine nuts and continue grinding them as above.
- 3. Third, add the garlic cloves and grind
 - o If you use a blender or food processor grind the ingredients together, but don't process them into a cream.
- 4. Now start adding the two different cheeses slowly and alternatively. Continue grinding the paste until you obtain a thick smooth paste.
- 5. At this point, add the olive oil and mix it well with the pestle until you obtain a dense paste.

15. Polenta

Yields 6 servings

Ingredients

- 2 tablespoons olive oil, plus extra for grilling or sautéing if desired
- 3/4 cup finely chopped red onion
- 2 cloves garlic, finely minced
- 1 quart low fat chicken stock or broth
- 1 cup coarse ground cornmeal
- 3 tablespoons unsalted margarine
- 1 1/2 teaspoons kosher salt
- 1/4 teaspoon freshly ground black pepper
- 2 ounces Parmesan, grated

Serving size	1 of 6
Calories	233
Carbohydrate	24g
Protein	6g
Cholesterol	9mg
Fat	12g
Saturated	4g
Monounsaturated	6g
Polyunsaturated	2g
Fiber	1g

- 1. Preheat oven to 350 degrees F.
- 2. In a large, oven-safe saucepan heat the olive oil over medium heat. Add the red onion and salt and sweat until the onions begin to turn translucent, approximately 4 to 5 minutes.
- 3. Reduce the heat to low, add the garlic and sauté for 1 to 2 minutes, making sure the garlic does not burn.
- 4. Turn the heat up to high, add the chicken stock, and bring to a boil.
- 5. Gradually add the cornmeal while continually whisking. Once you have added all of the cornmeal cover the pot and place it in the oven.
- 6. Cook for 35 to 40 minutes, stirring every 10 minutes to prevent lumps.
- 7. Once the mixture is creamy, remove from the oven and add the butter, salt, and pepper.
- 8. Once they are incorporated, gradually add the Parmesan.

16. Spinach, Mushrooms, and Goat Cheese sauce

Yields 4 servings

Ingredients

- 1 1/2 cups boiling water
- 1 cup dried porcini mushrooms (about 1 ounce)
- 2 (3 1/2-ounce) packages shiitake mushrooms
- Cooking spray
- 1 (8-ounce) package pre-sliced button mushrooms
- 1/2 teaspoon salt, divided
- 1/4 teaspoon dried thyme
- 1/4 teaspoon black pepper, divided
- 1/4 cup dry white wine
- 1 tablespoon margarine
- 2 tablespoons all-purpose flour
- 1 1/2 cups fat-free milk
- 1/2 cup (2 ounces) low fat crumbled goat cheese
- 1/4 cup (1 ounce) grated fresh Parmesan cheese, divided
- 6 no-boil lasagna noodles (such as Barilla or Vigo)
- 1 (10-ounce) package frozen chopped spinach, thawed, drained, and squeezed dry
- 2 cups chopped plum tomato
- 3/4 cup (3 ounces) shredded part-skim mozzarella cheese

Preparation

Preheat oven to 375°.

1. Combine the water and porcini in a medium bowl; cover and let stand for 15 minutes.

Serving	1 of 4
Calories	400
Carbohydrate	41g
Protein	23g
Cholesterol	35mg
Fat	17g
Saturated	8g
Monounsaturated	6g
Polyunsaturated	2g
Fiber	6g

Spinach, Mushrooms, and Goat Cheese sauce (continued)

- 2. Drain in a sieve over a bowl, reserving 1 cup soaking liquid.
- 3. Bring the soaking liquid to a boil in small saucepan; reduce heat to medium, and cook until reduced to 1/4 cup (about 5 minutes).
- 4. Remove the stems from shiitakes; discard stems.
- 5. Slice shiitake caps.
- 6. Heat a large nonstick skillet coated with cooking spray over medium-high heat.
- 7. Add porcini, shiitake, and button mushrooms, 1/4 teaspoon salt, thyme, and 1/8 teaspoon pepper; sauté 12 minutes or until softened. Add wine; cook 2 minutes or until liquid almost evaporates.
- 8. Melt the butter in a medium saucepan over medium heat.
- 9. Add the flour, and cook for 30 seconds, stirring constantly with a whisk.
- 10. Gradually add 1/4 cup porcini mushroom liquid and milk, stirring with a whisk until blended.
- 11. Cook until mixture thickens (about 4 minutes).
- 12. Remove from heat.
- 13. Add the goat cheese, 2 tablespoons Parmesan, 1/4 teaspoon salt, and 1/8 teaspoon pepper, and stir until cheese melts.
- 14. Spread 1/2 cup cheese sauce in bottom of an 8-inch square baking dish coated with cooking spray.
- 15. Arrange 2 noodles over cheese sauce, and top with half of mushroom mixture, half of spinach, 3/4 cup tomato, 1/2 cup cheese sauce, and 1/4 cup mozzarella.
- 16. Repeat layers, ending with noodles.
- 17. Spread remaining cheese sauce over noodles.
- 18. Sprinkle with 1/4 cup mozzarella, 1/2 cup tomato, and 2 tablespoons Parmesan.
- 19. Cover and bake at 375° for 25 minutes.
- 20. Uncover and bake an additional 25 minutes.
- 21. Let stand 5 minutes.

17. Spinach with Lemon Dressing (Horta)

Yields 8 serving

Ingredients

- 1 1/2 pounds fresh spinach
- 2 tablespoons olive oil or vegetable oil
- 1 tablespoon lemon juice
- 1/4 teaspoon salt
- Freshly-ground black pepper

Serving size	1 of 8
Calories	355
Carbohydrate	19g
Protein	14g
Cholesterol	Omg
Fat	29g
Saturated	1 g
Monounsaturated	20g
Polyunsaturated	1 g
Fiber	llg

- 1. Wash spinach very thoroughly to remove all of the grit and remove stems; drain.
- 2. Place spinach leaves and just the water that clings to them in Dutch oven.
- 3. Cover and cook until tender, 7 to 8 minutes; drain thoroughly.
- 4. Shake oil, lemon juice and salt in tightly covered jar; toss with spinach.
- 5. Sprinkle with pepper.

18. Turkey Meatballs

Yields 5 servings

Ingredients

- 2 tablespoons olive oil
- 1 (20 ounce) package ground turkey (lean)
- 1 egg, beaten
- 1/3 cup Italian seasoned bread crumbs

- 1. Preheat the oven to 350 degrees F (175 degrees C). Grease a 9x13 inch baking dish with the olive oil, and place it in the oven while preheating.
- 2. In a medium bowl, mix together the ground turkey, egg, and bread crumbs using your hands. Using an ice cream scoop if possible, form the meat into golf ball sized meatballs. Place about 1 inch apart in the hot baking dish. Press down to flatten the bottom just slightly.
- 3. Bake for 15 minutes in the preheated oven, then turn them over, and continue baking for about 5 more minutes, or until somewhat crispy on the outside. Serve with pasta and sauce or however you'd like.

Serving size	1 of 5
Calories	237
Carbohydrate	5g
Protein	26g
Cholesterol	74mg
Fat	12g
Saturated	3g
Monounsaturated	6g
Polyunsaturated	2g
Fiber	<1g

19. Turkey Sandwich

Ingredients

- 4 slices lean turkey breast
- 3-4 jarred roasted peppers
- 2 slices 100% whole wheat bread
- 1 lettuce leaf
- 4 slices tomato
- 4 slices cucumber
- 4 dried apricots
- 1 tbsp hummus

Serving size	1 of 1
Calories	293
Carbohydrate	40 g
Protein	16 g
Cholesterol	1 <i>9</i> mg
Fat	9 g
Saturated	1 g
Monounsaturated	<i>5</i> g
Polyunsaturated	1 g
Fiber	9 g

- 1. Spread hummus onto both slices of bread.
- 2. Top one slice of bread with Turkey, lettuce, tomato and cucumber.
- 3. Cover with other slice of bread.
- 4. Serve with dried apricots.

20. Tzatziki (Greek Yogurt and Cucumber Sauce)

Yields 6 servings

Ingredients

- 3 cups Greek Yogurt (Low or Non fat)
- Juice of one lemon (about 3 tbsp)
- 1 garlic clove, chopped
- 2 medium cucumbers, seeded and diced
- 1 thsp kosher salt for salting cucumbers
- 1 tbsp finely chopped fresh dill (can substitute mint leaves for a slightly different version)
- Kosher salt and fresh ground black pepper to taste

Serving size	1 of 6
Calories	88
Carbohydrate	11g
Protein	7g
Cholesterol	7mg
Fat	2g
Saturated	1g
Monounsaturated	1g
Polyunsaturated	<1
Fiber	1g

- 1. If you don't have Greek yogurt, strain plain yogurt (strain yogurt for 10-20 minutes to remove excess liquid).
- 2. Peel cucumbers, then cut in half lengthwise and take a small spoon and scrape out seeds. Discard seeds. (If you use the small seedless or European cucumbers with few seeds, you can skip this step.)
- 3. Slice cucumbers, then put in a colander, sprinkle on 1 T salt, and let stand for 30 minutes to draw out water. Drain well and wipe dry with paper towel.
- 4. In food processor with steel blade, add cucumbers, garlic, lemon juice, dill, and a few grinds of black pepper. Process until well blended, and then stir this mixture into the yogurt.
- 5. Taste before adding any extra salt.
- 6. Place in refrigerator for at least two hours before serving so flavors can blend. (This resting time is very important.)
- 7. This will keep for a few days or more in the refrigerator, but you will need to drain off any water and stir each time you use it.

Hispanic Recipes Mediterranean Style

1. Black Beans (Frijoles Negros)

Yields 4 servings

Ingredients

- 2 ½ cups dried black beans
- 9 cups water
- 1 tablespoon olive oil
- 1 ½ cups chopped onion
- 1 1/2 cups chopped green bell pepper
- 3 cloves garlic, peeled, and mashed with
 1 teaspoon salt and 1/2 teaspoon
- · Canola oil for sautéing
- 1 teaspoon oregano
- 1 teaspoon ground cumin
- 1 bay leaf
- 3 tablespoons vinegar
- Olive oil

Serving size	1 of 4
Calories	463
Carbohydrate	78g
Protein	27g
Cholesterol	Omg
Fat	6g
Saturated	1g
Monounsaturated	3g
Polyunsaturated	1g
Fiber	27g
_	

- 1. Cover dry beans with water and let stand covered overnight. Drain and discard water.
- 2. Place the cleaned black beans in a large 6-quart saucepan. Add water and olive oil—this will prevent the beans from foaming. Bring the beans to a boil, reduce heat to low, cover, and cook until the beans are tender, about 1 hour.
- 3. Do not add salt to the beans when they are cooking.
- 4. You may also cook the beans in a pressure cooker. Follow the manufacturer's directions for exact times. Most pressure cookers take about 20 to 25 minutes to cook the beans completely.
- 5. Do not drain the water from the cooked beans.
- 6. Meanwhile, chop onion and green pepper. Mash the garlic with salt and peppercorns in a mortar and pestle.

Black Beans (continued)

- 7. Sauté the onions and green pepper in olive oil until the onions are translucent. Add mashed garlic and sauté another minute or so.
- 8. Add the cooked beans, oregano, cumin, bay leaf, and vinegar. Cover and simmer over low heat for 15 to 20 minutes, stirring occasionally. Remove bay leaf.
- 9. Mash 1 cup of beans to make a thick paste. Mix the mashed beans back into the pot.
- 10. Add additional salt and pepper to taste.
- 11. Drizzle a couple of tablespoons of olive oil over the beans. Immediately cover the pot, remove from heat, and let stand for 10 minutes.
- 12. Serve the black beans over rice.
- 13. Garnish the beans with cilantro and finely chopped white onions.

2. Chicken Fricassee (Pollo Fricasse)

Yields 4 servings

Ingredients

- 1 pound chicken breast and thighs
- 1 tablespoon adobo seasoning
- 1/2 (.18 ounce) packet sazon seasoning
- 1/2 teaspoon salt
- 5 large red potatoes, peeled and thickly sliced
- 1 large red bell pepper, seeded and chopped
- 1 large green bell pepper, seeded and chopped
- 1 large onion, chopped
- 5 cloves garlic, minced
- 1 bunch fresh cilantro, chopped
- 2 tablespoons olive oil
- 1/2 cup dry red wine
- 1 teaspoon ground cumin
- 1 teaspoon dried oregano
- 2 fresh or dried bay leaves

Serving size	1 of 4
Calories	607
Carbohydrate	87g
Proteín	35g
Cholesterol	71g
Fat	12g
Saturated	2g
Monounsaturated	7g
Polyunsaturated	2g
Fiber	11g

Directions

- 1. Wash the chicken and pat dry; place into a large bowl. Season with adobo seasoning, sazon seasoning, and salt. Place the chicken into a slow cooker or pot, and cover with the potato slices.
- 2. Puree the red pepper, green pepper, onion, garlic, cilantro, olive oil, wine, cumin, and oregano in a blender. Pour over the chicken and add the bay leaves.
- **3.** Cook on Low for 6 to 8 hours if cooking in slow cooker or 1 hour if using a pot, until the chicken is easily removed from the bone.

3. Chicken with Rice (Arroz con Pollo)

Yields 8 servings

Ingredients

- 4 pounds white meat chicken
- 1 tsp dried oregano
- 1 tsp ground cumin
- 1/2 tsp freshly ground white pepper
- 1 Tbsp red wine vinegar
- 1 lb Valencia or Arborio rice
- Sliced red pimientos for garnish
- Can of green peas (Petit Pois) for garnish

Serving size	1 of 8
Calories	614
Carbohydrate	54g
Protein	59g
Cholesterol	141g
Fat	13g
Saturated	3g
Monounsaturated	6g
Polyunsaturated	3g
Fiber	8g

Sofrito or broth

- 2 Tbsp Annatto oil or olive oil
- 1 small onion, finely chopped
- 1 small red bell pepper, cored, seeded and finely chopped
 3 cloves garlic, minced
- 1 small tomato, seeded and diced
- 3 cups water (*)
- 1 cup dry white wine
- 1-1/2 cups beer
- 1/2 tsp annatto seeds
- 1 Tbsp tomato paste
- Salt and freshly ground black pepper, to taste
- Wash the chicken and blot dry with paper towels. Mix the oregano, cumin, white pepper and vinegar in a large glass bowl. Add the chicken, turning the pieces to cover with the mixture. Let marinate at least 15 minutes.
- 2. Heat the oil in a large heatproof casserole
- 3. Brown the chicken pieces all over, about 2 minutes per side. Transfer the chicken to a platter and pour out all but 2 tablespoons of the fat.

Chicken with Rice (continued)

- 4. For sofrito: Add the onion, bell pepper and garlic to the oil in the casserole, cook over medium heat until soft but do not brown, about 1 or 2 minutes. Add the tomato and cook for one more minute. Return the chicken to the casserole with the sofrito and cook for about 1 or 2 more minutes.
- 5. Add the water, wine and beer, tomato paste and salt and pepper. Bring to a boil, reduce heat, cover and simmer for about 30 minutes. While the chicken is cooking, place annato seeds in small saucepan with 1/4 cup of the chicken cooking liquid. Simmer for about 5 minutes. Strain mixture back into the chicken.
- 6. To finish the dish: Thoroughly wash rice swishing with your hands, and drain off the water. Continue doing this until water runs clear.
- 7. Bring chicken mixture to a boil, stir in the washed rice, reduce heat, cover and simmer until the rice is tender, about 20 to 25 minutes. If it starts to dry out and rice is still al dente, add more liquid. If it gets too soupy, uncover during the last 10 or 15 minutes of cooking.
- 8. Just before it is done, stir in half of the petit pois and pimientos. Garnish with the rest.

4. Fried Chicken Chunks (Chicharrones de Pollo)

Yields 10 servings

Ingredients

- 1 pound skinless, boneless chicken breast meat - cut into chunks
- 1/2 cup dark rum
- 1/2 cup lemon juice
- 1/2 cup minced garlic
- 1/4 cup Worcestershire sauce
- 3 tablespoons garlic powder
- 1 teaspoon adobo seasoning
- 1 teaspoon onion powder
- 1 teaspoon ground black pepper
- 1 teaspoon ground coriander
- 2 (.18 ounce) packets sazon with coriander and achiote
- 3 cups all-purpose wheat flour
- 4 cups canola oil for frying

Directions

- 1. Combine the chicken, rum, lemon juice, garlic, Worcestershire sauce, garlic powder, adobo seasoning, onion powder, pepper, coriander, and sazon seasoning in a bowl; stir. Cover and marinate in refrigerator 4 hours.
- 2. Heat the oil in a large pot over medium heat to about 300 degrees F
- 3. Spread the flour into the bottom of a shallow dish. Coat each piece of marinated chicken with wheat flour.
- 4. Fry the coated chicken pieces in the hot oil in small batches until no longer pink in the center and golden brown on the outside, 5 to 10 minutes.

Serving size	1 of 10
Calories	1012
Carbohydrate	34g
Protein	1 <i>7</i> g
Cholesterol	2 <i>9</i> mg
Fat	90g
Saturated	7g
Monounsaturated	56g
Polyunsaturated	25g
Fiber	<i>5</i> g

5. Fried Plantains (Tostones)

Yields 2 servings

Ingredients

- 5 tablespoons canola oil for frying
- 1 plantains, peeled and broken into chunks
- 3 cups cold water
- salt to taste

Directions

- 1. Heat the oil in a large skillet. Place the plantains in the oil and fry on both sides; approximately 3 1/2 minutes per side.
- 2. Remove the plantains from the pan and flatten the plantains by placing a plate over the fried plantains and pressing down.

Dip the plantains in water, then return them to the hot oil and fry 1 minute on each side. Salt to taste and serve immediately.

Serving size	1 of 2
Calories	450
Carbohydrate	40g
Protein	1g
Cholesterol	Omg
Fat	34g
Saturated	3g
Monounsaturated	22g
Polyunsaturated	10g
Fiber	3g

6. Galician BeanStew (Caldo Gallego)

Yields 6 servings

Ingredients

- 1 cup dried white beans
- 3/4 lb turkey sausage
- 1 onion, chopped
- 2 garlic cloves, crushed
- 1/4 cup celery
- 1 green pepper, chopped
- ½ turnip greens without stems
- 3 quarts water
- 2 potatoes, peeled and diced
- Salt and pepper to taste

Serving size	1 of 6
Calories	283
Carbohydrate	34g
Protein	23g
Cholesterol	52g
Fat	6g
Saturated	1 g
Monounsaturated	2g
Polyunsaturated	2g
Fiber	8g

Preparation

- 1. Place beans in pan and cover with water. Boil for about five minutes. Remove from heat and let stand in water overnight.
- 2. Drain the beans and place in a pan with 3 quarts of water. Add the peppers and onions. Add 1 tsp of salt. Cover and bring to a boil, set heat to low, let simmer for 1 1/2 hours.
- 3. Cut the sausage in 1/2 inch slices and wash diced potatoes under running water.
- 4. Add the sausage, potatoes and turnip greens to pot and let simmer for another 30 minutes. If necessary continue cooking until the beans are tender. Taste and adjust for salt and pepper.

Serve hot.

7. Picadillo

Yields 12 servings

Ingredients

- 2 tablespoons olive oil
- 7 cloves garlic, chopped
- 1 1/2 cups chopped onion
- 1 1/2 cups chopped green bell pepper
- 3 pounds lean or extra lean ground turkey or chicken breast
- 1 (5 ounce) jar green olives, pitted and halved
- 1/4 cup white vinegar
- 1 teaspoon salt
- 1 teaspoon freshly ground black pepper
- 1 teaspoon ground cinnamon
- 1 teaspoon ground cloves
- 2 dried bay leaves
- 1/4 teaspoon hot sauce
- 6 cups canned tomatoes, half-drained

Serving size	1 of 12
Calories	229
Carbohydrate	8g
Protein	25g
Cholesterol	74g
Fat	10g
Saturated	2g
Monounsaturated	5g
Polyunsaturated	2g
Fiber	2g
Fat Saturated Monounsaturated Polyunsaturated	10g 2g 5g 2g

Directions

- In a large stock pot, heat 1 tablespoon of olive oil over medium heat. Sauté garlic, onion and green pepper until onions are transparent. Transfer onion mixture to a bowl and set aside. In the same pot, heat the remaining olive oil and brown the lean ground turkey and chicken breast.
- 2. In a separate saucepan, combine the olives, capers, vinegar, salt, pepper, cinnamon, cloves, bay leaves and hot sauce. Let simmer over medium heat for 10 minutes.
- Place the olive mixture and the onion mixture into the pot with the ground turkey or chicken. Add the half drained tomatoes and cook for 1 hour over medium heat; stirring occasionally.

8. Ropa Vieja

Yields 6 servings

Ingredients

- 1 tablespoon vegetable oil
- 2 pounds flank steak
- 1 cup chicken broth
- 1 (8 ounce) can tomato sauce
- 1 small onion, sliced
- I green bell pepper, seeded and sliced into strips
- 2 cloves garlic, chopped
- 1 (6 ounce) can tomato paste
- 1 teaspoon ground cumin
- 1 teaspoon chopped fresh cilantro
- 1 tablespoon olive oil
- 1 tablespoon white vinegar

Serving size	1 of 6
Calories	329
Carbohydrate	10g
Protein	47g
Cholesterol	110g
Fat	11g
Saturated	3g
Monounsaturated	6g
Polyunsaturated	1g
Fiber	2g
	_

Directions

- Heat vegetable oil in a large skillet over medium-high heat. Brown the flank steak on each side, about 4 minutes per side.
- 2. Transfer steak to a slow cooker. Pour in the broth and tomato sauce, and then add the onion, bell pepper, garlic, tomato paste, cumin, cilantro, olive oil and vinegar. Stir until well blended. Cover, and cook on high for 1 hour, or on low for up to 2 hours. When ready to serve, shred steak and serve with rice.

$\underline{\mathsf{Mediterranean}\ \mathsf{Diet}\ \mathsf{Shopping}\ \mathsf{list}}$

Whole Grains	Oils	Vegetable juice
Mostly whole grain choices.	Store in a cool, dark place to make	Water chestnut Winter squash
Contains the word "whole" as the	them last longer.	Zucchini
first ingredient with at least 3 grams	Canola	
fiber per 100 calories	Flaxseed	Protein Rich Foods:
met per ree calones	Margarine: Canola Oil spread	Fresh, Frozen, or Canned
Bread, Whole Grain	Mayonnaise, low-fat olive oil	Chicken, Breast
Bagel, Whole wheat/grain	Olive Oil (Extra-Virgin)	Halibut
Cereal, Whole Grain	Soybean Salad dressing	Shrimp
Couscous	Salau ulessilig	Salmon
Crackers, Whole Grain	Dairu	Sea bass
Cream of wheat	<u>Dairy</u>	Swordfish
Flour, whole wheat	Cheese, Low-fat	Tilapia
Granola, Low-Fat Grits	Eggs Creek yogurt, Low-fat	Tofu
Oatmeal, dry	Milk, Non-fat or Low fat	Tuna, packed in water
Pancake mix, whole wheat	Rice/Almond milk, Low-fat,	Turkey, Breast Vegetable Protein
Pasta, Whole Wheat	enriched	vegetable Flotelli
Pita, Whole grain	Soy milk, Low-fat, enriched	Nuts/Seeds Beans:
Polenta	Yogurt, Low-fat	
Rice, brown, basmati		Dried or Caned
Shredded wheat (plain)	Vagatablas	Almonds
Tortilla, Whole Grain	Vegetables:	Almond Butter, natural
F .	Fresh, Frozen, or Canned	Cashews
Fruit:	Asparagus	Chickpeas Hazelnut
Fresh or Frozen, Dried	Basil	Hummus
Apple	Beets	Ground Flaxseed
Applesauce, unsweetened	Brussels sprouts	Kidney Beans
Apricots	Broccoli Carrot	Lima Beans
Avocado	Cauliflower	Macadamia nuts
Banana	Celery	Pecan
Berries (straw-, rasp-, blue-	Cucumber	Peanut Butter, natural
black-)	Cilantro	Peanuts
Cantaloupe Cherries	Collard greens	Pine Nuts Pinto Beans
Dried Fruit	Eggplant	Pumpkin Seeds
Grapes	Garlic	Sunflower Seeds
Grapefruit	Green Beans	Soy Beans or Edamame
Honeydew	Lettuce Olives, black/green	Walnuts
Kiwi	medium	
Lemon/Lime	Onion	A 42 - 11
Orange	Mushrooms	<u>Miscellaneous</u>
Peach	Parsley	Artificial Sweeteners
Plum Pomegranate	Peas	Coffee
Raisins	Peppers Red/Green	Diet beverages
Tangerine	Potato	Honey
Watermelon	Spinach	Jam/Jelly/Preserves Tea
100% fruit juice, no sugar	Sprouts	Spices
added	Summer squash	Syrup
100% orange juice fortified	Sweet potato Tomato	Water (flavored water)
with Calcium & Vit D	Tomato	Vinegar
	Turnip greens	

Important Points to Remember

- Mediterranean-style diets emphasize the consumption of fish, seafood, and poultry over red meats and beef
- All dairy products should be low-fat or fat-free
 - o Low-fat or fat-free milk, cheese, yogurt
- ☑ (Ise healthy alternatives when experiencing milk-related intolerance (stomach/digestion problems):
 - O Lactose free low-fat or fat-free milk and cheese
 - o Fortified soymilk, rice milk, or almond milk
- ☑ Only use unsaturated oils or products with unsaturated oils
 - Olive oil use for adding taste, salad dressings, sauces, and cooking
 - O Canola oil use for cooking or frying
 - o Margarine: Smart Balance and Promise brands, for example
- ☑ Remember, eggs are very high in protein! Watch your intake throughout the day when having eggs for breakfast.
- Avoid having eggs and shrimp, or other shellfish, on the same day to moderate cholesterol intake
- All juices should be 100% fruit juice with no added sugar
 - O Orange juice should be fortified with calcium and other vitamins
- ☑ Limit other sugary beverages
 - O Use diet beverages instead
- ☑ Choose whole wheat or whole grain products instead of white
 - o Brown rice
 - o Whole wheat breads
 - o Whole wheat pastas
 - o Pancakes and/or waffles
- Choose iron-enriched wholegrain cereals that are low in sugar (oatmeal, cream of wheat, bran flakes) to meet your iron needs.
- ☑ Snacks can be eaten during main meals (breakfast, lunch, dinner) as a dessert, for example, or eaten in-between meals as snacks
- Refer to your diet recipes for our Mediterranean approved Caesar dressing!

Change gradually.

- If you now eat one or two vegetables a day, add a serving at lunch and another at dinner.
- If you don't eat fruits now or have only juice at breakfast, add a serving to your meals
 or have it as a snack.
- Use only half the butter, margarine, or salad dressing you do now.
- Try low-fat or fat free condiments, such as fat free salad dressings.
- Gradually increase dairy products to three servings per day. For example, drink milk
 with lunch or dinner, instead of soda, alcohol, or sugar-sweetened tea. Choose low fat
 (1 percent) or non-fat (skim) dairy products to reduce total fat intake.

Treat meat as one part of the whole meal, instead of the focus.

- Buy less meat. If it's not there, you won't eat it.
- If you now eat large portions of meat, cut them back gradually—by a half or a third at each meal.
- Increase servings of vegetables, whole grains, and dry beans in meals. Try casseroles
 and pasta, and stir-fry dishes, having less meat and more vegetables, grains, and dry
 beans.

Use fruits or low fat foods as desserts and snacks.

- Fruits and low fat dairy products offer great taste and variety. Fresh fruits require
 little or no preparation. You can also use fruits canned in their own juice or dried fruits

 they are easy to carry with you.
- Try these snack ideas: mixed fresh fruits, nuts, raw vegetables with low fat ranch dressing, low or non-fat milk or yogurt, and whole wheat pita chips with hummus.

10 tips for quick and healthy cooking

- 1. Keep favorite ingredients stocked in the pantry, refrigerator/freezer
- 2. Read all recipes before you start cooking
- 3. Buy prepped produce items, for example:
 - o Pre-diced tomatoes and onions
 - o Pre-washed bagged greens
 - o Minced or chopped garlic
 - o Sliced black olives
 - o Fruit salad
- 4. Check your local supermarket's website for specials and choose recipes that use those ingredients
- 5. If you cannot cook on most days of the week, cook and freeze staple items from your menu. For example:
 - O Classic tomato sauce and other common sauces
 - o Picadillo
 - o Lasagna
- 6. Take advantage of prepared items for your local supermarket that are healthy and convenient. For example:
 - o Rotisserie chicken breast (without the skin)
 - o Hummus
 - o Tabouleh
- 7. Canned meats and beans and frozen vegetables are great alternatives for quick cooking, but always choose low sodium options when available
- 8. Divide bulk items into the appropriate portion sizes
- 9. Thaw frozen ingredients the night before
- 10. Make use of slow cookers for meals that are ready to eat when you get home!

Intake Log

Mediterranean-style menu

Breakfast		S-M-T-W-Th-F-Sat
Food Group	Food Item	Amount/Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		
Oil		
Lunch		
Food Group	Servings Consumed	Total Daily Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		
Oil		
Dinner		
Food Group	Servings Consumed	Total Daily Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		
Oil		
Snack		'
Food Group	Servings Consumed	Total Daily Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		

Oil

Diet Dictionary

- Calorie: A calorie is a unit of energy. The number of calories in a food is a measure
 of how much energy that food possesses. A gram of carbohydrates has 4 calories, a
 gram of protein has 4 calories, and a gram of fat has 9 calories
- 2. <u>Carbohydrate</u>: Any food item including sugars, starches, cellulose (fiber). Some examples are: fruits, vegetables, breads, rice, pastas, and cereals.
- Enriched: To add nutritive value of food by adding or replacing vitamins or minerals
 of that food lost in processing
- 4. <u>Fiber:</u> The part of a plant that is not digested by the digestive tract. Foods high in fiber help clean out the digestive tract and increase the sensation of fullness.
- 5. <u>Fortified:</u> To increase nutritive value of food by adding vitamins or minerals not originally found in that food. For example, orange can be *fortified with* Calcium and/or Vitamin D.
- 6. Lactose: Milk sugar.
- 7. <u>Lactose intolerance</u>: Inability to digest lactose due to insufficient amount or lack of lactase enzyme needed to digest the lactose or milk sugar.
- 8. <u>Legumes:</u> Plants with seed pods that spilt in two halves. For example, beans, lentils, peas, soybeans are some commonly used legumes in the Mediterranean diet
- 9. <u>Mediterranean</u>: The <u>Mediterranean</u> Basin comprises the lands around and surrounded by the Mediterranean Sea. In biogeography, the <u>Mediterranean</u> Basin refers to the lands around the Mediterranean Sea that have a <u>Mediterranean</u> climate, with mild, rainy winters and hot, dry summers
- 10. <u>Protein:</u> Compound found in fish, seafood, beef, poultry, milk and other dairy products, and nuts and seeds. This compound helps build and maintain muscle and also keeps the immune system strong!

Diet Dictionary (continued)

- 11. Serving: An individual portion or helping of food or drink
- 12. <u>Unsaturated fat</u>: Unsaturated fats are usually liquid at room temperature. They are found in most vegetable products and oils. An exception is a group of tropical oils like coconut or palm kernel oil which is highly saturated. Using foods containing "polyunsaturated" and "monounsaturated" fats does not increase our risk of heart disease. However, like all fats, unsaturated fats give us 9 calories for every gram. So eating too much of these types of fat may also make us gain weight
- 13. Whole grain: Whole grains are cereal grains that contain germ, endosperm, and bran, in contrast to refined grains, which retain only the endosperm. Wholegrain can generally be sprouted while refined grains generally will not sprout. Whole meal products are made by grinding whole grains in order to make wholegrain flour. Whole grains are a natural source of protein as well as a source of carbohydrates and are made into many different kinds of foods.

1800 kcal

Mediterranean-style menu

Breakfast

Food Group	FoodItem	<u>Serving</u>	Alternative	<u>S</u> erving
Fruit	Whole fruit	1 med piece	Juice, fortified	1 cup
Dairy (Low Fat)	Milk	1 cup	Yogurt	1 cup
Whole Grain	Toast	2 medium slice	Cereal	2 cups
Oil	Margarine	2 tsp	Olive/canola	2 tsp

Lunch

Food Group	Food Item	Serving	Alternative	Serving
Vegetable	Green leafy	2 cups	Cooked/raw veggies	1 cup
Protein-rich food	Poultry/fish	1 oz	Egg or beans	1 egg or ¼ cup
Whole Grain	Pasta/rice	1 cup	Toast	2 med slice
Oíl	Olíve/canola	3 tsp	Margarine	3 tsp

Dinner

Food Group	FoodItem	Serving	Alternative	Serving
Vegetable	Cooked/raw	1 cups	Green leafy	2 cups
Protein-rich food	Poultry/fish	2 oz	Egg or beans	2 egg or ½ cup
Whole Grain	Pasta/rice	1 cup	Toast	2 med slice
Oil	Oil, olive/canola	4 tsp	Margarine	4 tsp

Daily Snacks/Desserts

Food Group	FoodItem	Serving	<u>Alternative</u>	Serving
Fruit	Whole fruit	1 medium	Mixed fruit/berries	1 cup
Protein-rich food	Nuts/Seeds	1 tbsp	Peanut butter	2 tbsp
Dairy (Low Fat)	Milk/Yogurt	1 cup	Cheese (natural or soft)	1.5 oz

Daily Totals

<u>Fruit</u>	<u>Vegetables</u>	Whole Grain	Protein-rich food	<u>Dairy</u>	<u>Oil</u>
2 servings	4 servings	5-6 servings	4 servings	2 servings	3 ½ servings
1 serving =	1 serving =	1 serving =	1 serving =	1 serving =	1 serving =
* 1 cup	* 2 cup leafy	* 1 slice bread	* 1 OZ	* 1 cup	* 1 tbsp
* 1 medium	* 1 cup	* ½ cup ríce/pasta	* 1 egg	* 1.5 oz	
	raw/cooked	* 1 cup cereal	* 1 tbsp peanut butter	cheese	

Monday Sample Menu

I	Breakfast	
		391 Calories
Peach (1 medium)	Servings:	1 Dairy
Oatmeal (2 packets, prepared with water)		1 ½ Grain
Non-Fat Milk (1 cup)		1 Fruit
, ,	_unch	
		294 Calorie
Caesar Salad (2 cups)	Servings:	1 Protein rich
(romaine lettuce, croutons, and parm	9	1 Vegetable
Shrimp (1 oz)	,	2 O íl
Homemade Caesar Dressing (2 tbs	p)	
(see recipe book)	1 ′	
, , ,	Dinner	
		770 Calorie
Chicken Breast (2 oz)	Servings:	2 Protein rich
Couscous (1 cup)		2 Grain
Broccolí (1 cup)		1 Vegetable
Caprese Salad		ı Oil
(see recipe book)		1 Dairy
Daíly S	onacks/Desserts	
5		317 Calorie
Hummus (1 tbsp)	Servings:	½ Fruit
Whole Wheat Pita Chips (10 chips)		1 Protein rich
Non-Fat Yogurt (½ cup or 60z)		1 Dairy
Strawberries (¼ cup chopped)		1 Grain
, , , ,	otal Daily Calories	
Protein 74g Fat 82g	Monounsaturated Fat 39g	Cholesterol 188 mg
Carbohydrate 190g Saturated Fat 14g	Polyunsaturated Fat 23g	Dietary Fiber 26 g
	Dervings:	

Tuesday Sample Menu

	Breakfast	
		468 Calories
Omelet (1 large egg or 2 egg whites)	Servings:	1 Dairy
(Potatoes and onions)		1 Protein rich
Spínach (½ cup)		1 Vegetable
Whole Wheat Bread (2 slices)		2 Graín
Non-Fat Milk (1 cup)		
, 	Lunch	
		536 Calories
Tuna Sandwich (1 oz water packed tuna)	Servings:	½ Vegetable
(lettuce ¼ cup, tomato 1 small,)		1 Oil
Whole Wheat Pita Bread (2 slices)		1 Protein rich
Olive Oil (1 tbsp)		1 Fruit
Tzatziki Sauce (yogurt & cucumbei	r 4 tbsp)	2 Grain
Orange Juíce (1 cup)	,	
	Dinner	
		437 Calories
Moussaka (1 cup cooked)	Servings:	1 Protein rich
(see recipe book)		1 Vegetable
Caesar Salad (½ cup)		1 Oil
Homemade Caesar Dressing		1 Fruit
(see recipe book)		
Grapes (1 cup)		
Daily	Snacks/Desserts	
		384 Calories
Yogurt (8 oz or 1 large container)	Servings:	1 Fruit
Strawberries (1 cup)		½ Grain
Walnuts (2 tbsp chopped)		1 Protein Rich
Bran Flakes (½ cup)		1 Dairy
1825 7	Total Daíly Calories	
Protein 80g Fat 68g	Monounsaturated Fat 35g	Cholesterol 90 mg
Carbohydrate 242g Saturated Fat 9g	Polyunsaturated Fat 19g	Dietary Fiber 33 g
	Servings:	
	Servings:	

Wednesday Sample Menu

Meeneedy Campie Milena	Breakfast	
		275 Calories
Peanut Butter Smoothie	Servings:	½ Dairy
(see recipe book)		1 Protein Rich
,		1 Fruit
		¼ Grain
	Lunch	
		313 Calories
Spínach Salad (2 cups)	Servings:	1 Protein rich
(mushrooms-tossed in oil & vinegar)		1 Vegetable
Walnuts (2 tbsp)		½ Dairy
Feta Cheese (1 tbsp)		1 Oil
	Dinner	
		841 Calories
Spaghetti (2 cups)	Servings:	1 Oil
Meatballs (5 1 inch round)		2 Protein Rich
Parmesan Cheese (1 tbsp grated)		1 Vegetable
Whole Wheat Roll (1 small)		5 Grain
Aíolí (1 tbsp)		
,	Snacks/Desserts	
•		404 Calories
Apple (1 medium)	Servings:	1 Fruit
Low Fat Yogurt (1 cup)		1 Dairy
Blueberries (¼ cup)		½ Grain
Walnuts (2 tbsp chopped)		1 Protein Rich
Bran Flakes (½ cup)		
,	otal Daíly Calories	
P + / 72	M	
Protein 72g Fat 78g Carbohydrate 226g Saturated Fat 14g	Monounsaturated Fat 37g Polyunsaturated Fat 23g	Cholesterol 122mg Dietary Fiber 26 g
	<i>c</i> ,	
	Servings:	
Emilia 2 Manual Line Will I are	ing/ Parasing of Control	D-(m) 2 Od 2
Fruits 2 Vegetables 1 Whole gra	ins 6 Protein-rich foods 5	Dairy 2 Oil 2

Thursday Sample Menu

Breakfast		
		275 Calories
Oatmeal (1 cup)	Servings:	1 Dairy
Walnuts (1 tbsp)		1/2 Protein rich
Strawberries (½ cup sliced)		1 Fruit
Non-Fat Milk (1 cup)		1 Grain
Lunch		
		559 Calories
Sandwich (1 serving)	Servings:	2 Protein rich
Whole Wheat Pita (1 large round)		2 ½ Grain
Delí Style Turkey (4 thín slices)		1 Vegetable
Feta Cheese (2 tsp crumbled)		2 Oil
Hummus (1½ tbsp)		
Artichoke Hearts (4 marinated in oil mixture)		
Black Olíves (1 ½ tbsp)		
Olive Oil (1 tsp)		
Pasta Salad & Vegetables (1 cup)		
(made with Italian dressing, using vinegar and olive oil))	
<u>D</u> ínner		
		738 Calories
Chicken Breast (20z)	Servings:	1 Grain
Spinach with Lemon dressing (see recipe book)		2 Protein rich
Cooked Mixed Vegetables (1 cup with olive oil)		1 Oil
Roasted Potatoes (6 very small new potato's with rosemary)		2 Vegetables
Tzatziki-yogurt and cucumber (3 tbsp)		
Daily Snacks/Dessert	ts	
		295 Calories
Banana (1 medium)	Servings:	2 Fruit
Peach (1 medium)		1 Protein rich
Pistachio Nuts (10 with shells)		1 Dairy
Non-Fat Milk (1 cup)		O
1867 Total Daily Calo	ries	
Protein 77g Fat 79g Monounsatura		Cholesterol 77mg
Carbohydrate 231g Saturated Fat 11g Polyunsaturate	0	Dietary Fiber 42 g
Servings:		
Fruits 3 Vegetables 3 Whole grains 3 1/2 Protein-ri	ch foods 7	Dairy 2 Oil 3

Friday Sample Menu

Breakfast		
		526 Calories
Non-Fat Milk (1 cup)	Servings:	1 Dairy
Grits (1 cup-prepared with water)		1 Protein rich
Strawberries (14 cup sliced)		1 Grain
Blueberries (2 tbsp)		1 Fruit
Honey (1 oz or 6 tsp)		
Walnuts (2 tbsp)		
Lunch		
		185 Calories
Greek Salad (2 cup tossed in olive oil)	Servings:	1 Protein rich
(spinach, lettuce, tomato, cucumber, feta chees	e)	1 Vegetable
Tuna (1 oz)		ı Oil
Dinner		
		817 Calories
Whole Wheat Spaghetti Noodles (1 cup)	Servings:	2 Protein Rich
Pesto Sauce (2 ½ tbsp)		2 Grain
Chicken Breast (2 oz)		1 Fruit
Mixed Fresh Fruit (1 cup)		2 ½ Oíl
Yogurt (6 oz)		1 Dairy
Daíly Snacks/D	esserts	- 3
		275 Calorie.
Tzatziki-yogurt and cucumber dip (2 tbsp)	Servings:	1 Grain
Carrots (5 small baby)		1 Vegetable
Broccolí (½ cup)		1 Dairy
Low fat Milk (1 cup)		J
Cereal-Bran Flakes (1 cup)		
1804 Total Daily	Calories	
·		
Protein 77g Fat 72g Monoun	saturated Fat 37g	Cholesterol 85 mg
Carbohydrate 234g Saturated Fat 12g Polyuns	aturated Fat 19g	Dietary Fiber 26 g
Servings:		

Fruits 2 Vegetables 2 Whole grains 4 Protein-rich foods 4 Dairy 3 Oil 2 1/2

Saturday Sample Menu

<u>Breakfast</u>		
		600 Calories
Non-Fat Milk (1 cup)	Servings:	1 Fruit
Whole wheat bread (2 medium slice)		2 Grain
Almond Butter (4tsp)		1 Protein rich
Jam (1 tbsp)		1 Dairy
Banana (1 Medium)		
Lunch		
		119 Calories
Salad (1 cup)	Servings:	1 Oil
(lettuce, tomato, carrots, tossed in olive oil & vinegar))	1 Vegetable
Shrimp Salad (4 cup)		1 Protein rich
(using olive oil with reduced fat mayonnaise)		
Dínner		
		610 Calories
Salmon (2 oz)	Servings:	1 Oil
Couscous (1 cup prepared with oil)		2 Grain
Asparagus (2 cups cooked)		2 Protein rich
		2 Vegetable
Daily Snacks/Desser	ts	
		511 Calories
Non-Fat or Low fat Yogurt (6 oz container)	Servings:	1 Dairy
Fresh Fruit (½ cup)		1 Fruit
Bran Flakes (½ cup)		2 Grain
Grapes (1/2 cup)		
Olíves (10 medium)		
Triscuits (15 crackers)		
Cheese (1 oz)		
1840 Total Daily Calo	oríes	
Protein 79g Fat 74g Monounsatura	ated Fat 37g	Cholesterol 114mg
Carbohydrate 235g Saturated Fat 10g Polyunsaturat	ted Fat 23g	Dietary Fiber 30g

Sunday Sample Menu

,	Breakfast	
		509 Calories
Whole Wheat Pancake (1 circle, 4 inch)	Servings:	1 Grain
(prepared with water)		½ Fruit
Margarine (3 tsp)		1 Protein rich
Reduced Calorie / Sugar Free Syrup (1 th	osp)	3 Oil
Strawberries (1/2 cup)	,	
Walnuts (2 tbsp-chopped)		
	Lunch	
		325 Calories
Homemade Pízza (1/2 of 1 circle, 10 inch)	Servings	: 4 Vegetable
(see recipe book)		2 Grain
Sausage Flavor Vegetable Prote	ein (2 oz)	1 Oil
		2 Protein rich
	Dinner	
		463 Calories
Chicken Mango Cranberry Salad with	Crackers Servings	: 1 Protein rich
(see recipe book)		½ Vegetable
,		1 Oil
		1 Grain
Dail	y Snacks/Desserts	
		265 Calories
Peanut Butter and Banana Smoothie	Servings	: 1 Fruit
(see recipe book)		1 Protein rich
Bran Flakes (1/2 cup)		1 Grain
Non-Fat Milk (1 cup)		1 ½ Dairy
1803	h Total Daily Calories	
Protein 76 g Fat 66 g	Monounsaturated Fat 36 g	Cholesterol 63 mg
Carbohydrate 248 g Saturated Fat 66 g	g Polyunsaturated Fat 18 g	Dietary Fiber 46 g
	Servings:	

Convenient Options for Meals on the Go

As you embark on your journey towards a healthier lifestyle it is important to be prepared for the occasional obstacle or bump on the road. Although eating fresh, home prepared meals is always best, below are some convenient options and healthy hints that can fit into your healthy plan for those days when you are on-the-go.

Frozen Meal Options

Frozen meals can be healthy and convenient. When choosing frozen meals, keep these suggestions in mind:

- Lunch meals should contain less than 400 calories and 16 g of fat
- Dinner meals should contain less than 500 calories and 20 g of fat
- Always choose low sodium meals options

Hand-tossed Chicken and Veggie Pizza (per slice, small)

Hand-tossed Pepperoni Pizza (per slice, small)

Fast Food Options

د. که ۸

Arby's				
	Meal	Calories	Fat	Saturated
				Fat
Roast Turkey & Swiss Sandwich (1/2 sandwich)	L&D	325	11g	3g
Boston Market				
	Meal	Calories	Fat	Saturated
				Fat
Qtr. White Rotisserie Chicken(half order) with Fresh Steamed Veggies	L&D	360	11g	3g
and Garlíc Dill New Potatoes				
Burger King				
	Meal	Calories	Fat	Saturated
				Fat
BK VEGGIE Burger (no cheese)	D only	410	15g	2.5g
Spicy CHICK'N CRISP Sandwich	L&D	300	12g	2.5g
Domíno's				
	Meal	Calories	Fat	Saturated
				Fat

L&D

L&D

210

238

9g

9g

3g

3.5g

VEC

KFC Snacker with Crispy Strip Grilled Chicken Breast (1/2 order) with Green Beans and Mashed Potatoes with Gravy	M.		Calories	Fat	Saturated
Grilled Chicken Breast (1/2 order) with Green Beans and Mashed		<u>D</u>			
Grilled Chicken Breast (1/2 order) with Green Beans and Mashed		\Box			Fat
	1 0	, レ	290	11g	2.5g
Potatoes with Gravy	Lo	D	240	8g	2g
McDonald's			1	1	
	M	eal	Calories	Fat	Saturated
					Fat
Filet-O-Fish	L &		380	18g	3.5g
McChicken	L&	D	360	16g	3g
Pollo Tropical			<u> </u>	*****	
	Meal	(Calories	Fat	Saturated
	1			_	Fat
Qtr Chicken, white meat no skin, with rice and beans (1/2 order)	L&D	_	350	9g	3g
Regular Chicken TROPICHOP with rice and beans (1/2 order)	L&D		265	5g	1g
Regular Chicken TROPICHOP with rice and vegetables s (1/2 order)	L&D		165	2.5g	.5g
Regular Chicken TROPICHOP with rice and beans (1/2 order)	L&D		7.4.0	11-	1
Regular Pork TROPICHOP with rice and vegetables (1/2 order)	L&D		340 245	11g	4g
Subway	LOD		21)	9g	3g
Cubway	Me	al	Calories	Fat	Saturated
	1010		Calories		Fat
Cold Cut Combo (6")	Do	nlu	440	15g	5g
Taco Bell – Fresco Menu		<i>J</i>	1	178	75
	Me	al	Calorie	s Fat	Saturated
					Fat
Fresco Crunch Taco	[&	L&D		7g	2.5g
Fresco Soft Taco – Beef	L&	&D 150 &D 180		7g	2.5g
Fresco Bean Burrito	L&	L&D 350		8g	2.5g
Fresco Burrito Supreme – Steak	L&	D	340	8g	2.5g
Wendy's	1		•		
	/leal	C	alories	Fat	Saturated
					Fat
Small Chili with side Caesar Salad L	&D		260	6g	4g
Crispy Chicken Sandwich D	only		367	18g	3.5g

Aíolí	
Basic Bruschetta	
Caesar Dressing	
Caprese Salad	
Chicken Mango and with Multigrain Crackers	
Classic Tomato Sauce	
Fried Chicken	
Homemade Pizza	
Lasagna	
Lentil Soup	
Minestrone	
Moussaka	
Peanut Butter and Banana Smoothie	Page 19
Pesto	
Polenta	
Spinach, Mushroom, and Feta Cheese Sauce	
Spinach with Lemon Dressing	Page 24
Turkey Meatballs	
Turkey Sandwich	
Tzatziki	
Black Beans	
Chicken Fricasse	
Chicken with Rice	
Fried Chicken Chunks	
Fried Plantains	
Galician Bean Stew	
Picadillo	
Ropa Vieja	

1. Aioli

Yields 16 servings

Ingredients

- 3 cloves garlic peeled
- 1 cup extra virgin olive oil
- 1 pinch salt

Preparation

Serving size	1 of 16
Calories	240
Fat	27g
Carbohydrate	<1g
Protein	<1g
Cholesterol	Omg
Saturated	1 g
Monounsaturated	20g
Polyunsaturated	3g
Fiber	<1g

- Peel the garlic cloves and cut them in half lengthwise to check if they have greenish shoots. If you see sprouts, cut them off, and discard them.
 - Garlic sprouts make it more difficult to bind the aioli, and they make it much too hot as well.
 - o If you are sure that the garlic is very fresh, just peel the cloves, and you can begin to mash them in the mortar without cutting them in half.
- 2. Drop the garlic cloves in your mortar, add a pinch of salt, and start pounding with the pestle.
- 3. Pound and mash the garlic and the salt with the pestle until you obtain a very fine and smooth paste. This step is essential for binding garlic and olive oil properly with mortar and pestle. If your garlic paste is not smooth and fine enough, the aioli will tend to break much easier.
- 4. Now, while you stir the mixture with the pestle in one hand, start adding the olive oil very slowly, almost drop by drop, with the oil dispenser that you hold in the other hand.
- 5. Stir constantly and always in the same direction, in circular movements, until you obtain a thick paste.

2. Basic Bruschetta

Yields 4 servings

Ingredients

- Italian or French country-style bread in thick slices
- Extra virgin olive oil
- Medium-sized ripe tomatoes
- Salt

C	<i>C</i> .
Serving size	1 of 4
Calories	405
Fat	1 <i>5</i> g
Carbohydrate	56g
Protein	12g
Cholesterol	Omg
Saturated	2g
Monounsaturated	10g
Polyunsaturated	2g
Fiber	3g

Preparation

Time: 15 minutes.

- 1. Cut 4 thick slices of bread and toast both sides of the slices in a toaster, under a broiler, or grill them on a barbecue.
 - When you can, slowly toast the slices of bread over hot wood-embers. The taste of the toasts using this traditional method is unmatched.
- 2. Place the toasts on a platter without stacking them. Cut a tomato in half crosswise. Cup a tomato half in your hand and rub the cut side of the tomato on the toasts. First you do one side, turn the toast over, and rub the tomato on the other side of the toast. Rub all toasts with the tomato halves.
 - O Don't worry when tomato seeds and a little bit of flesh stick to the bread, it's a part of the Catalan bruschetta recipe.
- 3. With an olive oil cruet or dispenser, if you have one, drizzle olive oil on both sides of the slices liberally. Finally, sprinkle some salt over the slices of bread to taste. The basic Catalan recipe for bruschetta is ready.

3. Caesar dressing

Yields 4 servings

Ingredients

- 2 anchovy fillets, rinsed and finely chopped (optional)
- 2 large garlic cloves, finely chopped
- 1 large egg
- 2 tablespoons freshly squeezed lemon juice
- 1 dash Worcestershire sauce
- 2 Tbsp olive oil
- 2 Tbsp canola oil (total 4 tbsp of oil, combined)
- 1 Tbsp Parmesan cheese

Servings	1 of 4
Calories	155
Fat	16g
Carbohydrate	1g
Protein	3g
Cholesterol	56mg
Saturated	2g
Monounsaturated	10g
Polyunsaturated	3g
Fiber	<1g

Preparation

- Place anchovies and garlic on a cutting board and make a paste by dragging the side
 of a chef's knife across them at a 15-degree angle about 10 times or until a smooth
 paste forms. Place in a medium bowl.
- 2. Whisk the whole egg, egg yolk, lemon juice, and Worcestershire into the anchovy mixture until smooth. Slowly add the oil, whisking constantly until the vinaigrette is emulsified. Season with salt and pepper to taste.
- 3. Sprinkle parmesan cheese to salad, to taste, up to 1 tbsp.

4. Caprese Salad

Yields 5 servings

Ingredients

- 4 large Tomatoes
- 3 tablespoons Extra virgin olive oil
- 1 1/2 tablespoons Balsamic vinegar
- 1 package Fresh mozzarella cheese
- 16 leaves Basil
- Salt and pepper

Serving size	1 of 5
Calories	182
Fat	16g
Carbohydrate	4g
Protein	6g
Cholesterol	11mg
Saturated	4g
Monounsaturated	9g
Polyunsaturated	2g
Fiber	1g

Preparation

- 1. Slice tomatoes and mozzarella
- 2. Arrange on a plate separating the tomato with slices of mozzarella
- 3. Add salt and pepper to taste
- 4. Tear basil leaves and scatter on top of tomato and mozzarella
- 5. Combine oil and vinegar and drizzle over salad

5. Chicken, Mango, and Cranberry Salad w/ Multigrain Crackers

Yields 2 servings

Ingredients

- 4 oz diced chicken
- 3 thsp balsamic dressing (olive oil and balsamic vinegar)
- 2 cups chopped salad greens
- 2 slices dried mango, diced
- 0.5 oz dried cranberries
- Three 4" square pieces large multigrain crackers (can use 3 rice cakes instead)

Serving size	1 of 2
Calories	344
Fat	1 <i>7</i> g
Carbohydrate	29g
Proteín	21g
Cholesterol	48mg
Saturated	27g
Monounsaturated	11g
Polyunsaturated	2g
Fiber	4g

Preparation

1. Toss all ingredients and serve with crackers

6. Classic Tomato Sauce

Yields 3 servings

Ingredients

- 3 to 4 tablespoons olive oil
- 2 medium size onions (7 ounces or 200 g) peeled and finely chopped
- 5 medium-sized ripe tomatoes (1 pound or 450
 g) peeled and chopped. Seeding is optional
- 2 cloves garlic peeled and minced
- The leaves of 1 small sprig flat Italian parsley minced

Serving size	1 of 3
Calories	228
Carbohydrate	16g
Protein	3g
Cholesterol	Omg
Fat	18g
Saturated	3g
Monounsaturated	13g
Polyunsaturated	2g
Fiber	4g

Preparation

(Time: 10 to 15 minutes. Cooking time: 45 minutes. Faster version: 15 to 25 minutes.)

- Put the tomatoes in a bowl and pour some boiling water over them. Set them aside for 5 minutes. Peel the tomatoes (canned whole tomatoes are fine)
- 2. If you do seed the tomatoes, remember to put the seeds in a small bowl so that you can later drain them and use the juice. So now seed and chop the tomatoes.
- 3. Peel and finely chop the onion. Peel and mince the garlic.
- 4. Finely chop the Italian parsley leaves. The fastest method is putting the leaves in a small glass or cup and uses the kitchen scissors upside down.
- 5. Add the olive oil to an earthenware casserole or oven. When the olive oil is hot, turn the heat to low and add the onions. Cook the onions uncovered for 15 minutes or until they turn golden and begin to caramelize. Stir often with a wooden spoon.

Classic Tomato Sauce (continued)

- 13 minutes into cooking the onions, add the minced garlic and parsley. Stir for 1 to 2
 minutes and add the chopped tomato with all its juices.
- 7. Cover and bring the tomato sauce to a gentle boil. Make sure that the heat is set to low and cook for 30 minutes stirring occasionally or until the homemade tomato sauce obtains a comfiture-like texture.
 - O As with the onion, you can increase the cooking time, until the tomatoes caramelize completely. But then you'll have to add some water.

Faster version of this tomato sauce recipe

- Put the tomatoes in a bowl and pour some boiling water over them. Set them aside for 5 minutes. Peel and chop the tomatoes.
- 2. Peel and finely chop the onion. Peel and mince the garlic.
- 3. Finely chop the parsley leaves.
- 4. Add the olive oil to an earthenware casserole or Dutch oven. When the olive oil is hot, turn the heat to medium-low and add the onions. Cook the onions uncovered for 5 to 10 minutes. Stir constantly with a wooden spoon. Sprinkle some water over the onion if you are afraid that it burns.
- 5. Add the minced garlic and parsley. Stir for 1 minute and add the chopped tomato.
- 6. Cover and bring the tomato sauce to a gentle boil. Cook for 10 to 15 minutes.

7. Fried Chicken

Yields 3 servings

Ingredients

- 2 whole chicken breasts
- 2 tablespoons olive oil
- 2 sprigs rosemary
- 4 small sprigs thyme
- Dried ginger root grated. Or use 3/4 teaspoon of ground ginger

	,	_						
•	6 leave fre	sh mar	oram ~ c	hopped.	Or use	½ teaspoo	n of dried ma	rjoram

- Sweet ground red pepper
- ½ teaspoon ground turmeric
- Salt
- 4 lime slices Replace with 2 lemon slices if you don't have limes
- · A short dash of soy sauce

Preparation

Time: 5 minutes.

Cooking time: 30 minutes.

- Sprinkle some freshly grated ginger on both sides of the chicken breasts. Scatter the
 marjoram, a few pinches of red sweet pepper, the turmeric and salt to taste on both
 sides of the chicken pieces.
- 2. Heat 2 tablespoons of olive oil in a skillet or frying pan. Add the rosemary and thyme sprigs.
- 3. When the olive oil is hot, add the chicken and brown each side uncovered for 5 minutes over low-medium heat. You should begin to see a nice crust.
- 4. Place 2 lime slices on top of each chicken piece and squeeze a little bit of lime juice over them too. If you use lemon use only 1 slice for each chicken breast because lemons aren't as sweet as limes.

Serving size	1 of 3
Calories	189
Carbohydrate	3g
Protein	18g
Cholesterol	49 mg
Fat	12g
Saturated	2g
Monounsaturated	8g
Polyunsaturated	2g
Fiber	1g

Fried Chicken (continued)

- 5. Pour a short dash of soy sauce over the chicken breasts. Turn down the heat a little bit and cover.
- 6. Cook each side for 10 minutes. It's advisable to turn over the fried chicken pieces twice during the cooking time.
- Garnish this simple chicken recipe with crispy lettuce salad seasoned with olive oil and salt.

8. Homemade Pízza

Yields 2 servings

Ingredients for the dough

- 1 heaped cup whole wheat flour
- 1 level teaspoon dry yeast
- 1/2 teaspoon salt
- 1/2 cup extra virgin olive oil

Ingredients for the homemade pizza toppings

- 2 large red bell peppers
- 2 medium-sized eggplants
- 2 medium size onions
- 2 small ripe tomatoes
- Extra virgin olive oil
- Low fat turkey sausage Preparation

Cooking time: 30 minutes.
Preparation time: 90 minutes.

Rising time: 3 hours.

- 1. Place the flour in a large bowl. Add the dry yeast and the salt, and mix well.
- 2. In a large cup, mix the 1/2 cup of olive oil and the 1/2 cup of lukewarm water.
- 3. Make a small well in the middle of the flour and add the olive oil and water mixture.
- 4. Knead the flour mixture by hand for 10 minutes until the dough is elastic and smooth, and until the olive oil gives it a nice golden color.
- 5. Place the dough in the same bowl, cover with a towel, and allow it to rise for 3 hours in a warm place with no draught.
- 6. Preheat the oven to 200°, and roast the whole vegetables.

Serving size	1 of 2
Calories	668
Carbohydrate	101g
Protein	22g
Cholesterol	Omg
Fat	24g
Saturated	3g
Monounsaturated	14g
Polyunsaturated	5g
Fiber	28g

Homemade Pizza (continued)

- 7. When the vegetables are well roasted, peel them.
- Cut the peppers, and eggplants into long strips, and the onion into rings or strips.
 Finely chop the tomatoes.
- 9. When the dough has risen for 3 hours, stretch it with a rolling pin. Give it an oval form like shown in the picture.
- 10. Oil a cookie sheet, and sprinkle some flour on it. Place the oval shaped flour on it.
- 11. First spread the onion over the whole homemade pizza dough. Second, distribute the tomato. Third, distribute the pepper strips like shown in the photo. Fourth, place the eggplant strips in between the pepper strips. Finally, place the sausage.
- 12. Drizzle olive oil liberally over the whole homemade pizza toppings. Use a cruet or olive oil dispenser if you have one.
- 13. Bake the delicious homemade pizza for 30 minutes.

9. Lasagna

Yields 10 servings

Ingredients

- 1 pound lean ground turkey
- 1 (32 ounce) jar tomato sauce (see #3)
- 32 ounces low fat cottage cheese
- 3 cups shredded mozzarella cheese
- 2 eggs
- 1/2 cup grated Parmesan cheese
- 2 teaspoons dried parsley
- salt to taste
- ground black pepper to taste
- 9 lasagna noodles
- 1/2 cup water

Serving size	1 of 10
Calories	434
Carbohydrate	35g
Protein	35g
Cholesterol	104mg
Fat	18g
Saturated	7g
Monounsaturated	5g
Polyunsaturated	3g
Fiber	3g

Preparation

- 1. In a large skillet over medium heat brown the ground turkey. Drain the grease. Add spaghetti sauce and simmer for 5 minutes.
- 2. In a large bowl, mix together the cottage cheese, 2 cups of the mozzarella cheese, eggs, half of the grated Parmesan cheese, dried parsley, salt and ground black pepper.
- 3. To assemble, in the bottom of a 9x13 inch baking dish evenly spread 3/4 cup of the sauce mixture. Cover with 3 uncooked lasagna noodles, 1 3/4 cup of the cheese mixture, and 1/4 cup sauce. Repeat layers twice. Top with 3 noodles, remaining sauce, remaining mozzarella and Parmesan cheese. Add 1/2 cup water to the edges of the pan. Cover with aluminum foil.
- 4. Bake in a preheated 350° oven for 45 minutes. Uncover and bake an additional 10 minutes. Let stand 10 minutes before serving.

10. Lentil Soup (Mediterranean Style)

Yields 3 servings

Ingredients

- 1 cup red Lentils
- 2 tablespoon salt
- 1/2 cup of chopped white onion
- 2 garlic cloves, minced
- 2 tablespoons olive oil
- 1 teaspoon of cumin
- Turkey sausage (lean), chopped

Serving size	1 of 3
Calories	334
Carbohydrate	47g
Protein	18g
Cholesterol	Omg
Fat	10g
Saturated	1g
Monounsaturated	7g
Polyunsaturated	1g
Fiber	12g

Preparation

- In a 4qt pot, sautee the chopped onions and turkey sausage and garlic over medium heat
- 2. Add lentils and stir in Lentils
- 3. Add 4 cups of water
- 4. Set the stove to high until boil then reduce to medium or medium-low.
- 5. After 15 minutes or so reduce heat again so Lentils do not get too mushy.
- 6. Once lentil is no longer hard you then add the cumin and salt.
- 7. After 5 minutes, stir and serve.

Add lemon to soup for extra flavor!

11. Minestrone

Yields 4 servings

Ingredients

- 1 1/2 tablespoons olive oil
- 1/2 cup minced white onion (about 1 small onion)
- 1/4 cup chopped zucchini
- 1/4 cup frozen cut italian green beans
- 1/8 cup minced celery (about 1/2 stalk)
- 2 teaspoons minced garlic (about 4 cloves)
- 2 cups vegetable broth (Swanson is good *note: Do not use chicken broth!*)
- 2 (7 1/2 ounce) cans red kidney beans, drained
- 2 (7 1/2 ounce) small cans white beans or 2 (7 1/2 ounce) cans great northern beans, drained
- 1 (7 ounce) can diced tomatoes
- 1/4 cup carrot, julienned or shredded
- 1 tablespoon minced fresh parsley
- 3/4 teaspoon dried oregano
- 3/4 teaspoon salt
- 1/4 teaspoon ground black pepper
- 1/4 teaspoon dried basil
- 1/8 teaspoon dried thyme
- 1 1/2 cups hot water
- 2 cups fresh baby spinach
- 1/4 cup small shell pasta

Preparation

- 1. Heat three tablespoons of olive oil over medium heat in a large soup pot.
- 2. Sauté onion, celery, garlic, green beans, and zucchini in the oil for 5 minutes or until onions begin to turn translucent.

Serving size	1 of 4
Calories	421
Carbohydrate	72 g
Protein	24 g
Cholesterol	0 mg
Fat	6 g
Saturated	1 g
Monounsaturated	4 g
Polyunsaturated	2 g
Fiber	17 g

11. Minestrone (continued)

- 3. Add vegetable broth to pot, plus drained tomatoes, beans, carrot, hot water, and spices.
- 4. Bring soup to a boil, then reduce heat and allow simmering for 20 minutes.
- 5. Add spinach leaves and pasta and cook for an additional 20 minutes or until desired consistency.
- 6. Makes about eight 1 1/2 cup servings.

12. Moussaka

Yields 10 servings

Prep Time: 2 hours; Cook Time: 45 minutes

Ingredients

- 3 eggplants, about 4 lbs. total
- 1 large potato
- 1 1/2 lbs. ground turkey (lean)
- 2 large onions, finely diced
- 2 cloves garlic, minced
- 1/2 cup red wine (optional)
- 1/4 cup chopped fresh parsley
- 1 tsp. ground cinnamon
- 1/4 tsp. ground allspice (optional)
- 1 cup tomato puree (or crushed tomatoes)
- 2 tbsp. tomato paste
- 1 tsp. sugar
- Salt and pepper to taste
- 2 cups plain breadcrumbs
- 4 eggs, lightly beaten
- 1 cup grated Parmesan cheese

Béchamel Sauce

- 1 cup margarine
- 1 cup whole wheat flour
- 4 cups low fat milk, warmed
- 4 eggs, lightly beaten
- Pinch of ground nutmeg

Serving size	1 of 10
Calories	601
Carbohydrate	51g
Protein	33g
Cholesterol	146mg
Fat	30g
Saturated	13g
Monounsaturated	10g
Polyunsaturated	<i>5</i> g
Fiber	9g

Moussaka (continued)

Preparation

Prep the Vegetables

- Using a sharp peeler, partially peel the eggplants, leaving strips of peel about 1 inch
 wide around the eggplant
- 2. Slice the eggplant into 1/2 inch slices
- 3. Place the eggplant slices in a colander and salt them liberally
- 4. Cover them with an inverted plate that is weighted down by a heavy can or jar
- 5. Place the colander in the sink so that excess moisture can be drawn out. They will need to sit for at least 15-20 minutes, preferably an hour. The salt also will help remove some of the bitterness of the eggplant
- 6. Peel the potatoes and boil them whole until they are done: not too soft but enough to remove crunch
- 7. Drain, cool, and slice them in 1/4 inch slices. Set aside
- 8. Preheat oven to 400 ° Fahrenheit
- 9. Line two baking sheets with aluminum foil and lightly grease
- 10. Add a splash of water to the egg whites and beat them lightly with a fork
- 11. Add breadcrumbs to a flat plate
- 12. Rinse the eggplant slices and dry with paper towels
- 13. Dip the eggplant slices in the beaten eggs and then dredge them in the breadcrumbs, coating both sides
- 14. Place breaded eggplant slices on baking sheets and bake at 400° for ½ hour, turning them over once during cooking
- 15. When eggplant is finished cooking, lower the oven temperature to 350°

Make the Meat Filling

- 1. In a large sauté pan, brown the ground turkey until the pink color disappears
- 2. Add onion and sauté until translucent, about 1 minute
- 3. Add garlic and cook until fragrant, about 1 minute

Moussaka (continued)

- 4. Add wine to pan and allow it to simmer and reduce a bit before adding cinnamon, allspice, parsley, tomato paste, crushed tomatoes, and sugar
- 5. Allow the sauce to simmer uncovered for approximately 15 minutes so that excess liquid can evaporate. It should be a drier, chunkier tomato sauce.
- 6. Season to taste with salt and pepper

Make the béchamel sauce

- 1. Melt margarine over low heat
- 2. Using a whisk, add flour to melted margarine whisking continuously to make smooth paste. Allow flour to cook for a minute but do not allow it to brown
- 3. Add warmed milk to mixture in a steady stream, whisking it continuously
- 4. Simmer over low heat until it thickens a bit but does not boil
- 5. Remove from heat, and stir in beaten eggs and a pinch of nutmeg
- 6. Return to heat and stir until sauce thickens

Assemble the Moussaka

- 1. Lightly grease/spray a large deep baking pan (lasagna pan)
- 2. Sprinkle the bottom of pan with breadcrumbs.
- Leaving a ¼ inch space around the edges of pan, place a layer of potatoes on the bottom. Top with a layer of eggplant slices
- 4. Add meat sauce on top of eggplant layer and sprinkle with 1/4 of the grated cheese
- 5. Pour the béchamel sauce over the eggplant and be sure to allow sauce to fill the sides and corners of the pan.
- 6. Smooth the béchamel on top with a spatula and sprinkle with remaining grated cheese
- 7. Bake in 350 oven for 45 minutes or until béchamel sauce is a nice golden brown color
- 8. Allow to cool for 15-20 minutes before slicing and serving

13. Peanut Butter and Banana Smoothie

Yields 1 serving

Ingredients

- Low or Non fat Milk 1/2 cup
- Ice Cubes 2
- Banana 1 medium (cut)
- Natural Peanut Butter 1 spoonful
- Agave 2 tsp (If you don't have Agave, you can use Honey/Sugar)
- Cereal (optional) 1/4 cup

Serving size	1 of 1
Calories	291
Carbohydrate	57g
Protein	9g
Cholesterol	2mg
Fat	5g
Saturated	1g
Monounsaturated	2g
Polyunsaturated	1g
Fiber	4g

Directions

- 1. Pour milk in blender
- 2. Addice cubes
- Add banana
- 4. Add peanut butter and cereal (optional)
- 5. Blend
- 6. Add sweetener
- 7. Pour and serve

14. Pesto

Yields 10 servings

Ingredients

- 3 large sprigs basil about 12 leaves
- 2 tablespoons freshly grated romano cheese
- 2 tablespoons freshly grated parmesan cheese
- 1 tablespoon pine nuts
- 2 cloves garlic peeled
- 1 pinch salt coarse salt is best
- 1 cup extra virgin olive oil

Serving size	1 of 10
Calories	209
Carbohydrate	<1g
Protein	1 g
Cholesterol	2mg
Fat	23g
Saturated	3g
Monounsaturated	16g
Polyunsaturated	3g
Fiber	<1g

Preparation

- First add the basil leaves and salt to a mortar and start grinding them by rotating the
 pestle against its walls. Do not pound the ingredients, but crush them against the walls
 of the mortar with circular movements of the wooden pestle.
- 2. Second, add the pine nuts and continue grinding them as above.
- 3. Third, add the garlic cloves and grind
 - o If you use a blender or food processor grind the ingredients together, but don't process them into a cream.
- 4. Now start adding the two different cheeses slowly and alternatively. Continue grinding the paste until you obtain a thick smooth paste.
- 5. At this point, add the olive oil and mix it well with the pestle until you obtain a dense paste.

15. Polenta

Yields 6 servings

Ingredients

- 2 tablespoons olive oil, plus extra for grilling or sautéing if desired
- 3/4 cup finely chopped red onion
- 2 cloves garlic, finely minced
- 1 quart low fat chicken stock or broth
- 1 cup coarse ground cornmeal
- 3 tablespoons unsalted margarine
- 1 1/2 teaspoons kosher salt
- 1/4 teaspoon freshly ground black pepper
- 2 ounces Parmesan, grated

Serving size	1 of 6
Calories	233
Carbohydrate	24g
Protein	6g
Cholesterol	9mg
Fat	12g
Saturated	4g
Monounsaturated	6g
Polyunsaturated	2g
Fiber	1g

- 1. Preheat oven to 350 degrees F.
- 2. In a large, oven-safe saucepan heat the olive oil over medium heat. Add the red onion and salt and sweat until the onions begin to turn translucent, approximately 4 to 5 minutes.
- 3. Reduce the heat to low, add the garlic and sauté for 1 to 2 minutes, making sure the garlic does not burn.
- 4. Turn the heat up to high, add the chicken stock, and bring to a boil.
- 5. Gradually add the cornmeal while continually whisking. Once you have added all of the cornmeal cover the pot and place it in the oven.
- 6. Cook for 35 to 40 minutes, stirring every 10 minutes to prevent lumps.
- 7. Once the mixture is creamy, remove from the oven and add the butter, salt, and pepper.
- 8. Once they are incorporated, gradually add the Parmesan.

16. Spinach, Mushrooms, and Goat Cheese sauce

Yields 4 servings

Ingredients

- 1 1/2 cups boiling water
- 1 cup dried porcini mushrooms (about 1 ounce)
- 2 (3 1/2-ounce) packages shiitake mushrooms
- Cooking spray
- 1 (8-ounce) package pre-sliced button mushrooms
- 1/2 teaspoon salt, divided
- 1/4 teaspoon dried thyme
- 1/4 teaspoon black pepper, divided
- 1/4 cup dry white wine
- 1 tablespoon margarine
- 2 tablespoons all-purpose flour
- 1 1/2 cups fat-free milk
- 1/2 cup (2 ounces) low fat crumbled goat cheese
- 1/4 cup (1 ounce) grated fresh Parmesan cheese, divided
- 6 no-boil lasagna noodles (such as Barilla or Vigo)
- 1 (10-ounce) package frozen chopped spinach, thawed, drained, and squeezed dry
- 2 cups chopped plum tomato
- 3/4 cup (3 ounces) shredded part-skim mozzarella cheese

Preparation

Preheat oven to 375°.

1. Combine the water and porcini in a medium bowl; cover and let stand for 15 minutes.

Serving	1 of 4
Calories	400
Carbohydrate	41g
Protein	23g
Cholesterol	35mg
Fat	17g
Saturated	8g
Monounsaturated	6g
Polyunsaturated	2g
Fiber	6g

Spinach, Mushrooms, and Goat Cheese sauce (continued)

- 2. Drain in a sieve over a bowl, reserving 1 cup soaking liquid.
- 3. Bring the soaking liquid to a boil in small saucepan; reduce heat to medium, and cook until reduced to 1/4 cup (about 5 minutes).
- 4. Remove the stems from shiitakes; discard stems.
- 5. Slice shiitake caps.
- 6. Heat a large nonstick skillet coated with cooking spray over medium-high heat.
- 7. Add porcini, shiitake, and button mushrooms, 1/4 teaspoon salt, thyme, and 1/8 teaspoon pepper; sauté 12 minutes or until softened. Add wine; cook 2 minutes or until liquid almost evaporates.
- 8. Melt the butter in a medium saucepan over medium heat.
- 9. Add the flour, and cook for 30 seconds, stirring constantly with a whisk.
- 10. Gradually add 1/4 cup porcini mushroom liquid and milk, stirring with a whisk until blended.
- 11. Cook until mixture thickens (about 4 minutes).
- 12. Remove from heat.
- 13. Add the goat cheese, 2 tablespoons Parmesan, 1/4 teaspoon salt, and 1/8 teaspoon pepper, and stir until cheese melts.
- 14. Spread 1/2 cup cheese sauce in bottom of an 8-inch square baking dish coated with cooking spray.
- 15. Arrange 2 noodles over cheese sauce, and top with half of mushroom mixture, half of spinach, 3/4 cup tomato, 1/2 cup cheese sauce, and 1/4 cup mozzarella.
- 16. Repeat layers, ending with noodles.
- 17. Spread remaining cheese sauce over noodles.
- 18. Sprinkle with 1/4 cup mozzarella, 1/2 cup tomato, and 2 tablespoons Parmesan.
- 19. Cover and bake at 375° for 25 minutes.
- 20. Uncover and bake an additional 25 minutes.
- 21. Let stand 5 minutes.

17. Spinach with Lemon Dressing (Horta)

Yields 8 serving

Ingredients

- 1 1/2 pounds fresh spinach
- 2 tablespoons olive oil or vegetable oil
- 1 tablespoon lemon juice
- 1/4 teaspoon salt
- Freshly-ground black pepper

Serving size	1 of 8
Calories	355
Carbohydrate	19g
Protein	14g
Cholesterol	Omg
Fat	29g
Saturated	1 g
Monounsaturated	20g
Polyunsaturated	1 g
Fiber	llg

- 1. Wash spinach very thoroughly to remove all of the grit and remove stems; drain.
- 2. Place spinach leaves and just the water that clings to them in Dutch oven.
- 3. Cover and cook until tender, 7 to 8 minutes; drain thoroughly.
- 4. Shake oil, lemon juice and salt in tightly covered jar; toss with spinach.
- 5. Sprinkle with pepper.

18. Turkey Meatballs

Yields 5 servings

Ingredients

- 2 tablespoons olive oil
- 1 (20 ounce) package ground turkey (lean)
- 1 egg, beaten
- 1/3 cup Italian seasoned bread crumbs

- 1. Preheat the oven to 350 degrees F (175 degrees C). Grease a 9x13 inch baking dish with the olive oil, and place it in the oven while preheating.
- 2. In a medium bowl, mix together the ground turkey, egg, and bread crumbs using your hands. Using an ice cream scoop if possible, form the meat into golf ball sized meatballs. Place about 1 inch apart in the hot baking dish. Press down to flatten the bottom just slightly.
- 3. Bake for 15 minutes in the preheated oven, then turn them over, and continue baking for about 5 more minutes, or until somewhat crispy on the outside. Serve with pasta and sauce or however you'd like.

Serving size	1 of 5
Calories	237
Carbohydrate	5g
Protein	26g
Cholesterol	74mg
Fat	12g
Saturated	3g
Monounsaturated	6g
Polyunsaturated	2g
Fiber	<1g

19. Turkey Sandwich

Ingredients

- 4 slices lean turkey breast
- 3-4 jarred roasted peppers
- 2 slices 100% whole wheat bread
- 1 lettuce leaf
- 4 slices tomato
- 4 slices cucumber
- 4 dried apricots
- 1 tbsp hummus

Serving size	1 of 1
Calories	293
Carbohydrate	40 g
Protein	16 g
Cholesterol	1 <i>9</i> mg
Fat	9 g
Saturated	1 g
Monounsaturated	<i>5</i> g
Polyunsaturated	1 g
Fiber	9 g

- 1. Spread hummus onto both slices of bread.
- 2. Top one slice of bread with Turkey, lettuce, tomato and cucumber.
- 3. Cover with other slice of bread.
- 4. Serve with dried apricots.

20. Tzatziki (Greek Yogurt and Cucumber Sauce)

Yields 6 servings

Ingredients

- 3 cups Greek Yogurt (Low or Non fat)
- Juice of one lemon (about 3 tbsp)
- 1 garlic clove, chopped
- 2 medium cucumbers, seeded and diced
- 1 thsp kosher salt for salting cucumbers
- 1 tbsp finely chopped fresh dill (can substitute mint leaves for a slightly different version)
- Kosher salt and fresh ground black pepper to taste

Serving size	1 of 6
Calories	88
Carbohydrate	11g
Protein	7g
Cholesterol	7mg
Fat	2g
Saturated	1g
Monounsaturated	1g
Polyunsaturated	<1
Fiber	1g

- 1. If you don't have Greek yogurt, strain plain yogurt (strain yogurt for 10-20 minutes to remove excess liquid).
- 2. Peel cucumbers, then cut in half lengthwise and take a small spoon and scrape out seeds. Discard seeds. (If you use the small seedless or European cucumbers with few seeds, you can skip this step.)
- 3. Slice cucumbers, then put in a colander, sprinkle on 1 T salt, and let stand for 30 minutes to draw out water. Drain well and wipe dry with paper towel.
- 4. In food processor with steel blade, add cucumbers, garlic, lemon juice, dill, and a few grinds of black pepper. Process until well blended, and then stir this mixture into the yogurt.
- 5. Taste before adding any extra salt.
- 6. Place in refrigerator for at least two hours before serving so flavors can blend. (This resting time is very important.)
- 7. This will keep for a few days or more in the refrigerator, but you will need to drain off any water and stir each time you use it.

Hispanic Recipes Mediterranean Style

1. Black Beans (Frijoles Negros)

Yields 4 servings

Ingredients

- 2 ½ cups dried black beans
- 9 cups water
- 1 tablespoon olive oil
- 1 ½ cups chopped onion
- 1 1/2 cups chopped green bell pepper
- 3 cloves garlic, peeled, and mashed with
 1 teaspoon salt and 1/2 teaspoon
- · Canola oil for sautéing
- 1 teaspoon oregano
- 1 teaspoon ground cumin
- 1 bay leaf
- 3 tablespoons vinegar
- Olive oil

Serving size	1 of 4
Calories	463
Carbohydrate	78g
Protein	27g
Cholesterol	Omg
Fat	6g
Saturated	1g
Monounsaturated	3g
Polyunsaturated	1g
Fiber	27g
_	

- 1. Cover dry beans with water and let stand covered overnight. Drain and discard water.
- 2. Place the cleaned black beans in a large 6-quart saucepan. Add water and olive oil—this will prevent the beans from foaming. Bring the beans to a boil, reduce heat to low, cover, and cook until the beans are tender, about 1 hour.
- 3. Do not add salt to the beans when they are cooking.
- 4. You may also cook the beans in a pressure cooker. Follow the manufacturer's directions for exact times. Most pressure cookers take about 20 to 25 minutes to cook the beans completely.
- 5. Do not drain the water from the cooked beans.
- 6. Meanwhile, chop onion and green pepper. Mash the garlic with salt and peppercorns in a mortar and pestle.

Black Beans (continued)

- 7. Sauté the onions and green pepper in olive oil until the onions are translucent. Add mashed garlic and sauté another minute or so.
- 8. Add the cooked beans, oregano, cumin, bay leaf, and vinegar. Cover and simmer over low heat for 15 to 20 minutes, stirring occasionally. Remove bay leaf.
- 9. Mash 1 cup of beans to make a thick paste. Mix the mashed beans back into the pot.
- 10. Add additional salt and pepper to taste.
- 11. Drizzle a couple of tablespoons of olive oil over the beans. Immediately cover the pot, remove from heat, and let stand for 10 minutes.
- 12. Serve the black beans over rice.
- 13. Garnish the beans with cilantro and finely chopped white onions.

2. Chicken Fricassee (Pollo Fricasse)

Yields 4 servings

Ingredients

- 1 pound chicken breast and thighs
- 1 tablespoon adobo seasoning
- 1/2 (.18 ounce) packet sazon seasoning
- 1/2 teaspoon salt
- 5 large red potatoes, peeled and thickly sliced
- 1 large red bell pepper, seeded and chopped
- 1 large green bell pepper, seeded and chopped
- 1 large onion, chopped
- 5 cloves garlic, minced
- 1 bunch fresh cilantro, chopped
- 2 tablespoons olive oil
- 1/2 cup dry red wine
- 1 teaspoon ground cumin
- 1 teaspoon dried oregano
- 2 fresh or dried bay leaves

Serving size	1 of 4
Calories	607
Carbohydrate	87g
Proteín	35g
Cholesterol	71g
Fat	12g
Saturated	2g
Monounsaturated	7g
Polyunsaturated	2g
Fiber	11g

Directions

- 1. Wash the chicken and pat dry; place into a large bowl. Season with adobo seasoning, sazon seasoning, and salt. Place the chicken into a slow cooker or pot, and cover with the potato slices.
- 2. Puree the red pepper, green pepper, onion, garlic, cilantro, olive oil, wine, cumin, and oregano in a blender. Pour over the chicken and add the bay leaves.
- **3.** Cook on Low for 6 to 8 hours if cooking in slow cooker or 1 hour if using a pot, until the chicken is easily removed from the bone.

3. Chicken with Rice (Arroz con Pollo)

Yields 8 servings

Ingredients

- 4 pounds white meat chicken
- 1 tsp dried oregano
- 1 tsp ground cumin
- 1/2 tsp freshly ground white pepper
- 1 Tbsp red wine vinegar
- 1 lb Valencia or Arborio rice
- Sliced red pimientos for garnish
- Can of green peas (Petit Pois) for garnish

Serving size	1 of 8
Calories	614
Carbohydrate	54g
Protein	59g
Cholesterol	141g
Fat	13g
Saturated	3g
Monounsaturated	6g
Polyunsaturated	3g
Fiber	8g

Sofrito or broth

- 2 Tbsp Annatto oil or olive oil
- 1 small onion, finely chopped
- 1 small red bell pepper, cored, seeded and finely chopped
 3 cloves garlic, minced
- 1 small tomato, seeded and diced
- 3 cups water (*)
- 1 cup dry white wine
- 1-1/2 cups beer
- 1/2 tsp annatto seeds
- 1 Tbsp tomato paste
- Salt and freshly ground black pepper, to taste
- Wash the chicken and blot dry with paper towels. Mix the oregano, cumin, white pepper and vinegar in a large glass bowl. Add the chicken, turning the pieces to cover with the mixture. Let marinate at least 15 minutes.
- 2. Heat the oil in a large heatproof casserole
- 3. Brown the chicken pieces all over, about 2 minutes per side. Transfer the chicken to a platter and pour out all but 2 tablespoons of the fat.

Chicken with Rice (continued)

- 4. For sofrito: Add the onion, bell pepper and garlic to the oil in the casserole, cook over medium heat until soft but do not brown, about 1 or 2 minutes. Add the tomato and cook for one more minute. Return the chicken to the casserole with the sofrito and cook for about 1 or 2 more minutes.
- 5. Add the water, wine and beer, tomato paste and salt and pepper. Bring to a boil, reduce heat, cover and simmer for about 30 minutes. While the chicken is cooking, place annato seeds in small saucepan with 1/4 cup of the chicken cooking liquid. Simmer for about 5 minutes. Strain mixture back into the chicken.
- 6. To finish the dish: Thoroughly wash rice swishing with your hands, and drain off the water. Continue doing this until water runs clear.
- 7. Bring chicken mixture to a boil, stir in the washed rice, reduce heat, cover and simmer until the rice is tender, about 20 to 25 minutes. If it starts to dry out and rice is still al dente, add more liquid. If it gets too soupy, uncover during the last 10 or 15 minutes of cooking.
- 8. Just before it is done, stir in half of the petit pois and pimientos. Garnish with the rest.

4. Fried Chicken Chunks (Chicharrones de Pollo)

Yields 10 servings

Ingredients

- 1 pound skinless, boneless chicken breast meat - cut into chunks
- 1/2 cup dark rum
- 1/2 cup lemon juice
- 1/2 cup minced garlic
- 1/4 cup Worcestershire sauce
- 3 tablespoons garlic powder
- 1 teaspoon adobo seasoning
- 1 teaspoon onion powder
- 1 teaspoon ground black pepper
- 1 teaspoon ground coriander
- 2 (.18 ounce) packets sazon with coriander and achiote
- 3 cups all-purpose wheat flour
- 4 cups canola oil for frying

Directions

- 1. Combine the chicken, rum, lemon juice, garlic, Worcestershire sauce, garlic powder, adobo seasoning, onion powder, pepper, coriander, and sazon seasoning in a bowl; stir. Cover and marinate in refrigerator 4 hours.
- 2. Heat the oil in a large pot over medium heat to about 300 degrees F
- 3. Spread the flour into the bottom of a shallow dish. Coat each piece of marinated chicken with wheat flour.
- 4. Fry the coated chicken pieces in the hot oil in small batches until no longer pink in the center and golden brown on the outside, 5 to 10 minutes.

Serving size	1 of 10
Calories	1012
Carbohydrate	34g
Protein	1 <i>7</i> g
Cholesterol	2 <i>9</i> mg
Fat	90g
Saturated	7g
Monounsaturated	56g
Polyunsaturated	25g
Fiber	<i>5</i> g

5. Fried Plantains (Tostones)

Yields 2 servings

Ingredients

- 5 tablespoons canola oil for frying
- 1 plantains, peeled and broken into chunks
- 3 cups cold water
- salt to taste

Directions

- 1. Heat the oil in a large skillet. Place the plantains in the oil and fry on both sides; approximately 3 1/2 minutes per side.
- 2. Remove the plantains from the pan and flatten the plantains by placing a plate over the fried plantains and pressing down.

Dip the plantains in water, then return them to the hot oil and fry 1 minute on each side. Salt to taste and serve immediately.

Serving size	1 of 2
Calories	450
Carbohydrate	40g
Protein	1g
Cholesterol	Omg
Fat	34g
Saturated	3g
Monounsaturated	22g
Polyunsaturated	10g
Fiber	3g

6. Galician BeanStew (Caldo Gallego)

Yields 6 servings

Ingredients

- 1 cup dried white beans
- 3/4 lb turkey sausage
- 1 onion, chopped
- 2 garlic cloves, crushed
- 1/4 cup celery
- 1 green pepper, chopped
- ½ turnip greens without stems
- 3 quarts water
- 2 potatoes, peeled and diced
- Salt and pepper to taste

Serving size	1 of 6
Calories	283
Carbohydrate	34g
Protein	23g
Cholesterol	52g
Fat	6g
Saturated	1 g
Monounsaturated	2g
Polyunsaturated	2g
Fiber	8g

Preparation

- 1. Place beans in pan and cover with water. Boil for about five minutes. Remove from heat and let stand in water overnight.
- 2. Drain the beans and place in a pan with 3 quarts of water. Add the peppers and onions. Add 1 tsp of salt. Cover and bring to a boil, set heat to low, let simmer for 1 1/2 hours.
- 3. Cut the sausage in 1/2 inch slices and wash diced potatoes under running water.
- 4. Add the sausage, potatoes and turnip greens to pot and let simmer for another 30 minutes. If necessary continue cooking until the beans are tender. Taste and adjust for salt and pepper.

Serve hot.

7. Picadillo

Yields 12 servings

Ingredients

- 2 tablespoons olive oil
- 7 cloves garlic, chopped
- 1 1/2 cups chopped onion
- 1 1/2 cups chopped green bell pepper
- 3 pounds lean or extra lean ground turkey or chicken breast
- 1 (5 ounce) jar green olives, pitted and halved
- 1/4 cup white vinegar
- 1 teaspoon salt
- 1 teaspoon freshly ground black pepper
- 1 teaspoon ground cinnamon
- 1 teaspoon ground cloves
- 2 dried bay leaves
- 1/4 teaspoon hot sauce
- 6 cups canned tomatoes, half-drained

Serving size	1 of 12
Calories	229
Carbohydrate	8g
Protein	25g
Cholesterol	74g
Fat	10g
Saturated	2g
Monounsaturated	5g
Polyunsaturated	2g
Fiber	2g
Fat Saturated Monounsaturated Polyunsaturated	10g 2g 5g 2g

Directions

- In a large stock pot, heat 1 tablespoon of olive oil over medium heat. Sauté garlic, onion and green pepper until onions are transparent. Transfer onion mixture to a bowl and set aside. In the same pot, heat the remaining olive oil and brown the lean ground turkey and chicken breast.
- 2. In a separate saucepan, combine the olives, capers, vinegar, salt, pepper, cinnamon, cloves, bay leaves and hot sauce. Let simmer over medium heat for 10 minutes.
- Place the olive mixture and the onion mixture into the pot with the ground turkey or chicken. Add the half drained tomatoes and cook for 1 hour over medium heat; stirring occasionally.

8. Ropa Vieja

Yields 6 servings

Ingredients

- 1 tablespoon vegetable oil
- 2 pounds flank steak
- 1 cup chicken broth
- 1 (8 ounce) can tomato sauce
- 1 small onion, sliced
- I green bell pepper, seeded and sliced into strips
- 2 cloves garlic, chopped
- 1 (6 ounce) can tomato paste
- 1 teaspoon ground cumin
- 1 teaspoon chopped fresh cilantro
- 1 tablespoon olive oil
- 1 tablespoon white vinegar

Serving size	1 of 6
Calories	329
Carbohydrate	10g
Protein	47g
Cholesterol	110g
Fat	11g
Saturated	3g
Monounsaturated	6g
Polyunsaturated	1g
Fiber	2g
_	_

Directions

- Heat vegetable oil in a large skillet over medium-high heat. Brown the flank steak on each side, about 4 minutes per side.
- 2. Transfer steak to a slow cooker. Pour in the broth and tomato sauce, and then add the onion, bell pepper, garlic, tomato paste, cumin, cilantro, olive oil and vinegar. Stir until well blended. Cover, and cook on high for 1 hour, or on low for up to 2 hours. When ready to serve, shred steak and serve with rice.

$\underline{\mathsf{Mediterranean}\ \mathsf{Diet}\ \mathsf{Shopping}\ \mathsf{list}}$

Whole Grains	Oils	Vegetable juice
Mostly whole grain choices.	Store in a cool, dark place to make	Water chestnut Winter squash
Contains the word "whole" as the	them last longer.	Zucchini
first ingredient with at least 3 grams	Canola	
fiber per 100 calories	Flaxseed	Protein Rich Foods:
met per ree calones	Margarine: Canola Oil spread	Fresh, Frozen, or Canned
Bread, Whole Grain	Mayonnaise, low-fat olive oil	Chicken, Breast
Bagel, Whole wheat/grain	Olive Oil (Extra-Virgin)	Halibut
Cereal, Whole Grain	Soybean Salad dressing	Shrimp
Couscous	Salau ulessilig	Salmon
Crackers, Whole Grain	Dairu	Sea bass
Cream of wheat	<u>Dairy</u>	Swordfish
Flour, whole wheat	Cheese, Low-fat	Tilapia
Granola, Low-Fat Grits	Eggs Creek yogurt, Low-fat	Tofu
Oatmeal, dry	Milk, Non-fat or Low fat	Tuna, packed in water
Pancake mix, whole wheat	Rice/Almond milk, Low-fat,	Turkey, Breast Vegetable Protein
Pasta, Whole Wheat	enriched	vegetable Flotelli
Pita, Whole grain	Soy milk, Low-fat, enriched	Nuts/Seeds Beans:
Polenta	Yogurt, Low-fat	
Rice, brown, basmati		Dried or Caned
Shredded wheat (plain)	Varatables	Almonds
Tortilla, Whole Grain	Vegetables:	Almond Butter, natural
F .	Fresh, Frozen, or Canned	Cashews
Fruit:	Asparagus	Chickpeas Hazelnut
Fresh or Frozen, Dried	Basil	Hummus
Apple	Beets	Ground Flaxseed
Applesauce, unsweetened	Brussels sprouts	Kidney Beans
Apricots	Broccoli Carrot	Lima Beans
Avocado	Cauliflower	Macadamia nuts
Banana	Celery	Pecan
Berries (straw-, rasp-, blue-	Cucumber	Peanut Butter, natural
black-)	Cilantro	Peanuts
Cantaloupe Cherries	Collard greens	Pine Nuts Pinto Beans
Dried Fruit	Eggplant	Pumpkin Seeds
Grapes	Garlic	Sunflower Seeds
Grapefruit	Green Beans	Soy Beans or Edamame
Honeydew	Lettuce Olives, black/green	Walnuts
Kiwi	medium	
Lemon/Lime	Onion	A 42 - 11
Orange	Mushrooms	<u>Miscellaneous</u>
Peach	Parsley	Artificial Sweeteners
Plum Pomegranate	Peas	Coffee
Raisins	Peppers Red/Green	Diet beverages
Tangerine	Potato	Honey
Watermelon	Spinach	Jam/Jelly/Preserves Tea
100% fruit juice, no sugar	Sprouts	Spices
added	Summer squash	Syrup
100% orange juice fortified	Sweet potato Tomato	Water (flavored water)
with Calcium & Vit D	Tomato	Vinegar
	Turnip greens	

Important Points to Remember

- Mediterranean-style diets emphasize the consumption of fish, seafood, and poultry over red meats and beef
- All dairy products should be low-fat or fat-free
 - o Low-fat or fat-free milk, cheese, yogurt
- ☑ (Ise healthy alternatives when experiencing milk-related intolerance (stomach/digestion problems):
 - O Lactose free low-fat or fat-free milk and cheese
 - o Fortified soymilk, rice milk, or almond milk
- ☑ Only use unsaturated oils or products with unsaturated oils
 - Olive oil use for adding taste, salad dressings, sauces, and cooking
 - O Canola oil use for cooking or frying
 - o Margarine: Smart Balance and Promise brands, for example
- ☑ Remember, eggs are very high in protein! Watch your intake throughout the day when having eggs for breakfast.
- Avoid having eggs and shrimp, or other shellfish, on the same day to moderate cholesterol intake
- All juices should be 100% fruit juice with no added sugar
 - O Orange juice should be fortified with calcium and other vitamins
- ☑ Limit other sugary beverages
 - O Use diet beverages instead
- ☑ Choose whole wheat or whole grain products instead of white
 - o Brown rice
 - o Whole wheat breads
 - o Whole wheat pastas
 - o Pancakes and/or waffles
- Choose iron-enriched wholegrain cereals that are low in sugar (oatmeal, cream of wheat, bran flakes) to meet your iron needs.
- ☑ Snacks can be eaten during main meals (breakfast, lunch, dinner) as a dessert, for example, or eaten in-between meals as snacks
- Refer to your diet recipes for our Mediterranean approved Caesar dressing!

Change gradually.

- If you now eat one or two vegetables a day, add a serving at lunch and another at dinner.
- If you don't eat fruits now or have only juice at breakfast, add a serving to your meals
 or have it as a snack.
- Use only half the butter, margarine, or salad dressing you do now.
- Try low-fat or fat free condiments, such as fat free salad dressings.
- Gradually increase dairy products to three servings per day. For example, drink milk
 with lunch or dinner, instead of soda, alcohol, or sugar-sweetened tea. Choose low fat
 (1 percent) or non-fat (skim) dairy products to reduce total fat intake.

Treat meat as one part of the whole meal, instead of the focus.

- Buy less meat. If it's not there, you won't eat it.
- If you now eat large portions of meat, cut them back gradually—by a half or a third at each meal.
- Increase servings of vegetables, whole grains, and dry beans in meals. Try casseroles
 and pasta, and stir-fry dishes, having less meat and more vegetables, grains, and dry
 beans.

Use fruits or low fat foods as desserts and snacks.

- Fruits and low fat dairy products offer great taste and variety. Fresh fruits require
 little or no preparation. You can also use fruits canned in their own juice or dried fruits

 they are easy to carry with you.
- Try these snack ideas: mixed fresh fruits, nuts, raw vegetables with low fat ranch dressing, low or non-fat milk or yogurt, and whole wheat pita chips with hummus.

10 tips for quick and healthy cooking

- 1. Keep favorite ingredients stocked in the pantry, refrigerator/freezer
- 2. Read all recipes before you start cooking
- 3. Buy prepped produce items, for example:
 - o Pre-diced tomatoes and onions
 - o Pre-washed bagged greens
 - o Minced or chopped garlic
 - o Sliced black olives
 - o Fruit salad
- 4. Check your local supermarket's website for specials and choose recipes that use those ingredients
- 5. If you cannot cook on most days of the week, cook and freeze staple items from your menu. For example:
 - O Classic tomato sauce and other common sauces
 - o Picadillo
 - o Lasagna
- 6. Take advantage of prepared items for your local supermarket that are healthy and convenient. For example:
 - o Rotisserie chicken breast (without the skin)
 - o Hummus
 - o Tabouleh
- 7. Canned meats and beans and frozen vegetables are great alternatives for quick cooking, but always choose low sodium options when available
- 8. Divide bulk items into the appropriate portion sizes
- 9. Thaw frozen ingredients the night before
- 10. Make use of slow cookers for meals that are ready to eat when you get home!

Intake Log

Mediterranean-style menu

Breakfast		S-M-T-W-Th-F-Sat
Food Group	Food Item	Amount/Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		
Oil		
Lunch		
Food Group	Servings Consumed	Total Daily Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		
Oil		
Dinner		
Food Group	Servings Consumed	Total Daily Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		
Oil		
Snack		'
Food Group	Servings Consumed	Total Daily Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		

Oil

Diet Dictionary

- Calorie: A calorie is a unit of energy. The number of calories in a food is a measure
 of how much energy that food possesses. A gram of carbohydrates has 4 calories, a
 gram of protein has 4 calories, and a gram of fat has 9 calories
- 2. <u>Carbohydrate</u>: Any food item including sugars, starches, cellulose (fiber). Some examples are: fruits, vegetables, breads, rice, pastas, and cereals.
- Enriched: To add nutritive value of food by adding or replacing vitamins or minerals
 of that food lost in processing
- 4. <u>Fiber:</u> The part of a plant that is not digested by the digestive tract. Foods high in fiber help clean out the digestive tract and increase the sensation of fullness.
- 5. <u>Fortified:</u> To increase nutritive value of food by adding vitamins or minerals not originally found in that food. For example, orange can be *fortified with* Calcium and/or Vitamin D.
- 6. Lactose: Milk sugar.
- 7. <u>Lactose intolerance</u>: Inability to digest lactose due to insufficient amount or lack of lactase enzyme needed to digest the lactose or milk sugar.
- 8. <u>Legumes:</u> Plants with seed pods that spilt in two halves. For example, beans, lentils, peas, soybeans are some commonly used legumes in the Mediterranean diet
- 9. <u>Mediterranean</u>: The <u>Mediterranean</u> Basin comprises the lands around and surrounded by the Mediterranean Sea. In biogeography, the <u>Mediterranean</u> Basin refers to the lands around the Mediterranean Sea that have a <u>Mediterranean</u> climate, with mild, rainy winters and hot, dry summers
- 10. <u>Protein:</u> Compound found in fish, seafood, beef, poultry, milk and other dairy products, and nuts and seeds. This compound helps build and maintain muscle and also keeps the immune system strong!

Diet Dictionary (continued)

- 11. Serving: An individual portion or helping of food or drink
- 12. <u>Unsaturated fat</u>: Unsaturated fats are usually liquid at room temperature. They are found in most vegetable products and oils. An exception is a group of tropical oils like coconut or palm kernel oil which is highly saturated. Using foods containing "polyunsaturated" and "monounsaturated" fats does not increase our risk of heart disease. However, like all fats, unsaturated fats give us 9 calories for every gram. So eating too much of these types of fat may also make us gain weight
- 13. Whole grain: Whole grains are cereal grains that contain germ, endosperm, and bran, in contrast to refined grains, which retain only the endosperm. Wholegrain can generally be sprouted while refined grains generally will not sprout. Whole meal products are made by grinding whole grains in order to make wholegrain flour. Whole grains are a natural source of protein as well as a source of carbohydrates and are made into many different kinds of foods.

2000 kcal

Mediterranean-style menu

Breakfast

Food Group	FoodItem	Serving	Alternative	Serving
Fruit	Whole fruit	1 med piece	Juice, fortified	1 cup
Dairy (Non-Fat)	Milk	1 cup	Yogurt	1 cup
Whole Grain	Toast	2 medium slice	Cereal	1 cup
Oil	Margarine	3 tsp	Olive/canola	3 tsp

Lunch

Food Group	Food Item	Serving	Alternative	Serving
Vegetable	Green leafy	3 cups	Cooked/raw veggies	1 ½ cups
Protein-rich food	Poultry/fish	2 oz	Egg or beans	2 egg or 1 cup
Whole Grain	Pasta/rice	1 cup	Toast	2 med slice
Oil	Olíve/canola	4 tsp	Margarine	4 tsp

Dinner

Food Group	FoodItem	Serving	Alternative	Serving
Vegetable	Cooked/raw	1 ½ cups	Green leafy	3 cups
Protein-rich food	Poultry/fish	2 oz	Egg or beans	2 egg or 1 cup
Whole Grain	Pasta/rice	1 ½ cup	Toast	3 med slice
Oil	Oil, olive/canola	5 tsp	Margarine	5 tsp

Daily Snacks/Desserts

Food Group	Food Item	Serving	Alternative	Serving
Fruit	Mixed fruit/berries	1 cup	Whole fruit	2 each
Protein-rich food	Nuts	1/2 cup	Seeds	½ cup
Dairy (Non-Fat)	Milk/Yogurt	1 cup	Cheese (natural or soft)	1.5 oz

Daily Totals

Fruits	<u>Vegetables</u>	Whole Grains	Protein-rich foods	Dairy	Oils Oils
3 servings	6 servings	7 servings	5 servings	2 servings	11 servings
1 serving =	1 serving =	1 serving =	1 serving =	1 serving =	1 serving =
* ½ cup	* 1 cup leafy	* 1 slice bread	* 1 oz	* 1 cup	* 1 tsp
* 1 medium	* ½ cup	* 1/2 cup rice/pasta/cereal	1/2 cup	* 1.5 oz cheese	·
	raw/cooked		,		

Monday Sample Menu

I	Breakfast	
		564 Calories
Non-Fat Milk (1 ½ cups)	Servings:	1 ½ Dairy
Granola Cereal (1 1/4 cups)	Ç	1 Grain
Flax Seeds (3 tsp ground)		
1	Lunch	
		370 Calories
Caesar Salad (1 cup)	Servings:	2 Protein rich
(romaine lettuce, croutons, and parm	, ,	½ Vegetable
Shrimp (20z)		ı Oil
Homemade Caesar Dressing		1 Dairy
(see recipe)		1 Fruit
Yogurt (6 oz)		
Strawberries (1 cup)		
,	Dínner	
		736 Calories
Pasta with Carbonara sauce (¾ cup)	Servings:	1 Protein Rich
Chicken Breast (1 oz)		2 Grain
Whole Wheat Roll (1 small)		1 ½ Vegetable
Spread (garlic-1 ½ cloves, tomato-2	2 grape crushed, olive oil-2 tbsp)	2 Oil
Broccoli (1 ½ cups)		
,	Snacks/Desserts	
Ç		406 Caloríes
Hummus (2 tbsp)	Servings:	1 Fruit
Olíve Oil (2 tsp)		1 Oil
Whole Wheat Pita Chips (15 chips)		1 Grain
Pear (1 medium)		2 Protein Rich
2076 <i>T</i>	otal Daily Calories	
Protein 81g Fat 83g	Monounsaturated Fat 40g	Cholesterol 185 mg
Carbohydrate 263g Saturated Fat 15g	Polyunsaturated Fat 22g	Dietary Fiber 37 g
	Servings:	

Tuesday Sample Menu

Breakfast	
2	528 Calories
Servings:	1 ½ Dairy
	1 Protein rich
	2 Grain
	ı Oil
Lunch	
	466 Calories
na) Servings: 1 G	raín
	1 Oil
nch)	1 Protein rich
	1 Fruit
nber 1 tbsp)	
m and Vítamín D)	
Dinner	
	505 Calories
Servings:	2 Protein rich
	1 ½ Vegetable
	1 Oil
do tossed in oil and vinegar)	
aíly Snacks/Desserts	
	516 Calories
Servings:	
	½ Grain
	1 Dairy
1 <i>5 Total Daily Calories</i>	
Monounsaturated Fat 41g	Cholesterol 128 mg
rg Polyunsaturated Fat 20g	Dietary Fiber 35 g
<i>J</i> • <i>J</i>	- 5, 7, 5
	Servings: Lunch na) Servings: 1 (2) nch) mber 1 tbsp) m and Vitamin D) Dinner Servings: do tossed in oil and vinegar) aily Snacks/Desserts Servings: 15 Total Daily Calories Monounsaturated Fat +1g

Wednesday Sample Menu

Vegetables 1

Whole grains 5

Fruits 2

<i>D</i>	reakfast	
		350 Calorie
Peanut Butter Smoothie (1 cup)	Servings:	e e e e e e e e e e e e e e e e e e e
(see recipe book)		1 Protein rich
Flax Seed (2 tbsp)		1 Fruit
Lu	unch	
		162 Calorie
Spínach Salad (2 cups)	Servings:	1 Protein rich
(with mushrooms-tossed in oil & vinegar)		1 Vegetable
Walnuts (2 tbsp)		2 Oil
Feta Cheese (3 tsp)		
<i>D</i>	linner	
		1222 Calories
Spaghettí (2 cups)	Servings	: 4 Oil
Sauce (prepared with 2 thsp of olive c	oil)	1 Vegetable
Turkey Meatballs (5, 1inch round)		2 Protein Rich
Parmesan Cheese (1 tbsp grated)		5 Grain
Whole Wheat Roll (1 small)		
Spread (garlic-1 ½ cloves, tomato- 2 g	grape crushed, olive oil-2 tbsp	o)
,	packs/Desserts	
· ·		325 Calorie
Apple (1 medium)	Servings	: 1 Fruit
Non-Fat Milk (1 cup)		1 Dairy
2059 Tot	tal Daily Calories	
P F 107 -	Management	Chalanter 1100
	Monounsaturated Fat 45 g	Cholesterol 108mg Dietary Fiber 27 g
Carbohydrate 260 g Saturated Fat 15g	Polyunsaturated Fat 23 g	Dietary Iber 2/ g
S	ervings:	

Protein-rich foods 4

Dairy 1 1/2

Oils 4

Thursday Sample Menu

	Breakfast		
			299 Calories
Bran Flakes Cereal (1 cup)	Se	rvings:	1 Dairy
Flax Seed (2 tsp)		Ü	1 Grain
Strawberries (1 cup)			1 Fruit
Non-Fat Milk (1 cup)			•
,	Lunch		
			425 Calories
Sandwich (1 serving)	Ser	vings:	4 Protein rich
Whole Wheat Pita (Ilarge round)			2 Grain
Deli Style Turkey (4 thin slices)			1 Vegetable
Feta Cheese (2 tsp crumbled)			1 Oil
Hummus (2 tbsp)			
Artichoke Hearts (4 marinated in oil mi	xture)		
Black Olives (1 ½ tbsp)			
Olive Oil (1 tsp)			
Pasta Salad & Vegetables (1 cup all togeth	her)		
(made with Italian dressing, using vind	egar and olive oil)		
	Dinner		
			990 Calorie
Chicken Breast (20z-cubed for skewers)	Sel	rvings:	1 Grain
Cooked Mixed Vegetables (1 cup tossed in oli	ve oil)		2 Protein rich
Roasted Potatoes (9 very small new potato's	with rosemary)		3 Vegetables
Tzatziki-yogurt and cucumber (3 tbsp)			30il
Daily S	Snacks/Desserts		
•			288 Calories
Low Fat Yogurt (1 container or 6 oz)	Se	rvings:	1 Fruit
Peach (1 medium)			1 Protein rich
Pistachio Nuts (15 with shells)			2 Dairy
Non-Fat Milk (1 cup)			2 3
,	otal Daíly Caloríes		
Protein 81g Fat 93 g	Monounsaturated Fat 4	_	Cholesterol 81mg
Carbohydrate 232g Saturated Fat 12g	Polyunsaturated Fat 42	g	Dietary Fiber 43 g
	Servings:		

Friday Sample Menu

	3 <i>reakfast</i>	
		335 Calories
Non-Fat Milk (1 cup)	Servings:	1 Dairy
Oatmeal (1 cup-prepared with water)		1 Fruit
Banana (1 medium)		1 Grain
	unch	
		709 Calories
Brown Rice (1 ½ cup)	Servings:	2 Protein rich
Spinach with Lemon Dressing (2 cups)		1 Vegetable
(see recipe book)		3 Grain
Chicken Breast (2 oz)		
L	Dinner	
		564 Calories
Salmon (2 oz)	Servings:	2 Protein Rich
Orzo Pasta (1 cup with 1 thsp olive oil)	- 0	2 Grain
Greek Salad (1 cup all together tossed in o	live oil)	1 Vegetable
(spinach, lettuce, feta cheese, tomato		2 Oil
	,	
Daíly S	onacks/Desserts	
		564 Calories
Yogurt (1 container or 4 oz)	Servings:	1 Grain
Walnuts (¼ cup)	- 0	1 Dairy
Mixed Fresh Fruit (1 cup)		1 Fruit
Granola Bar (1 bar)		
Low fat Milk (1 cup)		
		
2032 / 6	otal Daily Calories	
Protein 90 g Fat 81 g	Monounsaturated Fat 39 g	Cholesterol 104 mg
Carbohydrate 252 g Saturated Fat 14 g	Polyunsaturated Fat 24 g	Dietary Fiber 33 g
	Dervings:	
Fruits 3 Vegetables 2 Whole grains 7	Protein-rich foods 4 Da	airy 2 Oils 2

Saturday Sample Menu

	Breakfast		
			537 Calorie
Orange Juice (1 cup fortified with calcium and	d vitamin D)	Servings:	1 Fruit
Whole wheat bread (2 medium slice)			2 Grain
Margarine (2 tbsp)			1 Protein Rich
Boiled Egg (1 large)			2 Oil
	Lunch		
			344 Calorie
Chicken, Mango, Cranberry salad with Cr	ackers	Servings:	1 Grain
(see recipe book)			1 Protein Rich
,			½ Vegetable
	Dinner		
	<i></i>		658 Calorie
Whole Wheat Spaghetti Noodles (1 cup)		Servings:	ı Oil
Spinach, Mushroom and Goat Che	eese sauce	<u> </u>	2 Protein rich
(see recipe book)			1 Vegetable
			2 Grain
Dailu S	Gnacks/Desserts	5	
			472 Calorie
Low fat Yogurt (6 oz container)		Servings:	1 Dairy
Walnuts (2 tbsp)			2 Fruit
Bran Flakes (½ cup)			1½ Grain
Apricot (1 medium)			3 Protein rich
Hummus (2 tbsp)			,
Whole Wheat Pita Chips (10 chips)			
, ,	otal Daíly Calor	ries	
Protein 85 g Fat 74 g	Monounsaturate	ed Fat 41 g	Cholesterol 300 mg
Carbohydrate 240 g Saturated Fat 10 g	Polyunsaturated	dFat21 g	Dietary Fiber 29 g
	Servings:		

Sunday Sample Menu

Brunch		
		747 Calories
Whole Wheat Pancake (3 circle pancakes, 5 inch round)	Servings:	3 Grain
(prepared with water)		1 Fruit
Margarine (1 tbsp)		1 Dairy
Honey or Reduced Calorie / Sugar Free Syrup (4 tb.	sp)	1 Oil
Strawberries (1 cup)	,	
Yogurt (1 container or 6 oz)		
		402 Calories
Caesar Salad (1 cup)	Servings:	1 Oil
(romaine lettuce, croutons, and parmesan cheese)		½ Vegetable
Homemade Cesar Dressing		
(see recipe book)		
Dínner		
		604 Calories
Moussaka	Servings:	2 Protein Rich
(see recipe book)		1 Vegetable
		1 Oil
Daily Snacks/Desse	erts	
		311 Calories
Peanut Butter and Banana Smoothie	Servings:	2 Fruit
(see recipe book)		1 Protein Rich
Bran Flakes (1 cup)		2 Grain
Non-Fat Milk (1 cup)		1 ½ Dairy
Banana (1 medium)		
2065 Total Daily Can	loríes	
Protein 80 g Fat 84 g Monounsatur	rated Fat 44 g	Cholesterol 276 mg
Carbohydrate 267 g Saturated Fat 15 g Polyunsatura	0	Dietary Fiber 36 g
Servings:		

Convenient Options for Meals on the Go

As you embark on your journey towards a healthier lifestyle it is important to be prepared for the occasional obstacle or bump on the road. Although eating fresh, home prepared meals is always best, below are some convenient options and healthy hints that can fit into your healthy plan for those days when you are on-the-go.

Frozen Meal Options

Frozen meals can be healthy and convenient. When choosing frozen meals, keep these suggestion in mind:

Lunch meals should contain around 400 calories and 16 g of fat Dinner meals should contain around 500 calories and 20 g of fat Always choose low sodium meals options

and Garlic Dill New Potatoes

Fast Food Options

Arby's				
	Meal	Calories	Fat	Saturated Fat
				Fat
Roast Turkey & Swiss Sandwich (1/2 sandwich)	L&D	340	11g	4g
Boston Market			<u> </u>	
	Meal	Calories	Fat	Saturated Fat
				Fat
Qtr. White Rotisserie Chicken(half order) with Fresh Steamed Veggies	L&D	360	11g	3g

Burger King

	Meal	Calories	Fat	Saturated
				Fat
BK VEGGIE Burger (no cheese)	Donly	410	15g	2.5g
BK BIG FISH Sandwich	Donly	640	31g	5g
Spicy CHICK'N CRISP Sandwich	L&D	300	12g	2.5g

Domino's

	Meal	Calories	Fat	Saturated
				Fat
Hand-tossed Chicken and Veggie Pizza (per slice, small)	L&D	210	9g	3g
Hand-tossed Pepperoni Pizza (per slice, small)	L&D	238	9g	3.5g

KFC

	Meal	Calories	Fat	Saturated
				Fat
KFC Snacker with Crispy Strip	L&D	290	11g	2.5g
Grilled Chicken Breast (1/2 order) with Green Beans and Mashed	L&D	240	8g	2g

Potatoes with Gravy				
McDonald's				
	Meal	Calories	Fat	Saturated
				Fat
Filet-O-Fish	L&D	380	18g	3.5g
McChicken	L&D	360	16g	3g
Pollo Tropical	L	-		<u> </u>
,	Meal	Calories	Fat	Saturated
				Fat
Qtr Chicken, white meat no skin, with rice and beans (1/2 order)	L&D	350	9g	3g
Regular Chicken TROPICHOP with rice and beans (1/2 order)	L&D	265	5g	1g
Regular Chicken TROPICHOP with rice and vegetables s (1/2 order)	L&D	165	2.5g	.5g
Regular Pork TROPICHOP with rice and beans (1/2 order)	L&D	340	11g	4g
Regular Pork TROPICHOP with rice and vegetables (1/2 order)	L&D	245	9g	3g
Subway	•	<u> </u>	l .	1
	Meal	Calories	Fat	Saturated
				Fat
Meatball Marínara (6")	Donly	582	23g	9g
Cold Cut Combo (6")	Donly	440	15g	5g
Taco Bell – Fresco Menu	•	1		•
	Meal	Calories	Fat	Saturated
				Fat
Fresco Crunch Taco	L&D	150	7g	2.5g
Fresco Soft Taco ~ Beef	L&D	180	7g	2.5g
Fresco Bean Burrito	L&D	350	8g	2.5g
Fresco Burrito Supreme – Steak	L&D	340	8g	2.5g
Wendy's		- I	'	
	Meal	Calories	Fat	Saturated
				Fat
Small Chili with side Caesar Salad	L&D	260	6g	4g
Crispy Chicken Sandwich	L&D	367	18g	3.5g

Aioli	
Basic Bruschetta	Page 2
Black Beans	
Caesar Dressing	
Caprese Salad	Page 4
Chicken Fricassee	Page 29
Chicken Mango and with Multigrain Crackers	
Chicken with Rice	Page 30
Classic Tomato Sauce	
Fried Chicken	
Fried Chicken Chunks	Page 32
Fried Plantains	Page 33
Galícían Bean Stew	Page 34
Homemade Pizza	Page 10
Lasagna	Page 11
Lentil Soup	Page 12
Mínestrone	Page 13
Moussaka	
Peanut Butter and Banana Smoothie	Page 18
Pesto	Page 19
Picadillo	
Polenta	Page 20
Ropa Vieja	
Spinach, Mushroom, and Feta Cheese Sauce	
Spinach with Lemon Dressing	
Turkey Meatballs	
Turkey Sandwich	
Tzatziki	

1. Aioli

Yields 16 servings

Ingredients

3 cloves garlic - peeled1 cup extra virgin olive oil1 pinch salt

1 of 16
240
27g
<1g
<1g
Omg
4g
20g
3g
<1g

- Peel the garlic cloves and cut them in half lengthwise to check if they have greenish shoots. If you see sprouts, cut them off, and discard them.
 - o Garlic sprouts make it more difficult to bind the aioli, and they make it much too hot as well.
 - o If you are sure that the garlic is very fresh, just peel the cloves, and you can begin to mash them in the mortar without cutting them in half.
- 2. Drop the garlic cloves in your mortar, add a pinch of salt, and start pounding with the pestle.
- 3. Pound and mash the garlic and the salt with the pestle until you obtain a very fine and smooth paste. This step is essential for binding garlic and olive oil properly with mortar and pestle. If your garlic paste is not smooth and fine enough, the aioli will tend to break much easier.
- 4. Now, while you stir the mixture with the pestle in one hand, start adding the olive oil very slowly, almost drop by drop, with the oil dispenser that you hold in the other hand.
- 5. Stir constantly and always in the same direction, in circular movements, until you obtain a thick paste.

2. Basic Bruschetta

Yields 4 servings

Ingredients

Italian or French bread – in thick slices
Extra virgin olive oil
Medium-sized ripe tomatoes
Salt

Preparation

Time: 15 minutes.

Serving size	1 of 4
Calories	405
Fat	1 <i>5</i> g
Carbohydrate	56g
Protein	12g
Cholesterol	Omg
Saturated	2g
Monounsaturated	10g
Polyunsaturated	2g
Fiber	3g

- 1. Cut 4 thick slices of bread and toast both sides of the slices in a toaster, under a broiler, or grill them on a barbecue.
- 2. Place the toasts on a platter without stacking them. Cut a tomato in half crosswise. Cup a tomato half in your hand and rub the cut side of the tomato on the toasts. First you do one side, turn the toast over, and rub the tomato on the other side of the toast. Rub all toasts with the tomato halves.
 - o Don't worry when tomato seeds and a little bit of flesh stick to the bread, it's part of the Catalan bruschetta recipe.
- 3. With an olive oil cruet or dispenser, if you have one, drizzle olive oil on both sides of the slices liberally. Finally, sprinkle some salt over the slices of bread to taste. The basic Catalan recipe for bruschetta is ready.

3. Caesar dressing

Yields 4 servings

Ingredients

2 anchovy fillets, rinsed and finely chopped (optional)

2 large garlic cloves, finely chopped

1 large egg

2 thsp freshly squeezed lemon juice

1 dash Worcestershire sauce

2 tbsp olive oil

2 tbsp canola oil

1 tbsp Parmesan cheese

Servings	1 of 4
Calories	155
Fat	16g
Carbohydrate	1 g
Protein	3g
Cholesterol	56mg
Saturated	2g
Monounsaturated	10g
Polyunsaturated	3g
Fiber	<1g

- Place anchovies and garlic on a cutting board and make a paste by dragging the side of a chef's knife across them at a 15-degree angle about 10 times or until a smooth paste forms. Place in a medium bowl.
- 2. Whisk the whole egg, egg yolk, lemon juice, and Worcestershire into the anchovy mixture until smooth. Slowly add the oil, whisking constantly until the vinaigrette is emulsified. Season with salt and pepper to taste.
- 3. Sprinkle Parmesan cheese to salad up to 1 tbsp.

4. Caprese Salad

Yields 5 servings

Ingredients

4 large tomatoes

3 thsp extra virgin olive oil

1 1/2 tbsp balsamic vinegar

1 package fresh buffalo mozzarella

cheese

16 basil leaves

Salt and pepper

Serving size	1 of 5
Calories	182
Fat	16g
Carbohydrate	4g
Protein	6g
Cholesterol	11mg
Saturated	4g
Monounsaturated	9g
Polyunsaturated	2g
Fiber	1g

- 1. Slice tomatoes and mozzarella
- 2. Arrange on a plate separating the tomato with slices of mozzarella
- 3. Add salt and pepper to taste
- 4. Tear basil leaves and scatter on top of tomato and mozzarella
- 5. Combine oil and vinegar and drizzle over salad

5. Chicken, Mango, and Cranberry Salad w/ Multigrain Crackers

Yields 2 servings

Ingredients

4 oz diced chicken, cooked

- 3 thsp balsamic dressing (olive oil and balsamic vinegar)
- 2 cups chopped salad greens
- 2 slices dried mango, diced
- 0.5 oz dried cranberries

Three large (around 4") pieces of multigrain crackers (can use 3 rice cakes instead)

Serving size	1 of 2
Calories	344
Fat	17g
Carbohydrate	29g
Protein	21g
Cholesterol	48mg
Saturated	27g
Monounsaturated	11g
Polyunsaturated	2g
Fiber	4g

Preparation

1. Toss all ingredients and serve with crackers

6. Classic Tomato Sauce

Yields 3 servings

Ingredients

3 to 4 thsp olive oil
2 medium size onions (7 oz or 200 g) peeled and finely chopped
5 medium-sized ripe tomatoes (1 lb or
450 g) - peeled and chopped. Seeding
is optional

1 of 3
228
16g
3g
Omg
18g
3g
13g
2g
4g

2 cloves garlic - peeled and minced

The leaves of 1 small sprig flat Italian parsley - minced

Preparation

(Time: 10 to 15 minutes. Cooking time: 45 minutes. Faster version: 15 to 25 minutes.)

- 1. Put the tomatoes in a bowl and pour some boiling water over them. Set them aside for 5 minutes. Peel the tomatoes (canned whole tomatoes are fine)
- 2. If you do seed the tomatoes, remember to put the seeds in a small bowl so that you can later drain them and use the juice. So now seed and chop the tomatoes.
- 3. Peel and finely chop the onion. Peel and mince the garlic.
- 4. Finely chop the Italian parsley leaves.
- 5. Add the olive oil to pan. When the olive oil is hot, turn the heat to low and add the onions. Cook the onions uncovered for 15 minutes or until they turn golden and begin to caramelize. Stir often with a wooden spoon.

Classic Tomato Sauce (continued)

- 6. 10-15 minutes into cooking the onions, add the minced garlic and parsley. Stir for 1 to 2 minutes and add the chopped tomato with all its juices.
- 7. Cover and bring the tomato sauce to a gentle boil. Make sure that the heat is set to low and cook for about 30 minutes stirring occasionally or until the homemade tomato sauce obtains a thicker jam-like texture.
 - o As with the onion, you can increase the cooking time, until the tomatoes caramelize completely. But then you'll have to add some water.

Faster version of this tomato sauce recipe

- 1. Put the tomatoes in a bowl and pour some boiling water over them. Set them aside for 5 minutes. Peel and chop the tomatoes.
- 2. Peel and finely chop the onion. Peel and mince the garlic.
- 3. Finely chop the parsley leaves.
- 4. Add the olive oil to pan. When the olive oil is hot, turn the heat to medium-low and add the onions. Cook the onions uncovered for 5 to 10 minutes. Stir constantly with a wooden spoon. Sprinkle some water over the onion if you are afraid that it burns.
- 5. Add the minced garlic and parsley. Stir for 1 minute and add the chopped tomato.
- 6. Cover and bring the tomato sauce to a gentle boil. Cook for 10 to 15 minutes.

7. Fried Chicken

Yields 3 servings

Ingredients

2 whole chicken breasts

2 thsp olive oil

2 sprigs rosemary

4 small sprigs thyme

Dried ginger root - grated. Or use 3/4

tsp of ground ginger

6 leave fresh marjoram - chopped. Or

use 1/2 tsp of dried marjoram

Sweet ground red pepper

1/2 tsp ground turmeric

Salt

4 lime slices - Replace with 2 lemon slices if you don't have limes

A short dash of light (reduced sodium) soy sauce

Preparation

Time: 5 minutes.

Cooking time: 30 minutes.

- Sprinkle some freshly grated ginger on both sides of the chicken breasts.
 Scatter the marjoram, a few pinches of red sweet pepper, the turmeric and salt to taste on both sides of the chicken pieces.
- 2. Heat 2 thsp of olive oil in a skillet or frying pan. Add the rosemary and thyme sprigs.
- 3. When the olive oil is hot, add the chicken and brown each side uncovered for 5 minutes over low-medium heat. You should begin to see a nice crust.
- 4. Place 2 lime slices on top of each chicken piece and squeeze a little bit of lime juice over them too. If you use lemon use only 1 slice for each chicken breast.

Serving size	1 of 3
Calories	189
Carbohydrate	3g
Protein	18g
Cholesterol	49mg
Fat	12g
Saturated	2g
Monounsaturated	8g
Polyunsaturated	2g
Fiber	1g

Fried Chicken (continued)

- 5. Pour a short dash of soy sauce over the chicken breasts. Turn down the heat a little bit and cover.
- 6. Cook each side for 10 minutes. It's advisable to turn over the fried chicken pieces twice during the cooking time.
- Garnish this simple chicken recipe with crispy lettuce salad seasoned with olive oil and salt.

8. Homemade Pízza

Yields 2 servings

Ingredients for the dough

Store bought pizza dough, whole wheat

1/2 tsp salt

1/2 cup extra virgin olive oil

Ingredients for the homemade pizza toppings

- 2 large red bell peppers
- 2 medium-sized eggplants
- 2 medium size onions
- 2 small ripe tomatoes
- Extra virgin olive oil
- Low fat turkey sausage

Cooking time: 30 minutes. Preparation time: 90 minutes.

Rising time: 3 hours.

- 1. Preheat the oven to 200° , and roast the whole vegetables.
- 2. When the vegetables are well roasted, peel them.
- 3. Cut the peppers, and eggplants into long strips, and the onion into rings or strips. Finely chop the tomatoes.
- 4. Stretch dough with a rolling pin. Give it an oval.
- 5. Oil a cookie sheet, and sprinkle some flour on it. Place the oval shaped flour on it.
- 6. First spread the onion over the whole homemade pizza dough. Second, distribute the tomato. Third, distribute the pepper strips. Fourth, place the eggplant strips in between the pepper strips. Finally, place the sausage.
- 7. Drizzle olive oil liberally over the whole homemade pizza toppings. Use a cruet or olive oil dispenser if you have one. Bake for 30 minutes

Serving size	1 of 2
Calories	668
Carbohydrate	101g
Protein	22g
Cholesterol	Omg
Fat	24g
Saturated	3g
Monounsaturated	14g
Polyunsaturated	5g
Fiber	28g

9. Lasagna

Yields 10 servings

Ingredients

1 lb lean ground turkey or chicken breast

32 oz tomato sauce (see #3)

32 oz low fat cottage cheese

3 cups shredded mozzarella cheese

2 eggs

1/2 cup grated Parmesan cheese

2 tsp dried parsley

salt to taste

ground black pepper to taste

9 lasagna noodles

½ cup water

Serving size	1 of 10
Calories	434
Carbohydrate	35g
Protein	35g
Cholesterol	104mg
Fat	18g
Saturated	7g
Monounsaturated	5g
Polyunsaturated	3g
Fiber	3g

- In a large skillet over medium heat brown the ground turkey. Drain the grease.
 Add tomato sauce and simmer for 5 minutes.
- 2. In a large bowl, mix together the cottage cheese, 2 cups of the mozzarella cheese, eggs, half of the grated Parmesan cheese, dried parsley, salt and ground black pepper.
- 3. To assemble, in the bottom of a 9x13 inch baking dish evenly spread ¾ cup of the sauce mixture. Cover with 3 uncooked lasagna noodles, 1 ¾ cups of the cheese mixture, and ¼ cup sauce. Repeat layers twice. Top with 3 noodles, remaining sauce, remaining mozzarella and Parmesan cheese. Add ½ cup water to the edges of the pan. Cover with aluminum foil.
- 4. Bake in a preheated 350° oven for 45 minutes. Uncover and bake an additional 10 minutes. Let stand 10 minutes before serving.

10. Lentil Soup (Mediterranean Style)

Yields 3 servings

Ingredients

1 cup red Lentils

2 thsp salt

1/2 cup of chopped white onion

2 garlic cloves, minced

2 thsp olive oil

1 tsp of cumin

Turkey sausage (lean), chopped

Serving size	1 of 3
Calories	334
Carbohydrate	47g
Protein	18g
Cholesterol	Omg
Fat	10g
Saturated	1g
Monounsaturated	7g
Polyunsaturated	1 g
Fiber	12g

Preparation

- In a 4qt pot, sauté the chopped onions and turkey sausage and garlic over medium heat
- 2. Add lentils and stir gently
- 3. Add 4 cups of water
- 4. Set the stove to high, once boiling reduce to medium or medium-low.
- 5. After 15 minutes or so reduce heat again so lentils do not get too mushy.
- 6. Once lentil is no longer hard you then add the cumin and salt.
- 7. After 5 minutes, stir and serve.

Add lemon to soup for extra flavor!

11. Minestrone

Yields 4 servings

Ingredients

1 1/2 thsp olive oil

1/2 cup minced white onion (about 1 small onion)

1/4 cup chopped zucchini

14 cup frozen cut Italian green beans

1/2 stalk minced celery

2 tsp minced garlic (about 4 cloves)

2 cups vegetable broth (Swanson is good *note: Do not use chicken broth!*)

2 (7 ½ oz) cans red kidney beans, drained

2 (7 $\frac{1}{2}$ oz) small cans white beans or 2 (7 $\frac{1}{2}$ oz) cans great northern beans, drained

1 (7 oz) can diced tomatoes

1/4 cup carrot, julienned or shredded

1 thsp minced fresh parsley

3/4 tsp dried oregano

34 tsp salt

14 tsp ground black pepper

1/4 tsp dried basil

Pinch of dried thyme

1 ½ cups hot water

2 cups fresh baby spinach

1/4 cup small shell pasta

- 1. Heat three thsp of olive oil over medium heat in a large soup pot.
- 2. Sauté onion, celery, garlic, green beans, and zucchini in the oil for 5 minutes or until onions begin to turn translucent.

Serving size	1 of 4
Calories	421
Carbohydrate	72 g
Protein	24 g
Cholesterol	0 mg
Fat	6 g
Saturated	1 g
Monounsaturated	4 g
Polyunsaturated	2 g
Fiber	17 g

Minestrone (continued)

- 3. Add vegetable broth to pot, plus drained tomatoes, beans, carrot, hot water, and spices.
- 4. Bring soup to a boil, then reduce heat and allow simmering for 20 minutes.
- 5. Add spinach leaves and pasta and cook for an additional 20 minutes or until desired consistency.

12. Moussaka

Yields 10 servings

Prep Time: 2 hours; Cook Time: 45 minutes

Ingredients

3 eggplants, about 4 lbs. total

1 large potato

1 ½ lbs. ground turkey (lean)

2 large onions, finely diced

2 cloves garlic, minced

1/2 cup red wine (optional)

1/4 cup chopped fresh parsley

1 tsp ground cinnamon

1/4 tsp ground allspice (optional)

1 cup tomato puree (or crushed tomatoes)

2 thsp tomato paste

1 tsp sugar

Salt and pepper to taste

2 cups plain breadcrumbs

4 eggs, lightly beaten

1 cup grated Parmesan cheese

Béchamel Sauce

1 cup margarine

1 cup whole wheat flour

4 cups low fat milk, warmed

4 eggs, lightly beaten

Pinch of ground nutmeg

Serving size	1 of 10
Calories	601
Carbohydrate	51g
Protein	33g
Cholesterol	146mg
Fat	30g
Saturated	13g
Monounsaturated	10g
Polyunsaturated	5g
Fiber	9g

Moussaka (continued)

Preparation

Prep the Vegetables

- Using a sharp peeler, partially peel the eggplants, leaving strips of peel about
 inch wide around the eggplant
- 2. Slice the eggplant into 1/2 inch slices
- 3. Place the eggplant slices in a colander and salt them liberally
- 4. Cover them with an inverted plate that is weighted down by a heavy can or jar
- 5. Place the colander in the sink so that excess moisture can be drawn out. They will need to sit for at least 15-20 minutes, preferably an hour. The salt also will help remove some of the bitterness of the eggplant
- 6. Peel the potatoes and boil them whole until they are done: not too soft but enough to remove crunch
- 7. Drain, cool, and slice them in 1/4 inch slices. Set aside
- 8. Preheat oven to 400 ° Fahrenheit
- 9. Line two baking sheets with aluminum foil and lightly grease
- 10. Add a splash of water to the egg whites and beat them lightly with a fork
- 11. Add breadcrumbs to a flat plate
- 12. Rinse the eggplant slices and dry with paper towels
- 13. Dip the eggplant slices in the beaten eggs and then dredge them in the breadcrumbs, coating both sides
- 14. Place breaded eggplant slices on baking sheets and bake at 400° for ½ hour, turning them over once during cooking
- 15. When eggplant is finished cooking, lower the oven temperature to 350°

Make the Meat Filling

- 1. In a large sauté pan, brown the ground turkey until the pink color disappears
- 2. Add onion and sauté until translucent, about 1 minute

Moussaka (continued)

- 3. Add garlic and cook until fragrant, about 1 minute
- 4. Add wine to pan and allow it to simmer and reduce a bit before adding cinnamon, allspice, parsley, tomato paste, crushed tomatoes, and sugar
- 5. Allow the sauce to simmer uncovered for approximately 15 minutes so that excess liquid can evaporate. It should be a drier, chunkier tomato sauce.
- 6. Season to taste with salt and pepper

Make the béchamel sauce

- 1. Melt margarine over low heat
- Using a whisk, add flour to melted margarine whisking continuously to make smooth paste. Allow flour to cook for a minute but do not allow it to brown
- 3. Add warmed milk to mixture in a steady stream, whisking it continuously
- 4. Simmer over low heat until it thickens a bit but does not boil
- 5. Remove from heat, and stir in beaten eggs and a pinch of nutmeg
- 6. Return to heat and stir until sauce thickens

Assemble the Moussaka

- 1. Lightly grease/spray a large deep baking pan (lasagna pan)
- 2. Sprinkle the bottom of pan with breadcrumbs.
- 3. Leaving a ¼ inch space around the edges of pan, place a layer of potatoes on the bottom. Top with a layer of eggplant slices
- 4. Add meat sauce on top of eggplant layer and sprinkle with 1/4 of the grated cheese
- 5. Pour the béchamel sauce over the eggplant and be sure to allow sauce to fill the sides and corners of the pan.
- 6. Smooth the béchamel on top with a spatula and sprinkle with remaining grated cheese
- 7. Bake in 350 oven for 45 minutes or until béchamel sauce is a nice golden brown color
- 8. Allow to cool for 15-20 minutes before slicing and serving

13. Peanut Butter and Banana Smoothie

Yields 1 serving

Ingredients

Low or Non fat milk - 1/2 cup

Ice cubes - 2

Banana - 1 medium (cut)

Natural Peanut Butter - 1 tbsp

Agave - 2 tsp (If you don't have agave, you can use honey/sugar)

Cereal (optional) - 1/4 cup

Serving size	1 of 1
Calories	291
Carbohydrate	57g
Protein	9g
Cholesterol	2mg
Fat	5g
Saturated	1g
Monounsaturated	2g
Polyunsaturated	1g
Fiber	4 g

Directions

- 1. Pour milk in blender
- 2. Addice cubes
- 3. Add banana
- 4. Add peanut butter and cereal (optional)
- 5. Blend
- 6. Add sweetener
- 7. Pour and serve

14. Pesto

Yields 10 servings

Ingredients

3 large sprigs basil - about 12 leaves

2 thsp freshly grated Romano cheese

2 tbsp freshly grated Parmesan cheese

1 thsp pine nuts

2 cloves garlic - peeled

1 pinch salt - coarse salt is best

1 cup extra virgin olive oil

Serving size	1 of 10
Calories	209
Carbohydrate	<1g
Protein	1g
Cholesterol	2mg
Fat	23g
Saturated	3g
Monounsaturated	16g
Polyunsaturated	3g
Fiber	<1g

- 1. First add the basil leaves and salt to a mortar and start grinding them by rotating the pestle against its walls. Do not pound the ingredients, but crush them against the walls of the mortar with circular movements of the wooden pestle.
- 2. Second, add the pine nuts and continue grinding them as above.
- 3. Third, add the garlic cloves and grind
 - o If you use a blender or food processor grind the ingredients together, but don't process them into a cream.
- 4. Now start adding the two different cheeses slowly and alternatively. Continue grinding the paste until you obtain a thick smooth paste.
- 5. At this point, add the olive oil and mix it well with the pestle until you obtain a dense paste.

15. Polenta

Yields 6 servings

Ingredients

2 tbsp olive oil, plus extra for grilling or sautéing if desired 34 cup finely chopped red onion

2 cloves garlic, finely minced

1 quart low fat chicken stock or broth

1 cup coarse ground cornmeal

3 thsp unsalted margarine

1 1/2 tsp kosher salt

14 tsp freshly ground black pepper

2 oz Parmesan, grated

Serving size	1 of 6
Calories	233
Carbohydrate	24g
Protein	6g
Cholesterol	9mg
Fat	12g
Saturated	4g
Monounsaturated	6g
Polyunsaturated	2g
Fiber	1g

- 1. Preheat oven to 350 °F.
- 2. In a large, saucepan heat the olive oil over medium heat. Add the red onion and salt and sweat until the onions begin to turn translucent, approximately 4 to 5 minutes.
- 3. Reduce the heat to low, add the garlic and sauté for 1 to 2 minutes, making sure the garlic does not burn.
- 4. Turn the heat up to high, add the chicken stock, and bring to a boil.
- 5. Gradually add the cornmeal while continually whisking. Once you have added all of the cornmeal cover the pot and place it in the oven. Make sure to use an oven-safe pan.
- 6. Cook for 35 to 40 minutes, stirring every 10 minutes to prevent lumps.
- 7. Once the mixture is creamy, remove from the oven and add the margarine, salt, and pepper.
- 8. Once they are incorporated, gradually add the Parmesan.

16. Spinach, Mushrooms, and Goat Cheese sauce

Yields 4 servings

Ingredients

1 1/2 cups boiling water

1 cup dried porcini mushrooms (about 1

2 (3 ½ -oz) packages shiitake mushrooms Cooking spray

1 (8-oz) package pre-sliced button mushrooms

1/2 tsp salt, divided

1/4 tsp dried thyme

1/4 tsp black pepper, divided

1/4 cup dry white wine

1 thsp margarine

2 thsp all-purpose flour

1 1/2 cups fat-free milk

1/2 cup (2 oz) low fat crumbled goat cheese

1/4 cup (1 oz) grated fresh Parmesan cheese, divided

6 no-boil lasagna noodles (such as Barilla or Vigo)

1 (10-oz) package frozen chopped spinach, thawed, drained, and squeezed dry

2 cups chopped plum tomato

3/4 cup (3 oz) shredded part-skim mozzarella cheese

Preparation

Preheat oven to 375°.

Combine the water and porcini in a medium bowl; cover and let stand for 15 minutes.

Serving	1 of 4
Calories	400
Carbohydrate	41g
Proteín	23g
Cholesterol	35mg
Fat	17g
Saturated	8g
Monounsaturated	6g
Polyunsaturated	2g
Fiber	6g

Spinach, Mushrooms, and Goat Cheese sauce (continued)

- 2. Drain in a sieve over a bowl, reserving 1 cup soaking liquid.
- 3. Bring the soaking liquid to a boil in small saucepan; reduce heat to medium, and cook until reduced to ¼ cup (about 5 minutes).
- 4. Remove the stems from shiitakes; discard stems.
- 5. Slice shiitake caps.
- 6. Heat a large nonstick skillet coated with cooking spray over medium-high heat.
- 7. Add porcini, shiitake, and button mushrooms, ¼ tsp salt, thyme, and 1/8 tsp pepper; sauté 12 minutes or until softened. Add wine; cook 2 minutes or until liquid almost evaporates.
- 8. Melt the margarine in a medium saucepan over medium heat.
- 9. Add the flour, and cook for 30 seconds, stirring constantly with a whisk.
- 10. Gradually add 1/4 cup porcini mushroom liquid and milk, stirring with a whisk until blended.
- 11. Cook until mixture thickens (about 4 minutes).
- 12. Remove from heat.
- 13. Add the goat cheese, 2 tbsp Parmesan, 1/4 tsp salt, and 1/8 tsp pepper, and stir until cheese melts.
- 14. Spread ½ cup cheese sauce in bottom of an 8-inch square baking dish coated with cooking spray.
- 15. Arrange 2 noodles over cheese sauce, and top with half of mushroom mixture, half of spinach, ¾ cup tomato, ½ cup cheese sauce, and ¼ cup mozzarella.
- 16. Repeat layers, ending with noodles.
- 17. Spread remaining cheese sauce over noodles.
- 18. Sprinkle with 1/4 cup mozzarella, 1/2 cup tomato, and 2 thsp Parmesan.
- 19. Cover and bake at 375° for 25 minutes.
- 20. Uncover and bake an additional 25 minutes.
- 21. et stand 5 minutes.

17. Spinach with Lemon Dressing (Horta)

Yields 8 serving

Ingredients

1 1/2 lbs fresh spinach

2 thsp olive oil or vegetable oil

1 thsp lemon juice

1/4 tsp salt

Freshly-ground black pepper

Serving size	1 of 8
Calories	355
Carbohydrate	19g
Protein	14g
Cholesterol	Omg
Fat	29g
Saturated	4g
Monounsaturated	20g
Polyunsaturated	4g
Fiber	11g

- 1. Wash spinach very thoroughly to remove all of the grit and remove stems; drain.
- 2. Place spinach leaves and just the water that clings to them in Dutch oven.
- 3. Cover and cook until tender, 7 to 8 minutes; drain thoroughly.
- 4. Shake oil, lemon juice and salt in tightly covered jar; toss with spinach.
- 5. Sprinkle with pepper.

18. Turkey Meatballs

Yields 5 servings

Ingredients

2 thsp olive oil

1 (20 oz) package ground turkey (lean)

1 egg, beaten

1/3 cup Italian seasoned bread crumbs

Serving size	1 of 5
Calories	237
Carbohydrate	<i>5</i> g
Protein	26g
Cholesterol	74mg
Fat	12g
Saturated	3g
Monounsaturated	6g
Polyunsaturated	2g
Fiber	<1g

- 1. Preheat the oven to 350 ° F (175 °.

 Grease a 9x13 inch baking dish with the olive oil, and place it in the oven while preheating.
- 2. In a medium bowl, mix together the ground turkey, egg, and bread crumbs using your hands. Using an ice cream scoop if possible, form the meat into golf ball sized meatballs. Place about 1 inch apart in the hot baking dish. Press down to flatten the bottom just slightly.
- 3. Bake for 15 minutes in the preheated oven, then turn them over, and continue baking for about 5 more minutes, or until somewhat crispy on the outside.
 Serve with pasta and sauce or however you'd like.

19. Turkey Sandwich

Yields 1 serving

Ingredients

4 slices lean turkey breast

3-4 jarred roasted peppers

2 slices 100% whole wheat bread

1 lettuce leaf

4 slices tomato

4 slices cucumber

4 dried apricots

1 thsp hummus

Serving size	1 of 1
Calories	293
Carbohydrate	40 g
Proteín	16 g
Cholesterol	19 mg
Fat	9 g
Saturated	1 g
Monounsaturated	5 g
Polyunsaturated	1 g
Fiber	9 g

- 1. Spread hummus onto both slices of bread.
- 2. Top one slice of bread with turkey, lettuce, tomato and cucumber.
- 3. Cover with other slice of bread.
- 4. Serve with dried apricots.

20. Tzatziki (Greek Yogurt and Cucumber Sauce)

Yields 6 servings

Ingredients

3 cups Greek yogurt (Low or Non fat)
Juice of one lemon (about 3 tbsp)
1 garlic clove, chopped
2 medium cucumbers, seeded and diced
1 tbsp kosher salt for salting cucumbers
1 tbsp finely chopped fresh dill (can
substitute mint leaves for a slightly
different version)

Serving size	1 of 6
Calories	88
Carbohydrate	11g
Protein	7g
Cholesterol	7mg
Fat	2g
Saturated	1g
Monounsaturated	1g
Polyunsaturated	<1
Fiber	1g

Kosher salt and fresh ground black pepper to taste

- If you don't have Greek yogurt, strain plain yogurt (strain yogurt for 10-20 minutes to remove excess liquid).
- 2. Peel cucumbers, then cut in half lengthwise and take a small spoon and scrape out seeds. Discard seeds. (If you use the small seedless or European cucumbers with few seeds, you can skip this step.)
- 3. Slice cucumbers, then put in a colander, sprinkle on 1 thsp salt, and let stand for 30 minutes to draw out water. Drain well and wipe dry with paper towel.
- 4. In food processor with steel blade, add cucumbers, garlic, lemon juice, dill, and a few grinds of black pepper. Process until well blended, and then stir this mixture into the yogurt.
- 5. Taste before adding any extra salt.
- 6. Place in refrigerator for at least two hours before serving so flavors can blend. (This resting time is very important.)
- 7. This will keep for a few days or more in the refrigerator, but you will need to drain off any water and stir each time you use it.

Hispanic Recipes Mediterranean Style

1. Black Beans (Frijoles Negros)

Yields 4 servings

Ingredients

- 2 1/2 cups dried black beans
- 9 cups water
- 1 thsp olive oil
- 1 1/2 cups chopped onion
- 1 1/2 cups chopped green bell pepper
- 3 cloves garlic, peeled, and mashed with
- 1 tsp salt
- 1/2 tsp Canola oil for sautéing
- 1 tsp oregano
- 1 tsp ground cumin
- 1 bay leaf
- 3 tbsp vinegar
- Olive oil

Serving size	1 of 4
Calories	463
Carbohydrate	78g
Protein	27g
Cholesterol	Omg
Fat	6g
Saturated	1g
Monounsaturated	3g
Polyunsaturated	1g
Fiber	27g
_	

- 1. Cover dry beans with water and let stand covered overnight. Drain and discard water.
- 2. Place the cleaned black beans in a large 6-quart saucepan. Add water and olive oil (to prevent foaming). Bring the beans to a boil, reduce heat to low, cover, and cook until the beans are tender, about 1 hour.
- 3. Do not add salt to the beans when they are cooking.
- 4. You may also cook the beans in a pressure cooker. Follow the manufacturer's directions for exact times. Most pressure cookers take about 20 to 25 minutes to cook the beans completely.
- 5. Do not drain the water from the cooked beans.
- 6. Meanwhile, chop onion and green pepper. Mash the garlic with salt and peppercorns in a mortar and pestle.

Black Beans (continued)

- 7. Sauté the onions and green pepper in olive oil until the onions are translucent. Add mashed garlic and sauté another minute or so.
- 8. Add the cooked beans, oregano, cumin, bay leaf, and vinegar. Cover and simmer over low heat for 15 to 20 minutes, stirring occasionally.
- 9. Mash 1 cup of beans to make a thick paste. Mix the mashed beans back into the pot. This step is optional and only for those who prefer thicker black beans
- 10. Add salt and pepper to taste.
- 11. Drizzle a couple of the pot of olive oil over the beans. Immediately cover the pot, remove from heat, and let stand for 10 minutes.
- 12. Serve the black beans over rice.
- 13. Garnish the beans with cilantro and finely chopped white onions.

2. Chicken Fricassee (Pollo Fricasse)

Yields 4 servings

Ingredients

1 lb chicken breast and thighs

1 thsp adobo seasoning

1/2 (.18 oz) packet sazon seasoning

1/2 tsp salt

5 large red potatoes, peeled and thickly

sliced

1 large red bell pepper, seeded and

chopped

I large green bell pepper, seeded and chopped

1 large onion, chopped

5 cloves garlic, minced

1 bunch fresh cilantro, chopped

2 thsp olive oil

1/2 cup dry red wine

1 tsp ground cumin

1 tsp dried oregano

2 fresh or dried bay leaves

Serving size	1 of 4
Calories	607
Carbohydrate	87g
Protein	35g
Cholesterol	71g
Fat	12g
Saturated	2g
Monounsaturated	7g
Polyunsaturated	2g
Fiber	11g

Directions

- 1. Wash the chicken and pat dry; place into a large bowl. Season with adobo seasoning, sazon seasoning, and salt. Place the chicken into a slow cooker or pot, and cover with the potato slices.
- 2. Puree the red pepper, green pepper, onion, garlic, cilantro, olive oil, wine, cumin, and oregano in a blender. Pour over the chicken and add the bay leaves.
- 3. Cook on Low for 6 to 8 hours if cooking in slow cooker or 1 hour if using a pot, until the chicken is easily removed from the bone.
- 4. Serve over brown rice

3. Chicken with Rice (Arroz con Pollo)

Yields 8 servings

Ingredients

4 lbs white meat chicken

1 tsp dried oregano

1 tsp ground cumin

1/2 tsp freshly ground white pepper

1 tbsp red wine vinegar

1 lb brown rice

Sliced red pimientos for garnish

Can of green peas (petit poi) for garnish

Serving size	1 of 8
Calories	614
Carbohydrate	54g
Proteín	59g
Cholesterol	141g
Fat	13g
Saturated	3g
Monounsaturated	6g
Polyunsaturated	3g
Fiber	8g

Sofrito or broth

- 2 thsp Annatto oil or olive oil
- 1 small onion, finely chopped
- 1 small red bell pepper, cored, seeded and finely chopped
- 3 cloves garlic, minced
- 1 small tomato, seeded and diced
- 3 cups water (refer to brown rice package for directions)
- 1 cup dry white wine
- 1 1/2 cups beer
- 1/2 tsp annatto seeds
- 1 tbsp tomato paste

Salt and freshly ground black pepper, to taste

- 1. Wash the chicken and blot dry with paper towels. Mix the oregano, cumin, white pepper and vinegar in a large glass bowl. Add the chicken, turning the pieces to cover with the mixture. Let marinate at least 15 minutes.
- 2. Heat the oil in a large heatproof casserole
- 3. Brown the chicken pieces all over, about 2 minutes per side. Transfer the chicken to a platter and pour out all of the fat.

Chicken with Rice (continued)

- 4. For sofrito: Add the onion, bell pepper and garlic to the oil in the casserole, cook over medium heat until soft but do not brown, about 1 or 2 minutes. Add the tomato and cook for one more minute. Return the chicken to the casserole with the sofrito and cook for about 1 or 2 more minutes.
- 5. Add the water, wine and beer, tomato paste and salt and pepper. Bring to a boil, reduce heat, cover and simmer for about 30 minutes. While the chicken is cooking, place annatto seeds in small saucepan with 1/4 cup of the chicken cooking liquid. Simmer for about 5 minutes. Strain mixture back into the chicken.
- 6. To finish the dish: Thoroughly wash rice swishing with your hands, and drain off the water. Continue doing this until water runs clear.
- 7. Bring chicken mixture to a boil, stir in the washed rice, reduce heat, cover and simmer until the rice is tender, about 20 to 25 minutes. If it starts to dry out and rice is still al dente, add more liquid. If it gets too soupy, uncover during the last 10 or 15 minutes of cooking.
- 8. Just before it is done, stir in half of the petit poi's and pimientos. Garnish with the rest.

4. Fried Chicken Chunks (Chicharrones de Pollo)

Yields 10 servings

Ingredients

1 lb skinless, boneless chicken breast meat - cut into chunks

1/2 cup dark rum

1/2 cup lemon juice

1/2 cup minced garlic

1/4 cup Worcestershire sauce

3 tbsp garlic powder

1 tsp adobo seasoning

1 tsp onion powder

1 tsp ground black pepper

1 tsp ground coriander

2 (.18 oz) packets sazon with coriander and achiote

3 cups all-purpose wheat flour

4 cups canola oil for frying

Directions

- 1. Combine the chicken, rum, lemon juice, garlic, Worcestershire sauce, garlic powder, adobo seasoning, onion powder, pepper, coriander, and sazon seasoning in a bowl; stir. Cover and marinate in refrigerator 4 hours.
- 2. Heat the oil in a large pot over medium heat to about 300 ° F
- 3. Spread the flour into the bottom of a shallow dish. Coat each piece of marinated chicken with wheat flour.
- 4. Fry the coated chicken pieces in the hot oil in small batches until no longer pink in the center and golden brown on the outside, 5 to 10 minutes.

Serving size	1 of 10
Calories	1012
Carbohydrate	34g
Protein	17g
Cholesterol	2 <i>9</i> mg
Fat	90g
Saturated	7g
Monounsaturated	56g
Polyunsaturated	25g
Fiber	5g

5. Fried Plantains (Tostones)

Yields 2 servings

Ingredients

5 tbsp canola oil for frying
1 plantains, peeled and broken into chunks
3 cups cold water
salt to taste

Serving size	1 of 2
Calories	450
Carbohydrate	40g
Protein	1g
Cholesterol	Omg
Fat	34g
Saturated	3g
Monounsaturated	22g
Polyunsaturated	10g
Fiber	3g

Directions

- 1. Heat the oil in a large skillet. Place the plantains in the oil and fry on both sides; approximately 3 ½ minutes per side.
- 2. Remove the plantains from the pan and flatten the plantains by placing a plate over the fried plantains and pressing down.

Dip the plantains in water, then return them to the hot oil and fry 1 minute on each side. Salt to taste and serve immediately.

6. Galician Bean Stew (Caldo Gallego)

Yields 6 servings

Ingredients

1 cup dried white beans
34 lb turkey sausage
1 onion, chopped
2 garlic cloves, crushed
14 cup celery
1 green pepper, chopped
1/2 turnip greens without stems
3 quarts water
2 potatoes, peeled and diced
Salt and pepper to taste

Serving size	1 of 6
Calories	283
Carbohydrate	34g
Protein	23g
Cholesterol	52g
Fat	6g
Saturated	1g
Monounsaturated	2g
Polyunsaturated	2g
Fiber	8g

Preparation

- 1. Place beans in pan and cover with water. Boil for about five minutes. Remove from heat and let stand in water overnight.
- 2. Drain the beans and place in a pan with 3 quarts of water. Add the peppers and onions. Add 1 tsp of salt. Cover and bring to a boil, set heat to low, let simmer for 1 ½ hours.
- 3. Cut the sausage in ½ inch slices and wash diced potatoes under running water.
- 4. Add the sausage, potatoes and turnip greens to pot and let simmer for another 30 minutes. If necessary continue cooking until the beans are tender. Taste and adjust for salt and pepper.

Serve hot.

7. Picadillo

Yields 12 servings

Ingredients

2 thsp olive oil

7 cloves garlic, chopped

1 1/2 cups chopped onion

1 1/2 cups chopped green bell pepper

3 lbs lean or extra lean ground turkey or chicken breast

1 (5 oz) jar green olives, pitted and halved

1/4 cup white vinegar

1 tsp salt

1 tsp freshly ground black pepper

1 tsp ground cinnamon

1 tsp ground cloves

2 dried bay leaves

1/4 tsp hot sauce

6 cups canned tomatoes, half-drained

Serving size	1 of 12
Calories	229
Carbohydrate	8g
Protein	25g
Cholesterol	74g
Fat	10g
Saturated	2g
Monounsaturated	5g
Polyunsaturated	2g
Fiber	2g

Directions

- 1. In a large stock pot, heat 1 the pot of olive oil over medium heat. Sauté garlic, onion and green pepper until onions are transparent. Transfer onion mixture to a bowl and set aside. In the same pot, heat the remaining olive oil and brown the lean ground turkey and chicken breast.
- 2. In a separate saucepan, combine the olives, capers, vinegar, salt, pepper, cinnamon, cloves, bay leaves and hot sauce. Let simmer over medium heat for 10 minutes.
- 3. Place the olive mixture and the onion mixture into the pot with the ground turkey or chicken. Add the half drained tomatoes and cook for 1 hour over medium heat; stirring occasionally.

8. Ropa Vieja

Yields 6 servings

Ingredients

1 thsp vegetable oil

2 lbs flank steak

1 cup chicken broth

1 (8 oz) can tomato sauce

1 small onion, sliced

1 green bell pepper, seeded and sliced

into strips

2 cloves garlic, chopped

1 (6 oz) can tomato paste

1 tsp ground cumin

1 tsp chopped fresh cilantro

1 thsp olive oil

1 thsp white vinegar

Serving size	1 of 6
Calories	329
Carbohydrate	10g
Protein	47g
Cholesterol	110g
Fat	11g
Saturated	3g
Monounsaturated	6g
Polyunsaturated	1g
Fiber	2g

Directions

- 1. Heat vegetable oil in a large skillet over medium-high heat. Brown the flank steak on each side, about 4 minutes per side.
- 2. Transfer steak to a slow cooker. Pour in the broth and tomato sauce, and then add the onion, bell pepper, garlic, tomato paste, cumin, cilantro, olive oil and vinegar. Stir until well blended. Cover, and cook on high for 1 hour, or on low for up to 2 hours. When ready to serve, shred steak and serve with rice.

$\underline{\mathsf{Mediterranean}\ \mathsf{Diet}\ \mathsf{Shopping}\ \mathsf{list}}$

Whole Grains	<u>Oils</u>	Vegetable juice
Mostly whole grain choices.	Store in a cool, dark place to make	Water chestnut Winter squash
Contains the word "whole" as the	them last longer.	Zucchini
first ingredient with at least 3 grams	Canola	
fiber per 100 calories	Flaxseed	Protein Rich Foods:
Bread, Whole Grain Bagel, Whole wheat/grain Cereal, Whole Grain Couscous	Margarine: Canola Oil spreadMayonnaise, low-fat olive oilOlive Oil (Extra-Virgin)SoybeanSalad dressing	Fresh, Frozen, or CannedChicken, BreastHalibutShrimp
Crackers, Whole Grain	_	Salmon Sea bass
Cream of wheat	<u>Dairy</u>	Swordfish
Flour, whole wheat	Cheese, Low-fat	
Granola, Low-Fat	Eggs	Tofu
Grits	Greek yogurt, Low-fat	Tuna, packed in water
Oatmeal, dry	Milk, Non-fat or Low fat	Turkey, Breast
Pancake mix, whole wheat	Rice/Almond milk, Low-fat,	Vegetable Protein
Pasta, Whole Wheat	enriched	
Pita, Whole grain	Soy milk, Low-fat, enriched	Nuts/Seeds Beans:
Polenta	Yogurt, Low-fat	Dried or Caned
Rice, brown, basmati		Almonds
Shredded wheat (plain) Tortilla, Whole Grain	Vegetables:	Almond Butter, natural
Tortilla, whole Grain	Fresh, Frozen, or Canned	Cashews
Fruit:		Chickpeas
	Asparagus	Hazelnut
Fresh or Frozen, Dried	Basil Beets	Hummus
Apple	Brussels sprouts	Ground Flaxseed
Applesauce, unsweetened	Broccoli	Kidney Beans
Apricots	Carrot	Lima Beans
Avocado	Cauliflower	Macadamia nuts
Banana	Celery	Pecan
Berries (straw-, rasp-, blue- black-)	Cucumber	Peanut Butter, natural
Cantaloupe	Cilantro	Peanuts
Cherries	Collard greens	Pine Nuts Pinto Beans
Dried Fruit	Eggplant	Pinto BeansPumpkin Seeds
Grapes	Garlic	Sunflower Seeds
Grapefruit	Green Beans	Soy Beans or Edamame
Honeydew	Lettuce	Walnuts
Kiwi	Olives, black/green medium	
Lemon/Lime	Onion	5.1. II
Orange	Mushrooms	<u>Miscellaneous</u>
Peach	Parsley	Artificial Sweeteners
Plum	Peas	Coffee
Pomegranate	Peppers Red/Green	Diet beverages
Raisins	Potato	Honey
Tangerine	Spinach	Jam/Jelly/Preserves
Watermelon 100% fruit juice, no sugar	Sprouts	Tea
added	Summer squash	Spices
100% orange juice fortified	Sweet potato	Syrup Water (flavored water)
with Calcium & Vit D	Tomato	Water (flavored water) Vinegar
	Tomato paste Turnip greens	villegai

Important Points to Remember

- Mediterranean-style diets emphasize the consumption of fish, seafood, and poultry over red meats and beef
- All dairy products should be low-fat or fat-free
 - o Low-fat or fat-free milk, cheese, yogurt
- ✓ Use healthy alternatives when experiencing milk-related intolerance (stomach/digestion problems):
 - O Lactose free low-fat or fat-free milk and cheese
 - o Fortified soymilk, rice milk, or almond milk
- ☑ Only use unsaturated oils or products with unsaturated oils
 - Olive oil use for adding taste, salad dressings, sauces, and cooking
 - o Canola oil use for cooking or frying
 - o Margarine: Smart Balance and Promise brands, for example
- ☑ Remember, eggs are very high in protein! Watch your intake throughout the day when having eggs for breakfast.
- Avoid having eggs and shrimp, or other shellfish, on the same day to moderate cholesterol intake
- All juices should be 100% fruit juice with no added sugar
 - o Orange juice should be fortified with calcium and other vitamins
- ☑ Limit other sugary beverages
 - o Use diet beverages instead
- ☑ Choose whole wheat or whole grain products instead of white
 - o Brown rice
 - o Whole wheat breads
 - o Whole wheat pastas
 - o Pancakes and/or waffles
- ☑ Choose iron-enriched wholegrain cereals that are low in sugar (oatmeal, cream of wheat, bran flakes) to meet your iron needs.
- Snacks can be eaten during main meals (breakfast, lunch, dinner) as a dessert, for example, or eaten in-between meals as snacks
- ☑ Refer to your diet recipes for our Mediterranean approved Caesar dressing!

Change gradually.

- f you now eat one or two vegetables a day, add a serving at lunch and another at dinner.
- If you don't eat fruit now or have only juice at breakfast, add a serving to your meals or have it as a snack.
- Use only half the butter, margarine, or salad dressing you do now.
- Try low-fat or fat free condiments, such as fat free salad dressings.
- Gradually increase dairy products to three servings per day. For example, drink milk with lunch or dinner, instead of soda, alcohol, or sugar-sweetened tea. Choose low-fat (1 percent) or fat free (skim) dairy products to reduce total fat intake.

Treat meat as one part of the whole meal, instead of the focus.

- Buy less meat. If it's not there, you won't eat it.
- Limit meat to 6 ounces a day (two servings)—all that's needed. Three to four ounces is about the size
 of a deck of cards.
- If you now eat large portions of meat, cut them back gradually-by a half or a third at each meal.
- Include two or more vegetarían-style (meatless) meals each week.
- Increase servings of vegetables, rice, pasta, and dry beans in meals. Try casseroles and pasta, and stir-fry dishes, having less meat and more vegetables, grains, and dry beans.

Use fruits or low-fat foods as desserts and snacks.

- Fruits and low-fat dairy foods offer great taste and variety. Use fruits canned in their own juice.
 Fresh fruits require little or no preparation. Dried fruits are easy to carry with you.
- Try these snack ideas: unsalted pretzels or nuts mixed with raisins; graham crackers; low-fat and fat free yogurt and frozen yogurt; plain popcorn with no salt or butter added; and raw vegetables.

10 tips for quick and healthy cooking

- 1. Keep favorite ingredients stocked in the pantry, refrigerator/freezer
- 2. Read all recipes before you start cooking
- 3. Buy prepped produce items, for example:
 - o Pre-diced tomatoes and onions
 - o Pre-washed bagged greens
 - o Minced or chopped garlic
 - o Sliced black olives
 - o Pizza dough
- 4. Check your local supermarket's website for specials and choose recipes that use those ingredients
- 5. If you cannot cook on most days of the week, cook and freeze staple items from your menu. For example:
 - O Classic tomato sauce and other common sauces
 - o Picadillo
 - o Lasagna
- 6. Take advantage of prepared items for your local supermarket that are healthy and convenient. For example:
 - o Rotisserie chicken breast (without the skin)
 - o Hummus
 - o Tabouleh
- 7. Canned meats and beans and frozen vegetables are great alternatives for quick cooking, but always choose low sodium options when available
- 8. Divide bulk items into the appropriate portion sizes
- 9. Thaw frozen ingredients the night before
- 10. Make use of slow cookers for meals that are ready to eat when you get home!

Intake Log

Mediterranean-style menu

Breakfast		S-M-T-W-Th-F-Sat
Food Group	FoodItem	Amount/Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		
Oil		
Lunch		
Food Group	Servings Consumed	Total Daily Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		
Oil		
Dinner		
Food Group	Servings Consumed	Total Daily Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		
Oil		
Snack		
Food Group	Servings Consumed	Total Daily Servings
Fruit		
Vegetable		
Dairy (Low Fat)		
Protein-rich food		
Whole Grain		

Oíl

Diet Dictionary

- Calorie: A calorie is a unit of energy. The number of calories in a food is a measure
 of how much energy that food possesses. A gram of carbohydrates has 4 calories, a
 gram of protein has 4 calories, and a gram of fat has 9 calories
- 2. <u>Carbohydrate</u>: Any food item including sugars, starches, cellulose (fiber). Some examples are: fruits, vegetables, breads, rice, pastas, and cereals.
- 3. <u>Enriched:</u> To add nutritive value of food by adding or replacing vitamins or minerals of that food lost in processing
- 4. <u>Fiber:</u> The part of a plant that is not digested by the digestive tract. Foods high in fiber help clean out the digestive tract and increase the sensation of fullness.
- 5. <u>Fortified:</u> To increase nutritive value of food by adding vitamins or minerals not originally found in that food. For example, orange can be *fortified with* Calcium and/or Vitamin D.
- 6. Lactose: Milk sugar.
- 7. <u>Lactose intolerance</u>: Inability to digest lactose due to insufficient amount or lack of lactase enzyme needed to digest the lactose or milk sugar.
- 8. <u>Legumes:</u> Plants with seed pods that spilt in two halves. For example, beans, lentils, peas, soybeans are some commonly used legumes in the Mediterranean diet
- 9. Mediterranean: The Mediterranean Basin comprises the lands around and surrounded by the Mediterranean Sea. In biogeography, the Mediterranean Basin refers to the lands around the Mediterranean Sea that have a Mediterranean climate, with mild, rainy winters and hot, dry summers
- 10. <u>Protein:</u> Compound found in fish, seafood, beef, poultry, milk and other dairy products, and nuts and seeds. This compound helps build and maintain muscle and also keeps the immune system strong!


Diet Dictionary (continued)

- 11. Serving: An individual portion or helping of food or drink
- 12. <u>Unsaturated fat</u>: Unsaturated fats are usually liquid at room temperature. They are found in most vegetable products and oils. An exception is a group of tropical oils like coconut or palm kernel oil which is highly saturated. Using foods containing "polyunsaturated" and "monounsaturated" fats does not increase our risk of heart disease. However, like all fats, unsaturated fats give us 9 calories for every gram. So eating too much of these types of fat may also make us gain weight
- 13. Whole grain: Whole grains are cereal grains that contain germ, endosperm, and bran, in contrast to refined grains, which retain only the endosperm. Wholegrain can generally be sprouted while refined grains generally will not sprout. Whole meal products are made by grinding whole grains in order to make wholegrain flour. Whole grains are a natural source of protein as well as a source of carbohydrates and are made into many different kinds of foods.

The Diabetes Prevention Program's

Lifestyle Balance

Fat Counter



More than 1,500 foods, including regional foods from all parts of the United States.

Complete information on:

- Fat grams
- Calories

Don't let diabetes catch up with you.

Acknowledgments

The fat gram and calorie values in the Fat Counter were calculated using the Nutrient Data System (NDS, version 2.8) from the University of Minnesota Nutrition Coordinating Center.

Appreciation is expressed to Antoinette Angeles, Bonnie Gillis, Holly Henry, and Gaye Koenning for their conscientious work in researching the nutrient values and to Carolyn Huffmyer for her preparation of the manuscript. The nutritionists from the Diabetes Prevention Program and Women's Health Initiative provided valuable suggestions for improving this guide.

Version 1.0,
Copyright © 1996 by the University of Pittsburgh.
All rights reserved.
Developed by the Diabetes Prevention Program Lifestyle Resource Core,
Rena R. Wing, PhD, and Bonnie Gillis, MS, RD.

Supported by the National Institute of Diabetes and Digestive and Kidney Diseases, National Institutes of Health.

Printed June 1996

A bout the Fat Counter

The Fat Counter is designed to help you keep track of the number of fat grams and calories you eat. It shows the grams of fat and calories for more than 1,500 commonly eaten foods.

Foods are listed from A to Z.

Regional foods are at the back of the book.

Please note:

- If the food is described as having the "skin removed" or fat "trimmed," this has been done before cooking.
- Cooking methods are without added fat unless described differently (for example, "stir-fried").
- Serving sizes are after cooking (if any) and with only the parts to be eaten (for example, no bone).
- Modified foods (low-fat, diet, etc.) are described as such.
- Foods containing "mayo" are prepared with imitation mayonnaise.

If you eat manufactured products such as frozen dinners or store-bought cookies, look at the food label to find the fat grams and calories. You can add these and other foods that are not in the Fat Counter to the blank pages at the back of the book.

Item Serving Fat (g) **Calories** 4 94 1 can nchovies, canned in oil, drained (1 can = 2 oz)Apple, 2³/₄" diam 1 each 81 0 1 Tbsp 34 Apple butter 0 ³⁄₄ cup Apple cider or juice, unsweetened 0 87 52 Applesauce, unsweetened ½ cup 0 Apples, dried 52 1/4 cup 0 Apricot halves, dried 1/4 cup 0 77 Apricot nectar, unsweetened ³/₄ cup 0 23 37 Apricots, fresh $(2 = \frac{1}{2} \text{ cup})$ ½ cup 0 Artichoke, globe 60 1 med 0 Asparagus spears 25 ½ cup 0 Avocado, black or green skin ½ cup 11 121 aby corn $\frac{1}{2}$ cup 0 20 Bacon: 1 slice 2 turkey 32 1 slice 3 36 pork Bacon bits: 1 Tbsp imitation 1 32 1 Tbsp 29 real Bacon fat 1 Tbsp 9 89 Bagel: white, 3" diam 1 each 1 157 white, with raisins, 3" diam 183 1 each 1 2 white, 4" diam 279 1 each whole wheat, 3" diam 1 each 1 168 whole wheat, with raisins, 3" diam 1 each 195 whole wheat, 4" diam 1 each 290 2

Item	Serving	Fat (g)	Calories
Baked beans:			
vegetarian baked beans	½ cup	1	127
pork and beans (Campbell's®)	½ cup	2	140
Baklava, 2" square	1 pc	27	381
Bamboo shoots, canned	½ cup	0	12
Banana, fresh, 8" long	1 each	0	96
Banana pudding, with vanilla wafers	½ cup	4	152
Barbecue sauce	1 Tbsp	0	12
Barley	½ cup	0	96
BBQ sandwich, on a bun:	1		
chicken	1 med	6	245
pork	1 med	10	341
beef	1 med	18	396
Beans and peas, dried (navy, lima, red, pinto, kidney or black beans, split peas, lentils, black eye peas, pigeon peas):			
no fat added	½ cup	1	129
cooked with bacon, ham or sausage	½ cup	2	144
Beans, green, or Italian:			
no fat added	½ cup	0	19
cooked with bacon, ham or			
sausage	½ cup	2	34
Beans, mung	½ cup	0	139
Beef, canned	½ cup	10	166
Beef jerky:			
strip, 8½" x 1" x 1/8"	1 pc	3	67
cut pieces	½ cup	8	204

Item	Serving	Fat (g)	Calories
Beef stew, gravy-based, with vegetables:			
homemade, with round steak, trimmed, no fat added	1 cup	3	161
homemade, with stew meat, trimmed, no fat added	1 cup	7	192
homemade, with stew meat, trimmed, fat added	1 cup	11	228
homemade, with stew meat, untrimmed, fat added	1 cup	16	269
canned	1 cup	14	237
Beef Stroganoff (no noodles), homemade:			
with round steak, trimmed, nonfat sour cream, no fat added	1 cup	5	247
with beef cubes, trimmed, nonfat sour cream, no fat added	1 cup	14	310
with beef cubes, trimmed, low fat sour cream, fat added	1 cup	22	378
with beef cubes, untrimmed regular sour cream, fat added	1 cup	37	485
Beer (1 can = 12 fl oz):			
low calorie	1 can	0	101
regular, malt, or no alcohol	1 can	0	148
Beets	½ cup	0	37
Biscochitos (cookie), 1½" diam	1 pc	3	58
Biscuit, from refrigerated dough:			
buttermilk (Pillsbury®)	1 each	1	50
buttermilk, flaky (Hungry Jack®)	1 each	4	90
Grands! (Pillsbury®)	1 each	8	190
Biscuit, from mix, small, 2" diam	1 each	7	125
Biscuit, mix only:	1 Cacii	/	123
Bisquick® Light	¹⁄3 cup	2	150
Bisquick® Eight Bisquick®	1/3 cup	6	170
Blackberries, fresh	½ cup	0	37

Item	Serving	Fat (g)	Calories
Blintz, cheese filled, 7" long	1 each	9	184
Blueberries, fresh	½ cup	0	41
Bok choy:			
no fat added	½ cup	0	10
stir-fried	½ cup	2	30
Bologna:			
chicken or turkey	1 oz	4	56
beef light or pork	1 oz	6	70
beef, regular	1 oz	8	88
Borscht (beet soup)	1 cup	0	61
Bouillabaisse	1 cup	8	237
Braunschweiger	1 oz	9	102
Bread, rye:			
diet	1 slice	1	52
regular	1 slice	1	67
Bread, white or whole wheat:			
diet	1 slice	0	40
regular	1 slice	1	70
Bread pudding, with raisins	½ cup	9	217
Bread crumbs, plain	1 cup	6	427
Breaded and fried steak (chicken-fried steak)	3 oz	15	240
Bread stick, 5" long	1 each	1	64
Breakfast biscuit, (McDonald's®):			
plain	1 each	13	262
with bacon, egg, cheese	1 each	28	456
with sausage	1 each	29	435
with sausage, egg	1 each	35	519
Breakfast Croissan'wich (Burger King®):			
plain, croissant only	1 each	9	163
with egg, cheese	1 each	20	302
with egg, bacon, cheese	1 each	24	348
with egg, sausage, cheese	1 each	41	537

Item	Serving	Fat (g)	Calories
Breakfast drink, instant:			
with skim milk	1 cup	1	189
with whole milk	1 cup	8	245
Breakfast fruit drink powders,	-		
pre-sweetened, prepared			
(Tang®, etc)	1 cup	0	115
Broccoli	½ cup	0	26
Broccoli, with cheese sauce:			
with skim milk, nonfat cheese,			
no fat added	½ cup	0	58
with skim milk, reduced fat			
cheddar, fat added	½ cup	5	100
with whole milk, regular			
cheddar, fat added	½ cup	9	128
Broccoli casserole with mushroom			
soup, mayonnaise, cheese and crackers:			
with nonfat mayo,			
nonfat cheese	½ cup	5	114
with reduced calorie mayo,			
reduced fat cheddar	½ cup	13	176
with regular mayo, regular			
cheddar	½ cup	24	262
Broth or bouillon:			
beef	1 cup	0	29
chicken	1 cup	1	39
Brownie, 2½" square:			
without nuts	1 pc	18	310
with nuts	1 pc	23	368
Brussels sprouts	½ cup	0	33
Brussels sprouts, with cheese			
sauce:			
with skim milk, nonfat cheese,			
no fat added	½ cup	0	69
with skim milk, reduced fat			
cheddar, fat added	½ cup	6	115

Item	Serving	Fat (g)	Calories
with whole milk, regular			
cheddar, fat added	½ cup	10	146
Bulgur, cooked	½ cup	0	74
Bun, hamburger, 3" diam	1 each	2	91
Bun, hamburger, 4" diam	1 each	3	161
Bun, hot dog, 6" long (regular)	1 each	2	123
Bun, hot dog (large)	1 each	3	163
Burrito (Taco Bell®):			
light bean	1 each	5	300
light supreme	1 each	9	373
bean	1 each	14	420
beef	1 each	21	484
Burrito, breakfast,			
fast food (McDonald's®)	1 each	17	280
Buritto made from 8" tortilla:			
bean with cheese			
with nonfat refried beans,			
reduced fat cheddar	1 each	10	312
with homemade refried			
beans, regular cheddar	1 each	23	452
beef, plain	1 each	10	228
beef with beans and cheese			
with nonfat refried beans,			
reduced fat cheddar	1 each	9	237
with homemade refried			
beans, regular cheddar	1 each	12	271
chicken, plain	1 each	5	190
chicken with beans and cheese			
with nonfat refried beans,			
reduced fat cheddar	1 each	6	217
with homemade refried	4 1	10	2.52
beans, regular cheddar	1 each	10	252
Butter:			
whipped	1 tsp	3	23
regular	1 tsp	4	34

Item	Serving	Fat (g)	Calories
regular	1 Tbsp	12	102
Butter buds	1 tsp	0	6
Buttermilk:			
½% fat	1 cup	1	110
1½% fat	1 cup	4	120
whole	1 cup	8	149
✓abbage:			
no fat added	½ cup	0	16
cooked with bacon, ham or			
sausage	¹⁄₂ cup	2	31
Cabbage roll, with ground beef and rice, 3" long x 2" diam:			
with diet lean (10% fat)	4 11		0.7
ground beef	1 roll	3	95
with regular (25% fat) ground beef	1 roll	6	121
Cake, angel food, 1/8 of 10"	1 1011		121
diam	1 pc	0	212
Cake, yellow or chocolate from mix, 3" x 3" x 2":	-		
without icing	1 pc	13	296
with icing, white	1 pc	24	595
with icing, chocolate	1 pc	27	551
Cake, pound, 4½" x 2½" x ½":			
fat-free	1 pc	1	106
regular	1 pc	10	176
Calzone, 4" diam:			
with cheese and meat	1 pc	5	99
with cheese	1 pc	5	105
Canadian bacon	1 slice	2	39

Item	Serving	Fat (g)	Calories
Candy:			
caramels	3 pcs	2	92
divinity $(1 \text{ pc} = 0.5 \text{ oz})$	3 pcs	0	168
divinity with nuts			
(1 pc = 0.5 oz)	3 pcs	3	199
fudge, 1" cube			
plain	1 pc	2	84
with nuts	1 pc	4	99
gumdrops, ½" diam	3 pcs	0	41
hard $(1 \text{ pc} = 0.2 \text{ oz})$	1 pc	0	22
jelly beans $(1 \text{ pc} = 0.1 \text{ oz})$	3 pcs	0	31
licorice (1 stick = 0.4 oz)	1 stick	0	40
marshmallows (large size)	1 each	0	23
taffy $(1 \text{ pc} = 0.5 \text{ oz})$	2 pcs	1	72
truffle $(1 \text{ pc} = 1 \text{ oz})$	1 pc	11	143
Candy bars:			
Baby Ruth®, 2.18 oz bar	1 bar	13	274
chocolate bar, regular			
size, 1.5 oz bar	1 bar	13	221
chocolate bar with almonds, regular size, 1.5 oz bar	1 bar	14	216
granola bar, regular, 0.9 oz	1 001	1.	
bar	1 bar	4	110
granola bar, fat-free, 1.5 oz			
bar	1 bar	1	127
Hershey's Kiss®	2 pcs	3	50
M & M's®, regular pkg =			
1.7 oz	1 pkg	11	228
M & M's®, peanuts, regular			
pkg = 1.7 oz	1 pkg	13	244
Milky Way®, 2.2 oz bar	1 bar	10	258
Reese's Peanut Butter Cup®,			255
1.6 oz pkg of 2	1 pkg	14	222
Snickers®, 2.1 oz bar	1 bar	13	271
Caramel, butterscotch syrup	1 Tbsp	0	52

 $_{Lrgfatcounter.wpd;\,9/98}$

Item	Serving	Fat (g)	Calories
Caramel corn, fat-free,			
Cracker Jack®	3 cups	0	305
Caramel corn, coated popcorn			
with peanuts, Cracker Jack®	3 cups	13	505
Carrots	½ cup	0	35
Carrot and raisin salad:			
with nonfat mayo	½ cup	0	76
with reduced calorie mayo	½ cup	7	124
with regular mayo	¹⁄₂ cup	16	199
Catsup	1 Tbsp	0	16
Cauliflower	½ cup	0	17
Cauliflower, with cheese sauce:			
with skim milk, nonfat cheese,			
no fat added	¹⁄₂ cup	0	52
with skim milk, reduced fat			
cheddar, fat added	½ cup	5	95
with whole milk, regular			
cheddar, fat added	½ cup	8	124
Caviar	1 Tbsp	3	40
Celery	½ cup	0	13
Cereal, cold:			
without nuts			
cornflakes	1 cup	0	110
puffed rice	1 cup	0	57
wheat flakes	1 cup	1	100
with nuts			
Mueslix Golden Crunch®	1 cup	3	239
Fruit and Fiber® -			
Dates, Raisins, Walnuts	1 cup	3	173
granola			
fat-free (Health Valley®)	¹⁄₄ cup	1	73
regular (Nature Valley®)	¹⁄₄ cup	4	95
homemade, with nuts	¹⁄₄ cup	10	174

Item	Serving	Fat (g)	Calories
Cereal, hot:			
Cream of Wheat®			
no fat added	½ cup	0	61
fat added	½ cup	2	78
grits			
no fat added	½ cup	0	73
fat added	½ cup	2	90
oatmeal			
no fat added	½ cup	1	73
fat added	½ cup	3	90
Cereal party mix, homemade	1 cup	22	318
Challah bread, 3½" x 2" x ½"	1 slice	1	67
Cheese:			
Fat-free cheeses			
fat-free cream cheese	1 oz	0	23
Kraft Free ® (1 slice = 0.75			
oz)	1 slice	0	30
Weight Watchers'®, fat-free			
American slices	1 oz	0	38
Reduced fat cheeses			
Borden's Lite-line®			
(1 slice = 0.67 oz)	1 slice	1	30
Kraft Light N' Lively®			
(1 slice = 0.75 oz)	1 slice	3	55
"Laughing Cow Wedges-			
Light®" (1 wedge = 1 oz)	1 wedge	4	70
Cheddar, Colby, Monterey Jack, provolone (generic, Kraft Light Naturals®, Kraft Healthy Favorites Natural®, Weight			
Watcher's Natural®)	1 oz	5	79
Part-skim cheeses			
Light cream cheese	2 Tbsp	5	64
Neufchatel®	2 Tbsp	7	75
Mozzarella, part skim	1 oz	5	79
Ricotta, part skim	½ cup	10	170

Item	Serving	Fat (g)	Calories
Whole milk cheeses			
American, Cheddar, Monterey Jack	1 oz	9	114
Blue, Brie, Gouda, provolone, Swiss	1 oz	8	101
Cream cheese, regular	2 Tbsp	10	101
Farmer's cheese, regular	1 oz	1	29
Goat's cheese, feta	1 oz	6	75
Mozzarella	1 oz	7	90
Parmesan cheese, dry grated	2 Tbsp	3	46
Processed cheese	1 oz	9	106
Ricotta	½ cup	16	214
Cheese, cottage:			
uncreamed (dry curd)	½ cup	0	61
nonfat	½ cup	0	71
low fat (1% fat)	½ cup	1	82
low fat (2% fat)	½ cup	2	101
creamed (4% fat)	½ cup	5	109
Cheese puffs	1 cup	11	184
Cheese sauce:			
with skim milk, nonfat cheese, no fat added	¹⁄₄ cup	0	52
with skim milk, reduced fat cheddar, fat added	¹⁄₄ cup	7	108
with whole milk, regular cheddar, fat added	¹⁄₄ cup	11	146
Cheesecake, 9" diam:			
with cream cheese, low calorie, commercial	¹∕8 pie	5	138
with cottage cheese, commercial	¹⁄8 pie	12	303
with light (18% fat) cream cheese, homemade	½ pie	27	474
with regular (35% fat) cream cheese, homemade	¹∕8 pie	41	585
Cherries, sweet, fresh	½ cup	1	52
Chestnuts, roasted	1 each	0	19

Item	Serving	Fat (g)	Calories
Chicken, light meat only	1 oz	1	47
Chicken, dark meat only	1 oz	2	56
Chicken a la King			
(no toast or rice):			
with skim milk, chicken			
breast, skin removed	1 cup	14	283
with whole milk, dark meat,			
skin removed	1 cup	20	328
Chicken and vegetable stir fry:			
with chicken breast,			
skin removed	1 cup	7	167
with dark meat, skin removed	1 cup	9	184
Chicken breast (1 med = $\frac{1}{2}$ breast):			
baked with oven coating mix			
skin removed	1 med	3	161
baked, broiled or stewed			
skin removed	1 med	3	142
skin eaten	1 med	9	205
breaded/battered, pan-fried			
skin removed	1 med	5	174
skin eaten	1 med	12	242
breaded/battered, deep-fried (fast food):			
skin removed	1 med	17	347
skin eaten	1 med	24	439
Chicken drumstick:			
baked with oven coating mix			
skin removed	1 med	2	82
baked, broiled or stewed			
skin removed	1 med	2	73
skin eaten	1 med	7	123
breaded/battered, pan-fried			
skin removed	1 med	3	89
skin eaten	1 med	8	143
breaded/battered, deep-fried (fast food):			

Item	Serving	Fat (g)	Calories
skin removed	1 med	8	178
skin eaten	1 med	15	247
Chicken thigh:			
baked with oven coating mix			
skin removed	1 med	4	113
baked, broiled or stewed			
skin removed	1 med	4	102
skin eaten	1 med	8	147
breaded/battered, pan-fried			
skin removed	1 med	6	121
skin eaten	1 med	10	170
breaded/battered, deep-fried (fast food):			
skin removed	1 med	12	226
skin eaten	1 med	18	295
Chicken wing:			
baked with oven coating mix			
skin removed	1 med	2	49
baked, broiled or stewed			
skin removed	1 med	2	44
skin eaten	1 med	7	102
breaded/battered, pan-fried			
skin removed	1 med	3	52
skin eaten	1 med	8	115
breaded/battered, deep-fried (fast food):			
skin removed	1 med	5	94
skin eaten	1 med	12	183
Chicken casserole, with egg noodles, mushroom soup and vegetables:			
with chicken breast, skin removed, no cheese	1 cup	5	214
with chicken breast, skin removed, regular cheddar	1 cup	7	242

Item	Serving	Fat (g)	Calories
with dark meat, skin			
removed, regular cheddar	1 cup	9	253
Chicken Creole (no rice):			
with chicken breast, skin			
removed	1 cup	3	174
with dark meat, skin removed	1 cup	10	221
Chicken fricassee:	1 cup	29	457
with chicken breast, skin			
removed, skim milk	1 cup	20	414
with dark meat, skin removed, whole milk	1 cup	28	468
Chicken gizzard:	•		
baked, broiled or stewed	1 each	1	35
breaded/battered, pan-fried	1 each	2	43
breaded/battered, deep-fried	1 each	4	87
Chicken liver:			
baked, broiled or stewed	1 each	1	31
breaded/battered, pan-fried	1 each	2	39
breaded/battered, deep-fried	1 each	4	79
Chicken McNuggets			
(McDonald's®)	6 pcs	18	306
Chicken, 1 whole, baked, broiled, or stewed:			
skin removed (17 oz)	1 med	31	886
skin eaten (21 oz)	1 med	71	1345
Chicken or turkey breast,			
processed	1 oz	1	30
Chicken or turkey roll, processed	1 oz	2	42
Chicken salad, with chicken breast, skin			
removed, no egg:			
with nonfat mayo	½ cup	6	135
with reduced calorie mayo	½ cup	12	183
with regular mayo	½ cup	21	258
Chicken sandwich:			
grilled (Wendy's®)	1 each	8	294

 ${}_{Lrgfatcounter.wpd;\,9/98} \hspace{2cm} 14$

Item	Serving	Fat (g)	Calories
breaded, fried filet, without			
dressing	1 each	17	382
breaded, fried fillet, with			
dressing	1 each	28	488
Chicken stew with vegetables:			
homemade with chicken			
breast, skin removed, tomato-based	1 cup	4	224
canned	1 cup	11	221
Chicken tenders (Burger King®)	6 pcs	12	232
Chicken with almonds (Chinese style):			
with chicken breast, skin			
removed	1 cup	14	308
with dark meat, skin removed	1 cup	18	333
Chick peas (garbanzos)	½ cup	2	134
Chiles, hot (fresh, canned or			
roasted)	½ cup	0	17
Chili:			
without meat	1 cup	1	113
with diet lean (10% fat)			
ground beef, with beans	1 cup	5	203
with diet lean (10% fat)			
ground beef, no beans	1 cup	6	186
with regular (25% fat) ground			
beef, with beans	1 cup	11	249
with regular (25% fat) ground	1	1.4	2.42
beef, no beans	1 cup	14	243
canned, Hormel®, no beans	1 cup	16	260
Chili sauce	1 Tbsp	0	16
Chimichanga, fried, 7" diam tortilla:			
bean and cheese	1 each	13	256
chicken and cheese	1 each	15	386
beef and cheese	1 each	24	345
Chinese cabbage:			
no fat added	½ cup	0	10

Item	Serving	Fat (g)	Calories
stir-fried	½ cup	2	30
Chipped beef, creamed:			
with skim milk, no fat added	1 cup	3	192
with whole milk, fat added	1 cup	22	357
Chipped or dried beef	3 oz	3	140
Chocolate:			
baking chocolate	1 oz	16	148
carob	1 oz	9	151
chocolate chips	1 Tbsp	3	50
chocolate chips	1 cup	50	805
cocoa powder	1 Tbsp	1	12
cocoa powder	1 cup	12	197
Chocolate pudding:			
instant, with skim milk	½ cup	1	116
instant, with whole milk	½ cup	4	145
homemade, with egg and skim milk	½ cup	6	194
homemade, with egg and whole milk	½ cup	9	220
Chocolate syrup, thin	1 Tbsp	0	41
Chop suey (no noodles):			
with vegetables only	1 cup	3	81
with chicken breast, skin			
removed	1 cup	4	125
with beef round steak, trimmed	1 cup	4	131
Chopped ham, lunch meat	1 oz	5	70
Chow mein, canned (no noodles):	1 02		, ,
with beef	1 cup	2	114
with chicken	1 cup	4	124
Clams (7 med = 3 oz)	3 oz	2	129
Club sandwich, with dressing			
(chicken/turkey with bacon)	1 each	22	481
Cobbler, peach, pastry topping	½ cup	11	251

 ${\it Lrgfatcounter.wpd; 9/98} \hspace{3cm} 16$

Item	Serving	Fat (g)	Calories
Cocktails with whipping cream (31% fat):			
White Russian	3 fl oz	7	225
Alexander with gin	3 fl oz	9	236
Grasshopper	3 fl oz	9	253
Cocktail sauce	1 Tbsp	0	16
Cocoa or hot chocolate:			
homemade			
with skim milk	1 cup	1	124
with whole milk	1 cup	7	175
made from mix			
with water	1 cup	1	125
with skim milk	1 cup	1	153
with whole milk	1 cup	8	213
Coconut, dried, shredded, unsweetened	1 Tbsp	4	38
Coconut milk:			
light	1 cup	12	144
regular	1 cup	51	473
Coffee cake with streusel topping, 3" x 3" x 1½":			
without nuts	1 pc	20	448
with nuts	1 pc	23	480
Coffee, espresso (regular or decaffeinated)	2 fl oz	0	1
Coffee, flavored, prepared from mix (amaretto, cappuccino, Swiss mocha, etc)	1 cup	3	77

 ${}_{Lrgfatcounter.wpd;\,9/98}$

Item	Serving	Fat (g)	Calories
Coffee, cafe au lait, or cappuccino:			
with skim milk	1 cup	0	51
with whole milk	1 cup	4	86
Coffee, regular or decaffeinated	1 cup	0	5
Coleslaw:			
with nonfat mayo	½ cup	0	48
with reduced calorie mayo	½ cup	9	111
with vinaigrette dressing	½ cup	9	127
with regular mayo	½ cup	21	211
Cookies: small, 1-2" diam			
animal crackers	12 pcs	5	122
arrowroot	4 pcs	5	116
butter, commercial	4 pcs	9	181
chocolate chip, homemade			
without nuts	3 pcs	12	222
with nuts	3 pcs	15	251
chocolate covered graham			
crackers	3 pcs	9	195
chocolate covered			
marshmallow	2 pcs	4	106
fat-free Fig Newtons®	2 pcs	0	99
fig bars	2 pcs	2	111
fortune cookies	4 pcs	2	99
gingersnaps	4 pcs	3	110
Girl Scouts			
Thin Mints®	2 pcs	4	73
Trefoils®	2 pcs	2	51
graham crackers, 2½" squares	4 pcs	3	118
lady fingers	3 pcs	1	68
Lemon coolers®	4 pcs	4	125
macaroons	1 each	3	53
oatmeal, homemade	3 pcs	5	132
Oreo®	2 pcs	4	104
Oreo Double Stuff®	2 pcs	8	138

Item	Serving	Fat (g)	Calories
peanut butter cookies	2 pcs	9	171
sandwich cookies	3 pcs	7	150
sugar, commercial	3 pcs	7	136
Teddy Grahams®	8 pcs	1	42
vanilla wafers	6 pcs	6	147
medium, 2½ - 3" diam			
butter or sugar, commercial	1 pc	4	75
chocolate chip, homemade without nuts	1 pc	5	98
with nuts	1 pc	6	111
oatmeal	F		
without nuts	1 pc	3	82
with nuts	1 pc	6	114
peanut butter, commercial	1 pc	3	67
peanut butter, homemade	1 pc	10	189
Pecan Sandies®	1 pc	5	85
large, 3½ - 4" diam			
butter, or sugar, commercial	1 pc	6	125
chocolate chip, homemade			
without nuts	1 pc	16	295
with nuts	1 pc	19	335
oatmeal, homemade, no nuts	1 pc	7	176
peanut butter, commercial	1 pc	5	112
peanut butter, homemade	1 pc	18	335
Cordials and liqueurs:			
Amaretto, Cointreau®, creme			
de menthe, Grand Marnier®	1 fl oz	0	80
Irish Cream liqueur	1 fl oz	2	89
Corn:			
whole kernel	½ cup	0	66
cream-style	½ cup	1	104
on the cob, 5" ear, plain	1 ear	1	83
on the cob, 5" ear, with fat	1 ear	5	117
Corn bread, 3" x 3" x 1"	1 pc	7	180
Corn chips	1 cup	9	142

 ${}_{Lrgfatcounter.wpd;\,9/98}$

Item	Serving	Fat (g)	Calories
Corn dog	1 each	25	341
Corned beef:			
lunch meat, deli	1 oz	1	31
round or canned	3 oz	13	213
brisket	3 oz	16	213
Couscous	½ cup	0	101
Crab:			
Blue	2 oz	1	58
soft shell, breaded/battered, pan-fried	2 oz	2	79
Dungeness or Alaskan King	3 oz	2	87
Crab cake, fried, 3½" diam x ½"	1 each	17	260
Crackers, regular:			
butter, round	8 pcs	7	122
cheese rounds	8 pcs	6	121
club	8 pcs	6	126
crackers with cheese or peanut butter filling	4 pcs	7	137
Cuban crackers	6 pcs	3	127
goldfish	30 pcs	2	82
graham, 2½" square	4 pcs	3	118
matzo, 6" diam	1 pc	0	112
Melba, round	6 pcs	0	71
oyster	20 pcs	3	84
rice cake, 4" diam	2 pcs	1	70
rice crackers	1 oz	0	111
Ritz®	8 pcs	8	144
Ry Krisp® triple cracker	4 pcs	3	120
saltines/soda	8 pcs	3	101
Triscuits®	6 pcs	4	117
Wheat Thins®	16 pcs	6	130
Crackers, reduced fat:			
Ritz®	5 pcs	2	70
Triscuits®	8 pcs	3	130

 ${\scriptstyle Lrg fat counter.wpd;\,9/98}$

Item	Serving	Fat (g)	Calories
Wheat Thins®	18 pcs	4	120
Cranberries, fresh	1 cup	0	47
Cranberry juice cocktail,	1		
sweetened	³ / ₄ cup	0	108
Cranberry sauce	¹⁄₄ cup	0	105
Crawfish	3 oz	1	75
Cream:			
half and half	1 tsp	1	7
half and half	1 Tbsp	2	20
heavy (31% fat)	1 Tbsp	5	44
Creamer, non-dairy:			
liquid, fat-free (Coffee-mate®)	1 Tbsp	0	10
liquid, regular	1 Tbsp	1	17
powder, reduced fat	1 tsp	0	9
powder, regular	1 tsp	1	11
Cream puff with filling, 3 ³ / ₄ "			
diam with chocolate frosting	1 pc	17	279
Crepe, 6" diam	1 pc	3	80
Crisp, fruit (apple)	½ cup	11	303
Croissant, 5" long, plain	1 pc	19	324
Croquette, fried:			
fish	1 pc	7	153
salmon	1 pc	8	159
chicken	1 pc	8	164
ham	1 pc	9	163
Croutons	¹⁄₄ cup	0	31
Cucumber, raw	½ cup	0	7
Cupcake:			
without icing, yellow,			
commercial	1 pc	3	78
with icing, yellow,			
commercial	1 pc	6	155
Hostess®, light, chocolate	1 pc	2	122
Hostess®, chocolate	1 pc	6	167
Custard, baked:			

Item	Serving	Fat (g)	Calories
with skim milk	½ cup	3	138
with whole milk	½ cup	6	159
Danish pastry, 3" x 3" x 1":			
without frosting	1 pc	12	191
with frosting	1 pc	16	290
Dates, dried	5 pcs	0	114
Deviled eggs:			
with nonfat mayo	½ egg	2	36
with reduced calorie mayo	½ egg	3	44
with regular mayo	½ egg	5	57
Dim sum, meat and shrimp filled	1 pc	2	51
Dirty rice	1 cup	5	271
Donuts:			
cake, 3" diam	1 pc	8	145
chocolate, glazed, Dolly Madison®	1 pc	12	237
yeast, glazed, 4" diam	1 pc	21	399
Dressing, stuffing, made from mix (Stove Top®):			
no fat added	½ cup	1	109
fat added	½ cup	9	177
Dressing, stuffing, cornbread, fat added, homemade	½ cup	23	385
Dressing, stuffing, rice, fat added, homemade	½ cup	9	177
Duck, domestic	1		
skin removed	3 oz	10	187
skin eaten	3 oz	24	287
Dumpling, main dish type, plain, for stews, 2" diam	1 pc	4	112

Item Serving Fat (g) Calories

Eqs Foo Yung, 4" diam x ½": without meat with shrimp l pc l pc				
Egg Foo Yung, 4" diam x ¼": Ipc 10 131 with shrimp 1 pc 10 149 with chicken 1 pc 11 161 Egg McMuffin (McDonald's®) 1 each 13 292 Egg nog:	_			
without meat 1 pc 10 131 with shrimp 1 pc 10 149 with chicken 1 pc 11 161 Egg McMuffin (McDonald's®) 1 each 13 292 Egg nog:		1 pc	17	279
with shrimp 1 pc 10 149 with chicken 1 pc 11 161 Egg McMuffin (McDonald's®) 1 each 13 292 Egg nog: with 2% fat 1 cup 8 189 regular 1 cup 19 342 Egg roll, medium, fried: with vegetables, no meat 1 roll 6 97 with shrimp 1 roll 7 163 with chicken 1 roll 8 172 with pork 1 roll 9 180 Egg salad: with reduced calorie mayo ½ cup 6 122 with regular mayo ½ cup 15 183 with regular mayo ½ cup 27 280 Eggplant ½ cup 1 173 Eggsplant breaded/battered, fried ½ cup 1 173 Eggsg, fried without fat, hard cooked or poached: 1 med 5 54 white only 1 med 5 54 who	Egg Foo Yung, 4" diam x 1/4":			
with chicken 1 pc 11 161 Egg McMuffin (McDonald's®) 1 each 13 292 Egg nog:		1 pc	10	131
Egg McMuffin (McDonald's®) 1 each 13 292 Egg nog: with 2% fat 1 cup 8 189 regular 1 cup 19 342 Egg roll, medium, fried: with vegetables, no meat 1 roll 6 97 with shrimp 1 roll 7 163 with chicken 1 roll 9 180 Egg salad: 1 roll 9 180 Egg salad: with nonfat mayo ½ cup 6 122 with reduced calorie mayo ½ cup 15 183 with regular mayo ½ cup 27 280 Eggplant ½ cup 0 13 Eggplant, breaded/battered, fried ½ cup 11 173 Eggs, fried without fat, hard cooked or poached: 1 pc 4 64 Eggs, fried without fat, hard cooked or poached: 1 med 5 54 whole egg 1 med 5 54 whole egg 1 med 5 66 <	•	1 pc	10	149
Egg nog: 1 cup 8 189 regular 1 cup 19 342 Egg roll, medium, fried:	with chicken	1 pc	11	161
with 2% fat 1 cup 8 189 regular 1 cup 19 342 Egg roll, medium, fried:	Egg McMuffin (McDonald's®)	1 each	13	292
regular 1 cup 19 342 Egg roll, medium, fried: with vegetables, no meat 1 roll 6 97 with vegetables, no meat 1 roll 7 163 with shrimp 1 roll 8 172 with chicken 1 roll 9 180 Egg salad: with nonfat mayo ½ cup 6 122 with reduced calorie mayo ½ cup 15 183 with regular mayo ½ cup 27 280 Eggplant ½ cup 0 13 Eggplant, breaded/battered, fried ½ cup 1 173 Eggplant Parmesan casserole, 3" diam x ½" 1 pc 4 64 Eggs, fried without fat, hard cooked or poached: 1 med 0 14 yolk only 1 med 5 54 whole egg 1 med 5 54 whole egg 1 med 5 54 Eggs, fried with fat 1 med 6 83 E	Egg nog:			
Egg roll, medium, fried: with vegetables, no meat 1 roll 6 97 with shrimp 1 roll 7 163 with chicken 1 roll 8 172 with pork 1 roll 9 180 Egg salad:	with 2% fat	1 cup	8	189
with vegetables, no meat 1 roll 6 97 with shrimp 1 roll 7 163 with chicken 1 roll 8 172 with pork 1 roll 9 180 Egg salad: with nonfat mayo ½ cup 6 122 with nonfat mayo ½ cup 15 183 with reduced calorie mayo ½ cup 27 280 Eggplant ½ cup 0 13 Eggplant, breaded/battered, fried ½ cup 1 173 Eggplant Parmesan casserole, 3" diam x ½" 1 pc 4 64 Eggs, fried without fat, hard cooked or poached: 1 med 0 14 white only 1 med 5 54 whole egg 1 med 5 66 Eggs, fried with fat 1 med 5 66 Eggs, scrambled: 1 10 150 fat added 2 med 10 150 fat added 2 med 15	regular	1 cup	19	342
with shrimp 1 roll 7 163 with chicken 1 roll 8 172 with pork 1 roll 9 180 Egg salad:	Egg roll, medium, fried:			
with chicken 1 roll 8 172 with pork 1 roll 9 180 Egg salad: with nonfat mayo ½ cup 6 122 with reduced calorie mayo ½ cup 15 183 with regular mayo ½ cup 27 280 Eggplant ½ cup 0 13 Eggplant, breaded/battered, fried ½ cup 11 173 Eggplant Parmesan casserole, 3" diam x ½" 1 pc 4 64 Eggs, fried without fat, hard cooked or poached: 1 med 0 14 white only 1 med 5 54 whole egg 1 med 5 66 Eggs, fried with fat 1 med 5 66 Eggs, scrambled: 1 med 6 83 Eggs, scrambled: 10 150 no fat added 2 med 10 150 fat added 2 med 15 197	with vegetables, no meat	1 roll	6	97
with pork 1 roll 9 180 Egg salad: with nonfat mayo ½ cup 6 122 with reduced calorie mayo ½ cup 15 183 with regular mayo ½ cup 27 280 Eggplant ½ cup 0 13 Eggplant, breaded/battered, fried ½ cup 11 173 Eggplant Parmesan casserole, 3" diam x ½" 1 pc 4 64 Eggs, fried without fat, hard cooked or poached: 1 med 0 14 white only 1 med 5 54 whole egg 1 med 5 66 Eggs, fried with fat 1 med 6 83 Eggs, scrambled: no fat added 2 med 10 150 fat added 2 med 15 197	with shrimp	1 roll	7	163
Egg salad: ½ cup 6 122 with nonfat mayo ½ cup 15 183 with reduced calorie mayo ½ cup 27 280 Eggplant mayo ½ cup 0 13 Eggplant, breaded/battered, fried ½ cup 11 173 Eggplant Parmesan casserole, 3" diam x ½" 1 pc 4 64 Eggs, fried without fat, hard cooked or poached: 2 4 64 white only 1 med 0 14 yolk only 1 med 5 54 whole egg 1 med 5 66 Eggs, fried with fat 1 med 6 83 Eggs, scrambled: 2 med 10 150 fat added 2 med 15 197	with chicken	1 roll	8	172
with nonfat mayo ½ cup 6 122 with reduced calorie mayo ½ cup 15 183 with regular mayo ½ cup 27 280 Eggplant ½ cup 0 13 Eggplant, breaded/battered, fried ½ cup 11 173 Eggplant Parmesan casserole, 3" diam x ½" 1 pc 4 64 Eggs, fried without fat, hard cooked or poached: 1 med 0 14 white only 1 med 5 54 whole egg 1 med 5 66 Eggs, fried with fat 1 med 5 66 Eggs, scrambled: 1 med 6 83 Eggs, scrambled: 2 med 10 150 fat added 2 med 15 197	with pork	1 roll	9	180
with reduced calorie mayo with regular mayo Eggplant Eggplant Eggplant, breaded/battered, fried Eggs, fried without fat, hard cooked or poached: white only the	Egg salad:			
with regular mayo ½ cup 27 280 Eggplant ½ cup 0 13 Eggplant, breaded/battered, fried ½ cup 11 173 Eggplant Parmesan casserole, 3" diam x ½" 1 pc 4 64 Eggs, fried without fat, hard cooked or poached: 2 4 64 white only 1 med 0 14 yolk only 1 med 5 54 whole egg 1 med 5 66 Eggs, fried with fat 1 med 6 83 Eggs, scrambled: 1 10 150 fat added 2 med 15 197	with nonfat mayo	½ cup	6	122
Eggplant ½ cup 0 13 Eggplant, breaded/battered, fried ½ cup 11 173 Eggplant Parmesan casserole, 3" diam x ½" 1 pc 4 64 Eggs, fried without fat, hard cooked or poached: 1 med 0 14 white only 1 med 5 54 whole egg 1 med 5 66 Eggs, fried with fat 1 med 6 83 Eggs, scrambled: 2 med 10 150 fat added 2 med 15 197	with reduced calorie mayo	½ cup	15	183
Eggplant, breaded/battered, fried Eggplant Parmesan casserole, 3" diam x ½" 1 pc 4 64 Eggs, fried without fat, hard cooked or poached: white only 1 med yolk only 1 med 5 54 whole egg 1 med 5 66 Eggs, fried with fat 1 med 6 83 Eggs, scrambled: no fat added 2 med 15 197	with regular mayo	½ cup	27	280
Eggplant Parmesan casserole, 3" diam x $\frac{1}{2}$ " 1 pc 4 64 Eggs, fried without fat, hard cooked or poached: white only 1 med 0 14 yolk only 1 med 5 54 whole egg 1 med 5 66 Eggs, fried with fat 1 med 6 83 Eggs, scrambled: no fat added 2 med 10 150 fat added 2 med 15 197	Eggplant	½ cup	0	13
3" diam x ½" 1 pc 4 64 Eggs, fried without fat, hard cooked or poached: 1 med 0 14 white only 1 med 5 54 whole egg 1 med 5 66 Eggs, fried with fat 1 med 6 83 Eggs, scrambled: 2 med 10 150 fat added 2 med 15 197	Eggplant, breaded/battered, fried	½ cup	11	173
Eggs, fried without fat, hard cooked or poached: white only 1 med 0 14 yolk only 1 med 5 54 whole egg 1 med 5 66 Eggs, fried with fat 1 med 6 83 Eggs, scrambled: no fat added 2 med 10 150 fat added 2 med 15 197		1 pc	4	64
yolk only 1 med 5 54 whole egg 1 med 5 66 Eggs, fried with fat 1 med 6 83 Eggs, scrambled : 2 med 10 150 fat added 2 med 15 197		-		
whole egg 1 med 5 66 Eggs, fried with fat 1 med 6 83 Eggs, scrambled : <	white only	1 med	0	14
Eggs, fried with fat 1 med 6 83 Eggs, scrambled : no fat added 2 med 10 150 fat added 2 med 15 197	yolk only	1 med	5	54
Eggs, scrambled :2 med10150fat added2 med15197	whole egg	1 med	5	66
Eggs, scrambled :2 med10150fat added2 med15197	Eggs, fried with fat	1 med	6	83
no fat added 2 med 10 150 fat added 2 med 15 197				
fat added 2 med 15 197		2 med	10	150
		2 med	15	
	Eggs, substitute:			

Item	Serving	Fat (g)	Calories
Egg Beaters®			
no fat added	½ cup	0	38
fat added	½ cup	6	89
Second Nature® (no fat, no cholesterol)			
no fat added	½ cup	0	38
fat added	½ cup	6	89
Scramblers®			
no fat added	½ cup	6	131
fat added	½ cup	14	195
Eggs Benedict, made with hollandaise sauce, regular boneless			
ham, 2 med eggs	1 svg	48	723
Elephant ear, pastry, 4" diam	1 pc	16	300
Enchilada, without beans, 6" long			
with chicken breast, skin removed, reduced fat			
cheddar	1 each	4	159
with chicken, dark meat, skin removed, regular cheddar	1 each	8	185
with beef, diet lean (10% fat) ground beef, reduced fat cheddar	1 each	6	166
with beef, regular (25% fat) ground beef, regular cheddar	1 each	12	211
with cheese (no meat), reduced fat cheddar	1 each	7	180
with cheese (no meat), regular cheddar	1 each	14	228
Enchilada sauce	1/4 cup	0	14
Endive, raw	½ cup	0	2
English muffin	1 whole	1	134
Escarole, raw	½ cup	0	2

 ${}_{Lrgfatcounter.wpd;\,9/98} \hspace{2cm} 24$

Item Serving Fat (g) Calories

			1
Faiita Oll tartilla.			
ajita, 9" tortilla:			
with chicken breast,			10.5
skin removed, plain	1 each	14	406
with beef skirt, trimmed, plain	1 each	16	421
with chicken breast, skin			
removed, regular cheddar,			
guacamole	1 each	18	457
with beef skirt, trimmed,			
regular cheddar, guacamole	1 each	20	472
Falafel, fried, (1 patty = 1 oz)	1 patty	6	111
Fatback, pork (Armour®)	2 oz	46	410
Fettucini Alfredo:			
with half and half cream,			
no fat added	1 cup	9	287
with half and half cream,	•		
fat added	1 cup	14	338
with regular cream (31% fat),	•		
fat added	1 cup	19	373
Figs, dried	3 small	1	143
Fish, fresh or frozen, cooked,			
no fat added:			
Low fat fish			
Barracuda, sea bass, bream, catfish,			
cod, crappie, croaker, drumfish,			
flounder, grouper, haddock, halibut,			
kingfish, mahi mahi, orange roughy,			
perch, pike, plaice, red fish, red			
snapper, rockfish, scrod, sheepshead,			
sole, speckled trout, sunfish	3 oz	1	100

Item	Serving	Fat (g)	Calories
Medium fat fish			
Angelfish, bluefish, fresh tuna, gulf			
butterfish, mackerel, salmon			
(Atlantic, coho, pink, chum, Lake			
Michigan), shark, smelt, spadefish,			
striped bass, swordfish, trout (rainbow, lake, sea), whitefish,			
yellowtail	3 oz	4 to 7	145
High fat fish	3 02	1 60 7	110
Herring, pompano, salmon (chinook,			
sockeye), fresh sardines, wahoo	3 oz	9 to 10	178
Fish, fillets, commercial pre-			
coated, breaded/battered, fried	3 oz	15	235
Fish sandwich, breaded/battered,			
fried, with tartar sauce	1 each	19	411
Fish stick, baked	1 oz	3	65
Flan:			
with skim milk	½ cup	3	138
with whole milk	½ cup	6	159
Focaccia bread, 1/8 of 12" diam	1 pc	7	213
French fries:			
oven baked from frozen, light	½ cup	1	38
oven baked from frozen,			
regular	½ cup	2	56
fried from fresh	½ cup	5	87
fast food, McDonald's®	sm svg	10	202
fast food, McDonald's®	lrg svg	22	437
French toast, homemade,			
4½" square x ½"	1 each	4	127
Fritter, main dish, with corn, fried,			
2" diam	1 each	7	115
Fritter, apple, fried, 2" diam	1 each	7	114
Frog legs $(4 \text{ legs} = 3 \text{ oz})$			
no fat added	3 oz	1	100
breaded/battered, fried	3 oz	14	303

 ${\footnotesize {}_{Lrgfatcounter.wpd;\,9/98}} \\$

Item	Serving	Fat (g)	Calories
Fruit bread, 4½" x ½" x ½":			
without nuts	1 slice	3	123
with nuts	1 slice	5	147
Fruit, canned in juice or water (includes fruit cocktail, pear, peach, pineapple)	½ cup	0	56
Fruit, canned in heavy syrup (includes fruit cocktail, pear, peach, pineapple)	½ cup	0	100
Fruit drink or punch, all flavors	1 cup	0	117
Fruit ice	½ cup	0	124
Fruit salad:			
plain	½ cup	0	47
with non-dairy whipped topping	½ cup	1	53
with whipped cream	½ cup	2	61
with whipped cream, chopped pecans	½ cup	7	111
Fudgesicle, 1.75 oz bar	1 bar	1	70
Fudge syrup Gefilte fish, 21/3" diam	1 Tbsp 1 pc	3	74 94
General Tso's chicken:			
with chicken breast, skin removed	1 cup	12	264
with dark meat, skin removed	1 cup	15	281
Goose:			
skin removed	3 oz	10	187
skin eaten	3 oz	19	259

 ${}_{Lrgfatcounter.wpd;\,9/98} \hspace{2cm} 27$

Item	Serving	Fat (g)	Calories
Goulash, Hungarian, beef with noodles:			
with round steak, trimmed, no fat added	1 cup	3	161
with beef cubes, trimmed, fat added	1 cup	11	228
with beef cubes, untrimmed, fat added	1 cup	16	269
Grapefruit, 4" diam	½ fruit	0	47
Grapefruit juice, unsweetened	³⁄₄ cup	0	70
Grape juice, unsweetened	³ / ₄ cup	0	116
Grapes, all kinds	½ cup	0	57
Gravy:			
from mix with water	1/4 cup	0	22
milk-based, homemade			
with skim milk	1/4 cup	4	73
with whole milk	1/4 cup	6	89
beef, homemade, water-based	1/4 cup	5	58
giblet, broth-based	1/4 cup	7	93
Green bean casserole with mushroom soup:			
without cheese	½ cup	7	104
with reduced fat cheddar	½ cup	10	162
with regular cheddar	½ cup	14	190
Green pepper, stuffed:			
with diet lean (10% fat)			
ground beef, rice	1 each	8	231
with regular (25% fat) ground beef, rice	1 each	14	282
Greens (beet, collard, dandelion, kale, mustard, turnip, etc):			
no fat added	½ cup	0	19
cooked with bacon, ham, or	•		
sausage	½ cup	2	34
Grilled cheese sandwich	1 each	17	300

 ${}_{Lrgfatcounter.wpd;\,9/98} \hspace{2cm} 28$

Item	Serving	Fat (g)	Calories
Grilled ham and cheese sandwich	1 each	21	392
Ground beef:			
super lean 4% fat (96% lean)	3 oz	3	122
diet lean 10% fat (90% lean)	3 oz	8	176
extra lean 15% fat (85% lean)	3 oz	13	211
lean 20% fat (80% lean)	3 oz	17	244
regular 25% fat (75% lean)	3 oz	19	260
Ground beef casserole, tomato- based, with pasta and cheese:			
with diet lean (10% fat) ground beef, nonfat cheese	1 cup	5	266
with regular (25% fat) ground beef, regular cheddar	1 cup	15	343
Ground beef casserole, Hamburger Helper®, cheeseburger macaroni:			
with diet lean (10% fat) ground beef	1 cup	11	318
with regular (25% fat) ground beef	1 cup	19	379
Ground lamb	3 oz	17	235
Ground pork	3 oz	17	246
Ground turkey breast, skin			
removed	3 oz	3	140
Ground turkey, from frozen	3 oz	12	202
Ground veal	3 oz	5	139
Guacamole	¹⁄₄ cup	8	93
Guava (1 each = $\frac{1}{2}$ cup)	1 each	1	46
Guava nectar	³ / ₄ cup	0	112
Gyro sandwich, with condiments	1 each	10	220
Ham and cheese sandwich, with spread	1 each	20	377
Ham, cured (1 slice = 1 oz):	1 00011	20	
5% fat or extra lean	3 oz	5	123

Item	Serving	Fat (g)	Calories
trimmed, regular	3 oz	8	151
untrimmed, regular	3 oz	13	192
Ham hocks	1 pc	5	109
Ham salad, without egg:			
with nonfat mayo, extra lean ham	¹⁄₂ cup	2	89
with reduced calorie mayo, trimmed regular ham	½ cup	12	165
with regular mayo, untrimmed regular ham	½ cup	27	282
Hamburger on bun: without cheese, no condiments			
small, 1/10 lb, diet lean (10% fat) ground beef	1 each	6	236
small, 1/10 lb, regular (25% fat) ground beef	1 each	11	273
quarter lb, diet lean (10% fat) ground beef	1 each	11	353
quarter lb, regular (25% fat) ground beef	1 each	20	426
with cheese, no condiments			
small, 1/10 lb, diet lean (10% fat) ground beef	1 each	11	289
small, 1/10 lb, regular (25% fat) ground beef	1 each	16	325
quarter lb, diet lean (10% fat) ground beef	1 each	19	458
quarter lb, regular (25% fat) ground beef	1 each	29	531
Fast food			
McDonald's® hamburger	1 each	10	271
McDonald's® cheeseburger	1 each	14	324
Wendy's® Jr. hamburger	1 each	9	273
Wendy's® Jr. cheeseburger	1 each	12	319
Wendy's® Jr. bacon cheeseburger	1 each	26	443

Item	Serving	Fat (g)	Calories
Big Mac®	1 each	24	515
Whopper®	1 each	37	631
Whopper®, with cheese	1 each	45	721
Hash, beef, canned	1 cup	26	378
Hashed browns:			
frozen patty	1 oval	8	146
McDonald's®	1 each	8	130
Burger King®	1 each	11	200
homemade	½ cup	12	220
Hardee's®	1 each	14	226
Head cheese	1 oz	4	60
Heart, beef	3 oz	5	149
Hoagie roll, 6" long	1 each	2	193
Hoisin sauce	1 Tbsp	1	31
Hollandaise sauce:			
commercial	1 Tbsp	4	44
homemade	1 Tbsp	10	91
Hominy, canned	¹⁄₂ cup	1	58
Honey	1 Tbsp	0	64
Horseradish	1 Tbsp	0	6
Hot buttered rum	6 fl oz	8	218
Hot dog, no bun:			
chicken or turkey	1 each	8	102
beef and pork, light	1 each	11	141
beef and pork, regular	1 each	13	144
Hot dog on bun:			
plain	1 each	15	258
with cheese	1 each	24	365
with chili and cheese	1 each	25	396
Hot dog on bun, foot-long:			
plain	1 each	31	529
with cheese	1 each	48	723
with chili and cheese	1 each	46	711
Hummus (chickpea dip), plain	¹⁄₄ cup	7	157

Item	Serving	Fat (g)	Calories
Hummus, with olive oil	1/4 cup	21	276
Hushpuppy, fried, 1 ¹ / ₄ " diam x 2 ¹ / ₂ "	1 each	3	66
Ice cream:			
dietary (1% fat)	½ cup	1	81
dairy desserts (<3% fat)	½ cup	1	100
regular (10-12% fat)	½ cup	7	143
high fat (16% fat)	¹⁄₂ cup	12	178
Ice cream bar, Dove®, 3.8 fl oz	1 bar	23	327
Ice cream bar, Eskimo Pie®, 3 fl oz	1 bar	13	178
Ice cream cone, without ice cream:			
wafer	1 each	0	17
sugar	1 each	1	42
waffle, large	1 each	2	121
Ice cream sandwich:			
dietary (1% fat)	1 each	3	166
regular	1 each	6	160
Ice milk bar, chocolate coated:			
plain	1 each	9	138
with nuts	1 each	28	467
Ice milk or soft serve	½ cup	2	111
Icing (frosting), ready to spread:			
cream cheese, white, or	1.771		0.2
flavored	1 Tbsp	3	83
chocolate	1 Tbsp	4	75
German chocolate	1 Tbsp	8	106
Icing (frosting), homemade:			
white, boiled (7-minute)	1 Tbsp	0	16
white, confectioners' sugar, fat added	1 Tbsp	2	79

Item	Serving	Fat (g)	Calories
T			
J ellies, jams, preserves	1 Tbsp	0	48
Jello® salad (sweetened Jello®):			
clear, with fruit			
(water-packed fruit)	½ cup	0	60
with regular cream cheese	½ cup	3	96
with cranberries, pineapple,			
nuts	½ cup	6	174
with fruit, light cream cheese			
and whipping cream	½ cup	12	205
with fruit, regular cream			
cheese and whipping cream	½ cup	14	224
K			4.0
I iwi	1 med	0	46
Knish, potato, 2" diam	1 each	3	78
Kool-Aid®, regular, prepared	1 cup	0	92
Kreplach:	4 1		-
with cheese, 3" diam, folded	1 each	1	56
with meat, 2" square, folded	1 each	1	22
Kugel	1 cup	9	257
Kumquats	5 pcs	0	60
Lamb/mutton, chops, or roast:			
leg, sirloin, shoulder, trimmed	3 oz	8	173
leg, untrimmed	3 oz	11	197
sirloin, shoulder, untrimmed	3 oz	17	235
Lamb/mutton, rib:			
trimmed	3 oz	11	197
untrimmed	3 oz	25	305
Lamb/mutton stew	1 cup	12	248
Lard	1 Tbsp	13	116

Item	Serving	Fat (g)	Calories
Lasagna (with part-skim			
mozzarella), 3" square:			
with spinach, no meat,	1	_	227
nonfat ricotta	1 pc	5	237
with diet lean (10% fat) ground beef, nonfat ricotta	1 pc	8	287
with regular (25% fat) ground beef, part-skim ricotta	l pc	14	338
with sausage, part-skim ricotta	1 pc	15	343
Lemon, 2" diam	1 each	0	17
Lemon juice	1 Tbsp	0	3
Lemonade, prepared from mix,	1 105p		
with sugar	1 cup	0	92
Lentils, canned or cooked	½ cup	0	115
Lettuce, iceberg, romaine, red	•		
leaf, etc, fresh	½ cup	0	4
Lime, 2" diam	1 each	0	19
Lime juice	1 Tbsp	0	3
Liquor (brandy, gin, rum, vodka,			
whiskey, etc)	1½ fl oz	0	96
Liver, beef or pork	3 oz	4	140
Liver, chopped, chicken, with			
eggs	½ cup	9	157
Lobster	3 oz	0	83
Lobster sauce	1 Tbsp	2	25
Lo mein, pork and vegetables	1 cup	9	235
Lox, smoked salmon	1 oz	1	33
Macadamia nuts, raw	¹⁄₄ cup	25	235
Macaroni and cheese:	•		
Weight Watchers®	1 pkg	7	310
canned or frozen	1 cup	11	276
homemade, with skim milk,	•		
nonfat cheese	1 cup	4	302

Item	Serving	Fat (g)	Calories
homemade, with skim milk, reduced fat cheddar	1 cup	15	397
homemade, with whole milk, regular cheddar	1 cup	28	499
made from mix, with whole milk	1 cup	19	402
Macaroni salad with chicken, without egg:			
with nonfat mayo	½ cup	1	97
with reduced calorie mayo	½ cup	5	127
with regular mayo	½ cup	11	176
Macaroni salad with tuna, without egg:			
water-packed tuna, drained			
with nonfat mayo	½ cup	0	95
with reduced calorie mayo	½ cup	6	138
with regular mayo	½ cup	15	206
oil-packed tuna, drained			
with nonfat mayo	½ cup	2	116
with reduced calorie mayo	½ cup	8	159
with regular mayo	½ cup	16	226
oil-packed tuna, not drained			
with regular mayo	½ cup	19	245
Mackerel, canned, drained	3 oz	5	118
Mango, diced	½ cup	0	54
Mango nectar	³ / ₄ cup	0	100
Margarine:			
fat-free (Promise®)	1 tsp	0	2
diet	1 tsp	2	17
whipped	1 tsp	3	23
spread	1 tsp	4	31
regular	1 tsp	4	34
regular	1 Tbsp	12	102
Marshmallow creme	1 Tbsp	0	27
Matzo ball, 2" diam	1 each	10	160

Item	Serving	Fat (g)	Calories
Meat substitute			
(textured vegetable protein):			
breakfast strips	1 strip	2	25
brown and serve	1 link	4	58
brown and serve	1 patty	7	97
Canadian-style bacon	1 slice	2	40
hot dog	1 each	8	108
meat loaf type	3 oz	5	113
Meatball, 2" diam:			
with diet lean (10%			
fat) ground beef	1 each	2	62
with ground turkey	1 each	3	67
with ground pork	1 each	4	77
with regular (25%			
fat) ground beef	1 each	5	81
Meat loaf, $4\frac{1}{2}$ " x $2\frac{1}{2}$ " x $\frac{1}{2}$ " slice:			
with diet lean (10%			
fat) ground beef	1 slice	7	190
with ground turkey	1 slice	10	208
with ground pork	1 slice	13	238
with regular (25%			
fat) ground beef	1 slice	15	248
Melon, cantaloupe, honeydew, etc			
$(1 \text{ cup pcs} = \frac{1}{4} \text{ of 5" diam})$	1 cup	0	60
Milk:			
skim, nonfat	1 cup	0	86
1/2%	1 cup	1	92
1%	1 cup	3	102
2%	1 cup	5	121
whole	1 cup	8	150
Milk, chocolate:			
skim	1 cup	2	158
low fat (2%)	1 cup	5	179
whole	1 cup	8	208

Item	Serving	Fat (g)	Calories
Milk, condensed, sweetened, canned:			
nonfat	2 Tbsp	0	110
low fat	2 Tbsp	2	120
regular	2 Tbsp	3	130
Milk, evaporated, canned, undiluted:			
skim	1 cup	1	99
whole	1 cup	19	339
Milk powder, dry, instant nonfat	¹⁄₃ cup	0	81
Milkshake or malt (chocolate):			
with soft serve	1 cup	7	253
with ice cream	1 cup	18	346
vanilla shake (McDonald's®)	16 fl oz	5	329
Millet	½ cup	2	145
Mineral, spring, or sparkling			
water	1 cup	0	0
Miso	1 Tbsp	1	35
Mixed vegetables (broccoli,			
cauliflower, carrots)	½ cup	0	19
Molasses	1 Tbsp	0	55
Moo Goo Gai Pan (chicken		10	220
breast)	1 cup	19	320
Moo Shu Pork with pancake	1 cup	30	696
Mousse, chocolate:			
with half and half cream	½ cup	12	223
with regular whipping cream	½ cup	18	281
Muffin, corn, from mix, 21/4" diam x 11/2"	1 each	5	138
Muffin, English (plain), 3½" diam	1 each	1	134
Muffin, from mix (blueberry):			
small	1 each	4	110
large	1 each	6	167
large, with streusel	1 each	12	250
Muffins, purchased:			

Item	Serving	Fat (g)	Calories
fat-free apple bran, McDonald's®	1 anah	0	180
	1 each	16	
banana walnut, bakery, large	1 each	0	298 9
Mushrooms, raw Mustard	½ cup 1 Tbsp	1	12
achos with cheese:	1 105μ	1	12
with low fat chips, reduced fat cheddar, diet lean (10% fat) ground beef	1 cup	9	237
with regular chips, regular cheddar, regular (25% fat) ground beef	1 cup	25	325
Nachos with cheese, Taco Bell®:		1.0	220
regular	1 order	18	330
supreme	1 order	27	447
Nectarine, fresh, 2½" diam	1 each	1	67
Noodles:			
cellophane (mung bean)	½ cup	0	70
chow mein (crispy)	½ cup	7	119
egg	½ cup	1	106
macaroni or spaghetti	½ cup	0	99
rice, boiled	½ cup	0	70
spinach	½ cup	1	93
Nori, dry (seaweed)	1 sheet	0	3
Nut bread, 4½" x 2½" x ½"	1 slice	6	158
Nuts:			
walnuts	¹⁄₄ cup	15	161
pecans	¹⁄₄ cup	18	180
peanuts	¹⁄₄ cup	18	212
peanuts, chocolate-covered	1/4 cup	12	193
almonds, mixed			
nuts	¹⁄₄ cup	19	211

 $_{Lrgfatcounter.wpd;\,9/98}$

Item Serving Fat (g) **Calories** il, all types 5 40 1 tsp 1 Tbsp Oil, all types 14 120 Okra: no fat added ½ cup 0 34 cooked with bacon, ham or ½ cup 2 51 sausage breaded/battered, fried ½ cup 4 83 5 Olive loaf, lunch meat 1 oz 68 Olives, green or black 2 med 1 9 Omelet, plain (2 med eggs): no fat added 1 svg 9 135 19 228 fat added 1 svg Omelet, with cheese (2 med eggs): no fat added 18 243 1 svg fat added 28 1 svg 337 Onion rings: fast food, Burger King® 1 svg 5 114 frozen, baked 163 $\frac{1}{2}$ cup 11 canned ½ cup 12 155 Onions, raw ½ cup 0 30 Orange, fresh, 25/8" diam 62 1 each 0 Orange drink 1 cup 0 117 Orange juice, unsweetened ³∕₄ cup 0 84 3 oz 13 211 Oxtail 1 Tbsp Oyster sauce 0 18 Oysters: no fat added (9 med = 3 oz)3 oz 4 117 breaded/battered, fried 1 cup 17 320 aella 11 368 1 cup

Item	Serving	Fat (g)	Calories
Pancake, 4" diam:			
frozen, plain	1 each	1	82
homemade, plain	1 each	3	66
homemade, with			
butter and syrup	1 each	7	155
Papaya, diced	½ cup	0	27
Parsley, fresh	1 Tbsp	0	1
Parsnips	½ cup	0	63
Pasta, plain:			
linguine, macaroni or			
spaghetti	1 cup	1	197
fettucini	1 cup	2	213
Pasta salad with vegetables:			
low calorie Italian dressing	½ cup	1	51
regular Italian dressing	½ cup	9	132
Pasta shells, cheese-filled, with			
tomato sauce:			
without meat	1 cup	13	369
with meat sauce	1 cup	17	407
Pastrami, turkey	1 oz	2	40
Pastrami, beef	1 oz	8	99
Paté, chicken liver	1 Tbsp	3	41
Peach, fresh, 2½" diam	1 each	0	37
Peanut butter:			
low fat	1 Tbsp	6	94
regular	1 Tbsp	8	96
Pear, fresh, 2½" diam	1 each	1	98
Peas and carrots	½ cup	0	38
Peas, green	½ cup	0	62
Pepper steak:			
with round steak, trimmed,			
no fat added	1 cup	5	229
with sirloin, trimmed, fat			
added	1 cup	29	435

Item	Serving	Fat (g)	Calories
with sirloin, untrimmed, fat			
added	1 cup	39	505
Pepperoni	1 oz	12	141
Peppers, green or red	½ cup	0	19
Pesto sauce	1 Tbsp	10	93
Pheasant, quail, duck (wild):			
skin removed	3 oz	8	181
skin eaten	3 oz	11	201
Pickle and pimento loaf,			
lunch meat	1 oz	5	68
Pickles:			
dill	1 slice	0	1
bread and butter or			
sweet gherkins	1 slice	0	7
relish, sweet	1 tsp	0	7
Pie, 9" diam (1 slice = 1/6 pie):			
with single crust			
apple	1 slice	18	427
banana cream	1 slice	26	509
chiffon	1 slice	25	427
custard	1 slice	21	382
lemon	1 slice	21	495
peach	1 slice	14	327
pecan	1 slice	42	729
pumpkin	1 slice	21	438
walnut	1 slice	35	656
with double crust			
apple	1 slice	32	627
peach	1 slice	28	527
mincemeat	1 slice	37	786
Pie crust, 9" diam, no filling:			
graham cracker	1/6 pie	14	220
pastry, single crust	1/6 pie	14	199
pastry, double crust	1/6 pie	28	399
Pie, fruit, snack, commercial:			

Item	Serving	Fat (g)	Calories
McDonald's®	1 pie	15	288
Hostess®, all flavors	1 pie	20	386
Pierogies:	•		
filled with cheese and			
potatoes, 3" diam folded	1 pc	1	56
filled with meat, 2"			
square folded	1 pc	1	22
Pig's feet	3 oz	9	182
Pig's feet, pickled	1 foot	14	177
Piña colada, without ice	5 fl oz	3	264
Pineapple, fresh	½ cup	0	38
Pineapple juice, unsweetened	³ / ₄ cup	0	105
Pita or pocket bread, white,			
7" diam	1 pc	1	191
Pizza, (1 slice = 1/8 pizza):			
Fast food, Pizza Hut® Pan Pizza			
cheese (12" diam)	1 slice	12	267
pepperoni (12" diam)	1 slice	14	272
supreme (12" diam)	1 slice	16	314
personal pan supreme (6" diam)	1 each	49	944
Frozen, 14" diam			
cheese	1 slice	7	234
1 meat topping	1 slice	10	271
2 meat toppings	1 slice	22	444
Restaurant or homemade, 14" diam			
cheese with vegetables	1 slice	8	218
1 meat topping	1 slice	9	225
2 meat toppings	1 slice	14	273
Plum, fresh, 2" diam	1 each	0	30
Polenta			
no fat added	½ cup	0	140
fried	½ cup	5	159
Popcorn:			

Item	Serving	Fat (g)	Calories
air popped, plain	3 cups	1	92
air popped, with butter or			
margarine	3 cups	18	244
commercially popped, not "buttered"	3 cups	9	166
commercially popped, "buttered"	3 cups	26	318
microwave, light, popped from package	3 cups	3	77
microwave, popped from package	3 cups	7	111
popped in oil, plain	3 cups	15	212
popped in oil, with butter or margarine	3 cups	32	365
Popover	1 each	3	121
Popsicle, $2.5 \text{ fl oz} = 1 \text{ bar}$	1 bar	0	63
Pork chops (loin, sirloin):			
trimmed	3 oz	9	182
untrimmed	3 oz	13	214
Pork chops (loin, sirloin), breaded/battered, pan-fried:			
trimmed	3 oz	11	214
untrimmed	3 oz	15	246
Pork roast (loin, sirloin): no fat added			
trimmed	3 oz	9	182
untrimmed	3 oz	13	214
browned or braised			
trimmed	3 oz	13	222
untrimmed	3 oz	17	254
Pork roast (Boston butt):			
no fat added			
trimmed	3 oz	13	214
untrimmed	3 oz	17	246
browned or braised			

Item	Serving	Fat (g)	Calories
trimmed	3 oz	17	254
untrimmed	3 oz	22	285
Pork tenderloin (trimmed):			
no fat added	3 oz	4	139
browned or braised	3 oz	9	179
Pork dumplings, main dish type,			
commercial, with white sauce	1 each	24	367
Pork skins (rind, fried)	1 oz	9	155
Pot pies, frozen (8 oz):			
chicken or turkey, double			
crust	1 each	16	314
beef, double crust	1 each	21	352
Pot sticker, fried	1 each	1	46
Potato chips			
(1 single svg bag = 1 oz):			
fat-free	1 oz	0	105
low fat	1 oz	7	140
regular	1 chip	1	11
regular or preformed	1 oz	11	161
Potato salad, German	½ cup	4	94
Potato salad, without egg:			
with nonfat mayo	½ cup	0	75
with reduced calorie mayo	½ cup	8	130
with regular mayo	½ cup	18	217
Potatoes and potato products:			
au gratin	½ cup	13	210
baked, boiled or canned			
(small, 2" diam = $\frac{1}{2}$ cup)	½ cup	0	57
baked, topped with butter	1 sm	7	157
fried, American, cottage, home			
or panfries	½ cup	14	285
hash browned	½ cup	12	220
mashed			
with skim milk, no fat			
added	½ cup	0	78

Item	Serving	Fat (g)	Calories
with whole milk, fat added	½ cup	6	129
potato pancake, 4" diam	1 each	5	82
scalloped potatoes			
with skim milk, no fat added	½ cup	0	93
with skim milk, fat added	½ cup	4	131
with whole milk, fat added	½ cup	6	146
with whole milk, with ham, fat added	½ cup	8	161
tater tots, baked	6 each	5	105
tater tots, fried	6 each	7	124
Potatoes, prepared from mixes:			
scalloped, with skim milk	½ cup	4	131
scalloped, with whole milk	½ cup	6	146
au gratin, with skim milk	½ cup	7	159
au gratin, with whole milk	½ cup	9	174
hash browned	½ cup	12	220
Prawns:			
no fat added	3 oz	1	84
stir-fried	3 oz	3	103
Pretzels, soft type	1 oz	0	78
Pretzels, hard type	1 oz	1	108
Prune juice, unsweetened	³⁄₄ cup	0	136
Prunes, dried	5 each	0	100
Pudding Pops®, all flavors, 1.75 fl oz	1 each	2	63
Puddings, all flavors (made from mix, sweetened):			
with skim milk	½ cup	0	119
with low fat (2%) milk	½ cup	2	135
with whole milk	¹⁄₂ cup	4	148
Pumpkin	½ cup	0	42
Pumpkin seeds:			
unshelled	¹⁄₄ cup	3	38
kernels only	¹⁄₄ cup	15	180

Item Serving Fat (g) **Calories** uesadilla, cheese, with regular cheddar 1 each 10 199 Ouiche, with crust, 9" diam: plain, skim milk, reduced fat Swiss cheese, Eggbeaters® 1/8 pie 13 231 plain, whole milk, regular Swiss cheese, eggs 1/8 pie 20 289 1/8 pie Lorraine 24 342 ½ cup 79 Quinoa abbit 7 3 oz 168 Radishes, fresh ½ cup 0 10 Raisins, dried 1/4 cup 0 116 Ramen noodles, Campbell's® (½ block, prepared with 1 tsp seasoning = 1 svg): low fat 150 1 svg 1

Ratatouille 13 178 1 cup Ravioli, without sauce: spinach-filled 409 1 cup 10 meat-filled, diet lean (10% fat) ground beef 12 414 1 cup meat-filled, regular (25% fat), ground beef 17 450 1 cup cheese-filled 1 cup 19 433 Refried beans: ½ cup canned, fat-free 0 104 canned, regular $\frac{1}{2}$ cup 119 homemade, with fat added ½ cup 14 284 38 554 Reuben sandwich 1 each 46 Lrgfatcounter.wpd: 9/98

1 svg

½ cup

180

30

0

regular

Raspberries, fresh

Item	Serving	Fat (g)	Calories
Rhubarb	½ cup	0	8
Ribs, pork, back or spare	3 oz	26	338
Ribs, pork, back or spare			
(1 med pc = 1 oz)	1 pc	11	139
Ribs, pork, country style:			
no fat added			
trimmed	3 oz	13	214
untrimmed	3 oz	21	275
basted with fat, broiled			
trimmed	3 oz	15	232
untrimmed	3 oz	23	293
Rice:			
wild	½ cup	0	83
white	¹⁄₂ cup	0	103
brown	½ cup	1	108
fried, vegetable	½ cup	4	111
fried, chicken	¹⁄₂ cup	5	141
Rice, pilaf, without meat	1 cup	6	292
Rice, with gravy (made with			
fat drippings)	1 cup	7	299
Rice mixes, seasoned (Rice-a-Roni® and similar brands):			
no fat added	1 cup	1	224
fat added	1 cup	7	275
Rice pudding:			
with skim milk	½ cup	2	161
with whole milk	½ cup	4	178
Rice, Spanish, without meat	1 cup	4	225
Roast beef, lunch meat:			
extra lean (2% fat)	3 oz	2	90
regular	3 oz	13	211
Roast beef sandwich	1 each	14	344
Roast beef sandwich with gravy	1 each	17	391
Roast beef sandwich (fast food):			

Item	Serving	Fat (g)	Calories
Arby's®, junior size	1 each	11	238
Arby's®, regular size	1 each	18	400
Roasts, beef:			
round or rump, trimmed	3 oz	4	153
round or rump, untrimmed	3 oz	8	176
brisket, trimmed	3 oz	8	176
chuck, prime rib or rib,			
trimmed	3 oz	13	211
brisket or chuck, untrimmed	3 oz	22	286
prime rib or rib, untrimmed	3 oz	25	310
Roll, hard, 3½" diam x 2¼"	1 each	2	146
Roll, white, 2½" x 2½" x 1½":			
plain	1 each	3	108
buttered	1 each	7	142
Root beer float:			
with dietary (1% fat) ice			
cream, diet soda	12 fl oz	1	100
with regular (11% fat)			
ice cream, regular soda	12 fl oz	9	250
Rutabaga	½ cup	0	33
Salad dressings:			
clear			
water and vinegar,			
sweetened	1 Tbsp	0	8
sweet and sour	1 Tbsp	0	16
oil and vinegar	1 Tbsp	7	69
creamy (blue, Caesar, French, Italian, ranch, Russian)			
fat-free	1 Tbsp	0	16
low calorie	1 Tbsp	1 to 3	43
regular	1 Tbsp	5 to 8	82
mayonnaise, imitation			

 $_{Lrgfatcounter.wpd;\,9/98} \hspace{2cm} 48$

Item	Serving	Fat (g)	Calories
nonfat	1 Tbsp	0	12
reduced calorie	1 Tbsp	5	48
regular	1 Tbsp	12	104
mayonnaise, real			
fat-free (Kraft®)	1 Tbsp	0	12
low calorie	1 Tbsp	5	49
regular	1 Tbsp	11	99
mayonnaise-type (Miracle Whip®, Weight-Watchers®)			
fat-free	1 Tbsp	0	19
low calorie	1 Tbsp	5	61
regular	1 Tbsp	7	72
Salads:			
Caesar, with dressing	1 cup	17	205
Chef:			
without dressing, extra lean (5% fat) ham, nonfat cheese	1 cup	2	48
without dressing, regular ham, regular cheddar	1 cup	5	77
with 1 Tbsp ranch dressing, regular ham, regular cheddar	1 cup	10	130
Three bean, oil-based dressing	½ cup	11	131
Tossed, without dressing	1 cup	0	14
Wilted lettuce with bacon dressing	¹⁄₂ cup	1	27
Salami:			
cooked (cotto, beef)	1 oz	6	74
hard (dried, Genoa)	1 oz	10	119
Salmon, canned, drained	3 oz	5	118
Salsa, picante sauce	1 Tbsp	0	4
Salt pork (Armour®)	2 oz	34	320

Item	Serving	Fat (g)	Calories
Salt pork (1 slice = 3" x $1\frac{1}{2}$ " x $\frac{1}{4}$ ")	1 slice	12	115
Sandwich spread:			
chicken (Underwood®)	1/4 cup	8	120
deviled ham (Underwood®)	1/4 cup	14	160
Sardines (1 med = 3" long):			
canned in oil, drained	1 med	1	25
canned in oil, not drained	1 med	3	41
Sauerbraten	3 oz	17	236
Sauerkraut	½ cup	0	22
Sausage:			
Blood	1 oz	10	107
Brown 'n' Serve links,			
turkey (1 link = 0.85 oz)	1 link	3	46
Brown 'n' Serve links, beef or			
pork (1 link = 0.5 oz)	1 link	4	48
Brown 'n' Serve patty, beef or	1		100
pork (1 patty = 1 oz)	1 patty	8	100
Bratwurst (1 link = 3 oz)	1 link	24	277
Chorizos	1 oz	11	129
Italian (1 link = 2.4 oz)	1 link	17	220
Kielbasa, 4" link, (1 link = 2.4	1 1:1-	10	200
oz) Knockwurst (1 link = 2.4 oz)	1 link 1 link	19 19	209 209
		19	
Mettwurst (1 link = 2.4 oz)	1 link	19	209
New England (1 slice = 0.8 oz)	1 slice	2	37
Polish (1 link = 2.6 oz)	1 link	21	236
pork patty (1 sm patty = 1 oz)	1 oz	8	100
smoked sausage, beef or pork	1 oz	8	92
summer sausage, turkey	1 oz	4	56
summer sausage, tarkey	1 02	† '	
pork	1 oz	8	89
turkey sausage	1 oz	3	55

Item	Serving	Fat (g)	Calories
Vienna, 2" link			
(1 link = 0.6 oz)	1 link	4	45
Scallops (6 lrg or 15 sm = 3 oz)			
no fat added	3 oz	1	98
stir-fried	3 oz	3	117
breaded/battered, fried	3 oz	14	301
Scone, medium, 2" diam	1 each	5	131
Scone, 1/8 of 9" diam	1 pc	14	339
Scrapple	3 oz	4	87
Seltzer water	1 cup	0	0
Sesame chicken, with chicken			
breast, skin removed	1 cup	16	298
Sesame seeds	1 Tbsp	4	47
Sherbet	½ cup	2	133
Shortening (Crisco®)	1 tsp	4	38
Shortening (Crisco®)	1 Tbsp	13	113
Shrimp $(17 \text{ med} = 3 \text{ oz})$			
no fat added	3 oz	1	84
stir-fried	3 oz	3	103
breaded/battered, fried	3 oz	14	287
Shrimp Creole, no rice	1 cup	8	195
Shrimp, fried (fast food):			
Arthur Treacher's® (breaded)	1 order	24	383
Long John Silver's® (battered)	6 pcs	12	180
Shrimp gumbo	1 cup	9	251
Shrimp jambalaya	1 cup	9	300
Shrimp salad, without egg:			
with nonfat mayo	½ cup	5	113
with reduced calorie mayo	½ cup	11	161
with regular mayo	½ cup	20	236
Shrimp scampi	1 cup	9	193
Sloppy Joe mixture:			
with diet lean (10% fat)			
ground beef	1 cup	13	350

Item	Serving	Fat (g)	Calories
with regular (25% fat) ground beef	1 cup	31	486
Snow peas (pea pods):	•		
no fat added	½ cup	0	34
stir-fried	½ cup	3	69
Soft drink, all flavors	-		
(12 fl oz = 1 can)	1 can	0	152
Sorbet	½ cup	0	129
Soufflé, cheese	1 cup	18	226
Soup, bean:			
bean with bacon, ham or pork	1 cup	6	172
black bean without meat	1 cup	6	168
split pea or lentil with ham	1 cup	6	172
vegetarian bean	1 cup	7	320
Soup, canned, broth-based: chicken noodle, chicken with rice, minestrone, or vegetable beef	1 cup	3	83
Manhattan clam chowder	1 cup	2	77
Soup, canned, chunky:	1 000		
beef, chicken, or turkey with		_	4.50
vegetables	1 cup	5	170
minestrone or vegetarian	1 cup	4	122
Soup, cheese:			100
with skim milk	1 cup	11	198
with whole milk	1 cup	15	230
Soup, corn chowder			
with skim milk	1 cup	11	234
with whole milk	1 cup	15	269
Soup, cream-based:			
with skim milk			
tomato	1 cup	2	128
New England clam			
chowder or potato	1 cup	3	131
asparagus or broccoli	1 cup	4	129
corn	1 cup	5	150
celery	1 cup	6	133

Item	Serving	Fat (g)	Calories
chicken	1 cup	8	159
mushroom	1 cup	10	172
with whole milk	1 cup	8	162
broccoli, potato or tomato	1 cup	6	149
corn or New England clam			
chowder	1 cup	7	170
asparagus	1 cup	8	162
celery	1 cup	10	165
chicken	1 cup	11	192
mushroom soup	1 cup	14	204
Soup, cream, undiluted (10 ³ / ₄ oz can):			
chicken	1 can	18	284
mushroom	1 can	23	314
Soup, egg drop	1 cup	5	89
Soup, hot and sour	1 cup	6	124
Soup, oxtail	1 cup	16	225
Soup, wonton	1 cup	4	235
Sour cream:			
nonfat	1 Tbsp	0	10
low fat	1 Tbsp	1	20
regular	1 Tbsp	3	28
Soybeans, no fat added	½ cup	8	156
Soy sauce	1 Tbsp	0	10
Spaghetti sauce, commercial (without meat)	1 cup	10	168
Spaghetti sauce, homemade:			
without meat, no fat added	1 cup	1	74
with diet lean (10% fat)			
ground beef, no fat added	1 cup	8	219
with regular (25% fat) ground			
beef, no fat added	1 cup	18	296
with regular (25% fat) ground			
beef, fat added	1 cup	44	527
Spam®	1 oz	9	95

Item	Serving	Fat (g)	Calories
Spanokopita, 3" x 2"	1 pc	23	307
Spinach, raw	1 cup	0	12
Spinach:			
no fat added	½ cup	0	27
stir-fried	½ cup	2	47
creamed	½ cup	9	155
Spinach souffle	1 cup	18	198
Sport drink (Gatorade®, etc)	8 fl oz	0	60
Sprouts, alfalfa or bean, raw	½ cup	0	5
Squash:	1		
no fat added			
crooked neck, spaghetti or			
summer (green or yellow)	½ cup	0	22
butternut	½ cup	0	48
acorn	½ cup	0	69
buttercup	½ cup	1	47
hubbard	½ cup	1	59
breaded/battered, fried			
summer (green or yellow)	½ cup	9	172
Squash casserole with cheese and cracker crumbs	½ cup	20	269
Squid (calamari):			
no fat added	3 oz	1	103
breaded/battered, fried	3 oz	14	306
Steaks, beef:			
round, sirloin, trimmed	3 oz	4	153
flank, porterhouse, T-bone, tenderloin, trimmed	3 oz	8	176
round, untrimmed	3 oz	8	176
flank, sirloin, untrimmed	3 oz	13	211
porterhouse, T-bone,			
tenderloin, untrimmed	3 oz	17	244
Steak sandwich	1 each	11	336
Steak sauce	1 Tbsp	0	10
Stew meat:			

Item	Serving	Fat (g)	Calories
trimmed	3 oz	13	211
untrimmed	3 oz	22	286
Stir-fried vegetable combinations			
(no meat)	1 cup	6	120
Strawberries, fresh	½ cup	0	23
Strudel, apple, 21/4" square	1 pc	3	117
Strudel, cheese, 21/4 square	1 pc	6	178
Submarine sandwich, cheese, 5" long	1 each	27	500
Submarine sandwich, cold cut, with dressing, 6" long	1 each	22	425
Succotash	½ cup	0	76
Sugar	1 tsp	0	16
Sugar	1 Tbsp	0	48
Sukiyaki, beef	1 cup	8	177
Sunflower seeds, hulled, roasted	1 Tbsp	4	46
Sushi:			
without fish or vegetables	1 cup	0	197
with fish and vegetables	1 cup	1	243
with vegetables in seaweed	1 cup	0	195
with vegetables	1 cup	0	250
Sweet breads, beef			
no fat added	3 oz	21	271
breaded/battered, fried	3 oz	34	474
Sweet potatoes	½ cup	0	131
Sweet potatoes, candied	½ cup	4	176
Sweet rolls, cinnamon, frosted, 3" diam x 1½"	1 each	11	299
Sweet sour chicken:			
with chicken breast,			
skin removed	1 cup	24	540
with dark meat, skin removed	1 cup	29	576
Sweet sour pork:			
with pork loin, trimmed	1 cup	28	536
with pork loin, untrimmed	1 cup	33	575

Item	Serving	Fat (g)	Calories
Swiss chard:			
no fat added	½ cup	0	17
cooked with bacon, ham, or			
sausage	½ cup	2	32
Swiss steak:			
with round steak, trimmed	3 oz	3	83
with round steak, untrimmed	3 oz	5	91
Syrup, pancake	1 Tbsp	0	55
abasco sauce, hot sauce	1 Tbsp	0	2
Tabbouleh salad, commercial/	1/ 0110	6	70
medium price Taga (garm tartilla 43/" diam)	½ cup	6	79
Taco (corn tortilla, 4 ³ / ₄ " diam):	1 aaah	5	110
chicken, plain	1 each	8	118
chicken with cheese	1 each	8	156
beef, diet lean (10% fat) ground beef	1 each	5	125
beef, diet lean (10% fat)	1 Cacii	3	123
ground beef with cheese	1 each	9	163
beef, regular (25% fat) ground beef	1 each	9	150
beef, regular (25% fat) ground beef with cheese	1 each	12	188
Taco, Taco Bell®:			
beef, light	1 each	5	131
beef, light supreme	1 each	5	151
beef, regular	1 each	11	184
beef, supreme	1 each	14	215
Taco salad, shell not eaten, beef and cheese:			
with diet lean (10% fat) ground beef, reduced fat cheddar	1 cup	3	185
Taco salad, shell eaten, beef and cheese:			

Item	Serving	Fat (g)	Calories
with diet lean (10% fat)			
ground beef, reduced fat cheddar	1 cup	18	320
with regular (25% fat)			
ground beef, regular cheddar	1 cup	22	348
Taco sauce	1 Tbsp	0	4
Taco shell, 5" diam	1 each	3	61
Tamale:			
in a leaf (pork, yellow corn, dried fruit, olive, pepper),			
6" long	1 each	4	72
canned, with sauce	1 each	7	100
with regular (25% fat) ground beef, corn, cheese,			
6" long	1 each	9	121
Tangerine, 2½" diam	1 each	0	43
Tapioca pudding with whole milk	½ cup	3	98
Tartar sauce	1 Tbsp	8	76
Tea, hot or iced	1 cup	0	2
Tempura, fried:			
shrimp	1 each	1	33
chicken breast	1 each	1	36
vegetable	1 fritter	3	49
Teriyaki:			
shrimp	1 cup	2	190
chicken (breast, skin removed)	1 cup	7	342
beef (sirloin, trimmed)	1 cup	8	367
Teriyaki sauce	1 Tbsp	0	15
Toaster pastries:			
low fat, (Poptarts®, etc)	1 each	3	190
regular, (Poptarts®, etc)	1 each	5	204
Tofu:			
low fat			
no fat added	½ cup	2	45
stir-fried	½ cup	5	74
regular			

Item	Serving	Fat (g)	Calories
no fat added	½ cup	6	94
stir-fried	½ cup	9	122
Tomato or vegetable juice (V-8®,			
etc)	³ / ₄ cup	0	35
Tomato sauce, canned, plain	1 cup	0	74
Tomatoes, raw $(1 \text{ sm} = \frac{1}{2} \text{ cup})$	½ cup	0	19
Tonic water, regular	1 cup	0	98
Tongue, beef	3 oz	18	241
Toppings:			
butterscotch, caramel or			
chocolate	1 Tbsp	0	52
fudge	1 Tbsp	3	74
marshmallow	1 Tbsp	0	27
Tortellini, without sauce:			
spinach-filled	1 cup	7	214
cheese-filled	1 cup	10	280
meat-filled	1 cup	11	388
Tortilla chips:			
baked	1 cup	1	78
fried	1 cup	6	122
Tortillas:			
corn, plain, not fried, 6" diam	1 each	1	56
corn, fried, 6" diam	1 each	6	111
flour, plain, not fried, 8" diam	1 each	3	137
flour, fried, 8" diam	1 each	11	205
flour, plain, not fried, 10"			
diam	1 each	5	214
flour, fried, 10" diam	1	16	320
Tripe, beef stomach	3 oz	4	85
Tuna:			
canned in water, drained	3 oz	1	99
canned in oil, drained	3 oz	7	168
canned in oil, not drained	3 oz	15	231
Tuna noodle casserole:			

Item	Serving	Fat (g)	Calories
homemade, water-packed tuna, drained	1 cup	11	271
homemade, oil-packed tuna, drained	1 cup	15	309
Helper®, water-packed tuna, drained, skim milk	1 cup	8	257
Helper®, oil-packed tuna, drained, whole milk	1 cup	16	330
Tuna salad, water-packed tuna, drained, without egg:			
with nonfat mayo	½ cup	5	136
with reduced calorie mayo	½ cup	10	172
with regular mayo	¹⁄₂ cup	16	228
Tuna salad, oil-packed tuna, drained, without egg:			
with nonfat mayo	½ cup	9	189
with reduced calorie mayo	½ cup	14	225
with regular mayo	½ cup	21	280
Turkey:			
light meat, skin removed	3 oz	3	140
light meat, skin eaten	3 oz	8	178
dark meat, skin removed	3 oz	7	167
dark meat, skin eaten	3 oz	12	202
Turkey ham, lunch meat	1 oz	1	36
Turkey sandwich (Arby's®):			
light roast turkey deluxe	1 each	5	243
turkey sub	1 each	22	495
Turnips, cooked	½ cup	0	14
Turnover, fruit:			
homemade, baked, 4½" diam	1 each	10	190
commercial (Pepperidge Farm®)	1 each	13	283
fast food (McDonald's®)	1 each	15	288
Turnover, meat-filled	1 each	21	321

Item	Serving	Fat (g)	Calories
Twinkie®	1 each	5	146
17			
eal, loin chops, cubes (stew meat) or cutlets:			
trimmed	3 oz	5	139
untrimmed	3 oz	9	172
Veal Parmesan	1 cup	27	473
Vinegar	1 Tbsp	0	2
W affle:			
frozen, 4" square	1 each	3	82
homemade, 4" square	1 each	6	107
homemade, 7" diam	1 each	14	252
Waldorf salad:			
with nonfat mayo	½ cup	3	70
with reduced calorie mayo	½ cup	9	108
with regular mayo	½ cup	16	168
Water chestnuts, canned	½ cup	0	34
Watercress	½ cup	0	2
Watermelon, ¼ of 10" diam			
x 1" slice	1 slice	0	39
Whipped cream (31% fat),	1 Thous		22
Sweetened Whinning groom, not whinned	1 Tbsp	5	22
Whipping cream, not whipped	1 Tbsp		12
White sauce:	1 Tbsp	1	13
White sauce: with skim milk	1/. 0110	6	87
with whole milk	1/4 cup	8	103
Wine, red or white table	¹ / ₄ cup 3 fl oz	0	62
Wonton, with meat, fried	3 11 02	U	02
1 ³ / ₄ " square	1 each	3	74

Item	Serving	Fat (g)	Calories
Worcestershire sauce	1 Tbsp	0	10
V			
L ams	½ cup	0	131
Yams, candied	½ cup	4	176
Yogurt			
nonfat (<1% fat), plain	1 cup	0	137
nonfat (<1% fat), fruited &			
other flavors	1 cup	0	162
low fat (1-2% fat), plain	1 cup	4	155
low fat (1-2% fat), fruited &			
other flavors	1 cup	3	250
whole milk, plain	1 cup	8	150
whole milk, fruited & other flavors	1 cup	8	292
Yogurt, frozen chocolate or vanilla:			
nonfat	½ cup	0	100
low fat	½ cup	1	100
regular, whole milk	½ cup	3	118
Zucchini			
raw	½ cup	0	9
cooked, no fat added	½ cup	0	14
breaded/battered, fried	1 slice	1	21

Item Serving Fat (g) Calories

Regional Foods

\mathbf{A}			
1 Lijiaco	1 cup	29	436
Albondigas (soup):			
with diet lean (10% fat)			
ground beef	1 cup	5	168
with regular (25% fat)			
ground beef	1 cup	11	213
Alligator	3 oz	2	126
Aloochat	1 each	8	361
Amaranth (Chinese spinach)	1 cup	0	7
Andhawo, 3" square	1 slice	5	202
Arroz con pollo	1 cup	9	252
Athanu (Indian pickle)	1 tsp	3	33
Atole:			
with skim milk	6 fl oz	0	135
with whole milk	6 fl oz	3	156
${f B}_{ ext{anana sauce}}$	1 tsp	0	11
Bangali sweets (sandesh, rasgulla, rasmalai, kalajam), 1 ½" diam	1 each	6	132
	1 Cacii	0	132
Barbacoa, grilled: goat head			
-	1 2110	7	102
without basting or marinade	1 cup		193
basted with added fat	1 cup	10	221
beef head	1	26	205
without basting or marinade	1 cup	26	385
basted with added fat	1 cup	30	413

Item	Serving	Fat (g)	Calories
Batida (banana milkshake):			
with skim milk	12 fl oz	1	264
with whole milk	12 fl oz	9	332
Bear:			
no fat added	3 oz	12	217
breaded/battered, pan-fried	3 oz	14	249
Beef tasso	3 oz	3	141
Biryani (chicken)	½ cup	13	555
Bittermelon (fu kwa, nigagori)	1 cup	0	28
Blue corn mush	1 cup	1	125
Boliche (Spanish style pot roast)	3 oz	31	372
Boniatos	½ cup	0	131
Brains, beef:			
no fat added	3 oz	11	136
breaded/battered, pan-fried	3 oz	13	168
Brains, pork:			
no fat added	3 oz	8	117
breaded/battered, pan-fried	3 oz	10	149
Bunuelos	1 each	1	66
Burrito, breakfast:			
chorizo, egg, cheese	1 each	50	737
egg, cheese, green chile	1 each	28	496
egg, potato, cheese, green			
chile	1 each	39	654
Cactus fruit pads (nopales)	½ cup	0	11
Calabacitas	½ cup	0	50
Caldo, with meat and vegetables	1 cup	17	289
Callolobush (dasheen leaves,			
amaranthus)	½ cup	0	14
Carne adovada	3 oz	5	138

Item	Serving	Fat (g)	Calories
Carne guisada:			
with round steak, trimmed,			
no fat added	1 cup	5	238
with stew meat, trimmed,			
fat added	1 cup	17	324
with stew meat, untrimmed,			
fat added	1 cup	28	412
Carrot halwa	¹⁄₄ cup	5	175
Cassava	½ cup	0	79
Cereal, hot with cornstarch:			
with skim milk	½ cup	0	58
with whole milk	½ cup	4	92
Ceylon moss bar (seaweed)	½ bar	0	8
Channa/garbanzo beans	½ cup	3	180
Chapati/phulka, 6" diam	1 each	0	68
Chayote (christophene), raw	1 cup	0	32
Chayote (christophene), cooked	½ cup	0	19
Chicharrones, crispy fried pork	½ cup	55	634
Chicken/mutton curry	½ cup	10	308
Chicken, tandoori	1 oz	4	75
Chilaquiles	1 cup	24	342
Chile, green sauce	½ cup	2	54
Chile, red sauce	½ cup	12	158
Chili relleno	1 each	16	215
Chitterlings, boiled or stewed	½ cup	18	189
Cholla buds, dried and soaked	½ cup	0	27
Chow fun:			
with vegetables (no meat)	1 cup	2	136
with shredded pork	1 cup	9	177
Churros, fried	1 pc	7	116
Coconut water	1 cup	4	46
Cuban sandwich (ham, pork,	•		
cheese), 6" long	1 pc	29	682

Item Serving Fat (g) **Calories** 1 each 3 80 ahiwada, 3" diam ½ cup Daikon (Japanese radish) 0 12 Dasheen (Japanese white taro) $\frac{1}{2}$ cup 0 74 Dhokala/khaman, 1" square 1 each 5 104 Dosa, 8" diam 1 each 2 74 Dove (fowl): baked, broiled or stewed, no fat added skin removed 3 oz 8 181 201 skin eaten 3 oz 11 breaded/battered, pan-fried skin removed 10 213 3 oz skin eaten 3 oz 233 13 ✓ mpanadas, main dish type: vegetable-filled (no meat) 9 154 1 each meat-filled, diet lean (10% fat) ground beef 294 1 each 17 meat-filled, regular (25% fat) ground beef 1 each 21 321 Empanadas, dessert type, fruit-filled (apple) 1 each 10 190 ish sauce 1 Tbsp 0 4 Flauta, fried: with chicken breast, skin removed 1 each 25 321 with beef, shredded 1 each 34 398 Fry bread (with milk), 5" diam 8 281 1 each

Item	Serving	Fat (g)	Calories
Fry bread (no milk), 5" diam	1 each	10	302
Ghee	1 tsp	5	45
Goat	3 oz	3	122
Gorditas, stuffed	1 each	6	172
Green chile stew	1 cup	26	411
Hog head cheese	1 oz	6	83
Hog jowl	1 oz	5	54
Hog maw	3 oz	13	211
Horseradish leaves, chopped	½ cup	0	13
Idli, 3 - 4" diam	1 each	0	70
J icama, raw	½ cup	0	25
Kachori, 1½" diam	2 each	6	75 144
Kadhi (spiced yoghurt)	1 cup	7	
Kheer/basudi/duthpak Khichadi (rice and lentils)	½ cup	3	198 245
` '	1 cup	7	117
Khoya (thickened milk) Kidneys:	1/4 cup	/	11/
beef	1 cup	5	202
pork	1 cup	7	202
Kimchee (pickled cabbage)	½ cup	0	10
Kneel-down bread (with husk)	1 each	2	208

Item	Serving	Fat (g)	Calories
Kneel-down bread with blood			
sausage and husk	1 each	20	492
Kulifi (rich ice cream)	½ cup	13	254
Laddu, small	1 each	5	111
Lapsi (sweet cream of wheat with	1/ 200	0	277
ghee) Lev lev (perly/figh in leaves)	½ cup	8	277 270
Lau lau (pork/fish in leaves)	1 each	16	49
Lyahaas	½ cup	0	
Lychees	10 pcs	U	60
Malanga root	1/ aup	0	74
Agranus filled with been neets	½ cup	4	74
Manapua filled with bean paste	1 each	4	243
Manapua filled with pork loin, trimmed	1 each	6	197
Menudo	1 cup	11	348
Milk, carabao's	1 cup	23	300
Molé sauce, poblano	1 cup	24	342
Moong dahl, cooked	½ cup	0	107
Moong whole, cooked	½ cup	1	174
Mooth dahl, cooked	½ cup	1	165
Muscadines	17 pcs	0	60
N aan, 8" x 2"	¹⁄₄ pc	2	75
Natillas:			
with skim milk	½ cup	5	206
with whole milk	½ cup	9	235
Navajo tea	4 fl oz	0	1
Neck bones (pork)	1 each	5	101

Item Serving Fat (g) **Calories** 2 ctopus 3 oz 139 7 Opossum 3 oz 168 akora/bhajia, medium 2 2 each 57 4 Pan dulce, plain 1 each 185 Paneer 1 oz 103 Passion fruit (may pops), fresh 3 each 0 34 Pattis/cutlet, 1½" diam 2 each 70 6 Persimmons, Japanese, fresh 0 59 ½ fruit Picadillo, beef with potato: with diet lean (10% fat) ground beef 9 1 cup 257 with regular (25% fat) ground beef 1 cup 22 351 Pig's ears 238 1 ear 11 3 oz Pig's tail 26 338 Piñon nuts (pine nuts) 37 341 ½ cup Plantains: ½ cup no fat added 0 89 breaded/battered, fried ½ cup 6 137 ½ cup Poi 0 74 Poke sallet ½ cup 6 94 Pomegranate, 33/8" diam 105 1 each 0 Poppadum (roasted) 1 each 29 0 Pork cracklings 1 Tbsp 3 33 7 Posole 1 cup 183 58 Pummelo, raw 3/4 cup 0 Puri (whole wheat), 5" diam 7 1 each 128 Pullav (mixed vegetables) 3/4 cup 7 371

Item Serving Fat (g) **Calories** accoon 3 oz 12 217 ½ cup Raita (yoghurt and cucumber) 2 51 ½ cup Rajmah/kidney beans 1 173 Rawa upama ½ cup 6 104 15 1 cup 265 Ropa vieja Roti (whole wheat), 6" diam 1 85 2 each ambar (lentil soup, cooked) 88 $\frac{1}{2}$ cup 1 5 Samosa, fried 1 med 114 2 Sapodilla (naseberry) 1 med 141 Sausage: Chinese, 2" long 8 90 2 pc 7 Portuguese sausage (linguica) 92 1 oz 4 49 souse 1 oz Sev (fried noodle, snack) ½ cup 6 107 Sevian (vermicelli) 275 $\frac{1}{2}$ cup Sheera (sweet cream of rice ½ cup 200 with ghee) 6 Sofrito sauce (with ham) 3 37 1 Tbsp 8 1 cup 181 Sopa de fideo (carne) Sopaipillas, fried 1 oz 6 104 Soup, tortilla 250 1 cup 11 Sour sop pulp ½ cup 0 75 51 1 oz 4 Sous meat 1 each Spam musubi 9 220 Squash, banana ½ cup 1 24 3 oz Squirrel 4 147 1 115 Steam corn/hominy 1 cup Suab, flesh 3 oz 10 180 Sweets, Indian:

Item	Serving	Fat (g)	Calories
milk-based (penda, burfi),			
1" diam/square	1 each	4	83
other sweets (gulabjamun,			
mansoor pale, mohanthal,			
magus), 1 ½" diam	1 each	4	105
T			
aqua de tamarindo	1/4 cup	0	46
dulce de tamarindo	¹ / ₄ cup	0	72
Tannia (yautia)	1 med	0	133
Taquito, fried:	1 med		133
with diet lean (10% fat) ground beef	1 each	7	171
with regular (25% fat)	1 cach	/	171
ground beef	1 each	11	200
Taro leaves	½ cup	0	14
Taro root, baked	½ cup	0	74
Tempeh	½ cup	6	165
Tostado, bean, with regular cheddar, 6" diam tortilla, fried	1 each	6	197
Turnip sallet	1/2 cup	6	94
Turtle	3 oz	3	114
Tuvar dahl, cooked	½ cup	2	168
Tuvar, whole	½ cup	1	116
Urad dahl	½ cup	1	174
al dahl (kidney beans),			
cooked	½ cup	1	30
Venison, deer, ground or steak	3 oz	3	134

 ${}_{Lrgfatcounter.wpd;\,9/98} \hspace{2cm} 70 \\$

Item	Serving	Fat (g)	Calories
W atermelon seeds	1 tsp	3	38
Y ucca/cassava	½ cup	0	79


Other Foods

	•	

Item	Serving	Fat (g)	Calories

Item	Serving	Fat (g)	Calories

Item	Serving	Fat (g)	Calories



eeping Track
Name
Starting Date
To do this week:

				•
Time	Food: Amount and Name/Description	Fat Grams	Calories	Fat Over Budget Budget
				55 —
				50 ====
				45
				⁴ 7
				40 +
				35 =
				30 =
				25 -
	Daile Tatala			20 =
	Daily Totals			
	Kind of Physical Activity		Minute s	15
				10
				5 =
	Daily Total Activity			
]	Daily Activity Goal (minutes	5)	

Goals

	Fat Grams	Calories	Minutes of Activity
Daily			
Weekl y			

Totals

	Fat Grams	Calories	Minutes of Activity	Weight
Day 1				
Day 2				
Day 3				
Day 4				
Day 5				
Day 6				
Day 7				
Total				

Vame	Week
vame	week